


imageRUNNER® Pro 7 1 0 0 V P SERIES





WITH THE CANON IMAGERUNNER PRO 7100VP SERIES DIGITAL PRESSES, PRODUCING HIGH-QUALITY BLACK-AND-WHITE WORK HAS NEVER BEEN EASIER.



The imageRUNNER Pro 7100VP Series digital presses offer distinct technological advances that are hard to replicate. Despite all the talk about bit depth, resolution, and dots per inch, the imageRUNNER Pro 7100VP Series digital presses have set the standard for image quality. Utilizing light emitting diode (LED) technology, this Series utilizes imaging technology that creates halftone images and line art that rivals lithographic quality.

The imageRUNNER Pro 7100VP Series digital presses are robust enough to handle any black-and-white application, from booklets to transactional print and even on-demand book publishing. Each device comes with an impressive array of standard features, including a 4,000-sheet paper supply with variable paper size capabilities, up to 14.33" x 18.5".* Also included is variable pitch printing support that allows you to print odd sizes, without a substantial drop in machine-rated speed.

The imageRUNNER Pro 7100VP Series digital presses can be configured to any application you require, with in-line finishing options such as a puncher, saddle-stitched booklet-maker, perfect binder, stacker, BPRF, and Challenge Three-Knife Trimmer. For high volumes with graphic arts quality, the imageRUNNER Pro 7100VP Series digital presses always deliver.

The imageRUNNER Pro 7100VP Series has an open architecture that's adaptable for your existing workflow. Whether you're using a Canon or third-party solution, the Canon imageRUNNER Pro 7100VP Series will provide the best total solution for your production-intensive environment. With the Canon imageRUNNER Pro VP Series, you're never locked into a proprietary workflow; you can add finishing options such as stackers, paper supply modules, and other options over the life of the product.





The SUN™ Ultra 24 Controller is the right solution for processing digital files quickly to get the job done. With Q9650 Intel® Core™2 Quad Processors and 2GB of RAM, this controller delivers results. And with the ability to process variable data, the SUN Ultra 24 controller will keep your print shop humming.

The powerful SUN controller will process your electronic documents with ease, including Adobe® PostScript® 3TM, optional PCL 6, PDF, and TIFF files. With the high-conversion speeds in the raster image processor (RIP) and electronic job spooling in the memory, busy production environments are able to print the first complete set of a job in record time. The SUN controller has the ability to print while it's RIPping, which results in increased productivity. Competitive systems first need to spool an entire job before it can be printed. With this system, a first-out proof will be ready in no time for approval.

An operator can program a sample page to be automatically printed based on the number of sheets or a specific sheet within a set. Another benefit is the e-mail notification enhancement.

An e-mail can be sent to notify the user that the file has been processed or when the job has finished printing. These are only some of the features of the print production software.

Compare the quality of the output to other devices and you'll see the difference in imaging technology. The Canon imageRUNNER Pro 7100VP Series produces near lithographic quality due to its advanced technologies, such as Gray Resolution Enhancement Technology (GRET) and Small Particle Developer (SPD). GRET helps to produce text and lines with superior edge definition and smoothness. SPD is a technology that utilized a toner particle that's much smaller than average. This very fine toner particle helps to produce black crisp text and detailed halftone images.



Designed with the End-user in Mind

You can select from a broad range of additional options to customize the device to meet your specific business requirements.

Optional Inserter

Add the Inserter to your system to easily incorporate preprinted materials into finished documents. Three convenient drawers (two 1,000-sheet and one 2,000-sheet) feed your inserts at machine-rated speed—eliminating the need for costly outsourcing and time-consuming manual collation.

Sun Controller

Running on a UNIX® operating system, the Canon imageRUNNER Pro 7100VP Series digital presses provide robust system performance across a wide variety of job streams.

Paper Supply Modules

One 4,000-sheet Paper Supply Module comes standard with each model, with an option to add two more. Maximum online capacity is 12,000 sheets from nine different sources, allowing you to create documents containing multiple paper types, colors, and exceptions. Paper drawers are adjustable and most can support paper sizes from 7" x 8.27" to 14.33" x 18.5",* and in weights from 16 lb. Bond to 150 lb. Index.**

- * With Optional Extended Paper Size Range License
- **Enhanced Feed Mode License

Marking Engine

With print production software the Canon imageRUNNER Pro 7100VP Series devices are available in several different unique configurations that will help you drive the productivity of your business to new levels.



Whether you purchase an imageRUNNER Pro 7100VP Series model in its standard configuration or opt to add some additional capabilities, it's a great choice for your business.

Optional Puncher

Produce hole-punched, ready-to-bind documents with the in-line Puncher option. A variety of optional punch tools are available, all of which are interchangeable by the key operator.

Finisher

Optional Stacker(s)

Up to 5,000 sheets can be output to the optional Stacker and transported to off-line finishing devices with the handy, rolling removable dolly. Or chain up to three stackers together for an output capacity of 15,000 sheets!

Optional Bourg Perforating Rotating Folding Unit (BPRF)

Increase the productivity of the Perfect Binder with the BPRF. This accessory sends two-up images to the Perfect Binder so that more books can be produced in less time and with reduced paper waste.



A standard feature of the imageRUNNER Pro 7100VP Series devices', the Finisher can accommodate up to 3,000 sheets and perform measured stitching of up to 100 sheets at a time.

Optional Booklet-Maker

If booklet-making is a requirement, you can produce saddle-stitched booklets of up to 88 pages (22 sheets) in $5.5" \times 8.5"$ or $8.5" \times 11"$ sizes. The optional Booklet-Maker also includes a trimmer and an output tray that can hold up to 42 finished booklets. The Booklet-Maker requires the Stacker for operation.

Optional Perfect Binder

Perfectly bound books, from 15 sheets up to 1.5" thick (approximately 350 sheets), are produced on the Perfect Binder on-demand, automatically. Utilizing a hot bind glue technology, the Perfect Binder also provides milling and scoring capabilities as well as paper waste collection. An automatic cover feeder and output stacking module enable ready-to-pack stacking. The Perfect Binder requires the Stacker for operation.

THE PRODUCTIVITY YOU EXPECT, REGARDLESS OF JOB COMPLEXITY.

The paper requirements of a print job often have a negative impact on the time it takes to produce output.

Odd paper sizes, loading and unloading of special paper stocks, and manual collation of preprinted and heavier materials can add minutes or hours to overall job time.

The imageRUNNER Pro 7100VP Series digital presses handle the advanced paper requirements typical of production workflows with ease. But with the imageRUNNER Pro 7100VP Series, there's usually little or no loss in machine-rated speed.

FLEXIBLE PAPER SUPPLY

The imageRUNNER Pro 7100VP Series digital presses offer flexible paper-handling to manage the diverse applications common to production environments. A three-way, 4,000-sheet paper supply comes standard with each device. Two optional Paper Supply Modules can be added, boosting total online capacity to an astounding 12,000 sheets. All three paper supplies offer variable paper size capabilities and can handle paper weights from 16 lb. Bond to 150 lb.** Index (60gsm-266gsm). The top drawer of each paper supply can support in-track paper sizes from 7" to 9" and cross-track sizes from 8.27" to 14.33".* The middle and bottom drawers can support an even broader range of custom paper sizes, with in-track parameters of 7" to 18.5" and cross-track parameters of 8.27" to 14.33". All drawers are fully adjustable within the minimum and maximum dimensions they support.

The generous paper supply of the imageRUNNER Pro 7100VP Series systems and the large number of throughput choices they offer allow you to create documents containing multiple paper types, colors, and exceptions. You can create finished documents with custom covers, inserts, tabs, and more, without the frustrating limitations common to many other printers.

With so many drawers to choose from, you can leave special papers in the device to use when needed, instead of constantly having to switch out papers. The wide range of paper sizes supported also reduces the need for off-line trimming.

If preprinted stocks need to be incorporated into your finished documents, an optional three-drawer, 4,000-sheet Inserter is also available to handle the collation of preprinted materials on a variety of substrates. Color photos, illustrations, transparencies, charts, graphs, and other media are added to the job stream post-process, protecting sensitive pages from exposure to potentially damaging fuser heat.

COMMERCIAL PRINT OPTIONS

The imageRUNNER Pro 7100VP Series has the requirements that commercial printers demand. As the quality of digital printing has improved, commercial printers are migrating their black-and-white workflow to digital presses to capture increases in speed and savings. The commercial print options include the optional extended paper supply module, which can accommodate large-format paper sizes. With the optional enhanced feed mode there will be an improved performance on a wider range of coated and uncoated paper stocks. From 16 lb. Bond to 150 lb.** Index (60gsm–266gsm), the imageRUNNER Pro 7100VP Series can handle all your black-and-white high-speed production needs.

Monthly Duty Cycles (Pages per Month)

- Pro 7110VP: Up to 2 Million
- Pro 7125VP: Up to 4.25 Million
- Pro 7138VP: Up to 4.5 Million
- Pro 7150VP: Up to 5 Million

The imageRUNNER Pro 7100VP Series devices support a wide range of paper sizes, finishes, and weights:

- True 6" x 9" book production
- Preprinted 18.5" check stock (12-Up)
- Large-format output of over 18"
- Heavier stocks for postcard mailings
- Enhanced Feed Mode for heavy and glossy media

Magnetic Ink Character Recognition (MICR)



Expand the possibilities of your production printer even more with added support for MICR.

In addition to all the advanced capabilities included with the standard configuration of the imageRUNNER Pro 7100VP Series, you have the option to add secure MICR*** printing technology. The result is a flexible printing solution that can be used for both commercial and transactional print applications.

VERSATILE PRINTING SOLUTION

Due to the unique design of the imageRUNNER Pro 7100VP Series digital presses, both MICR printing and other high-quality printing can be accomplished on the same system. Users can switch between standard and MICR toner, depending on the type of job being run. Interchangeable toning stations can be swapped out between print runs. The toning stations are stored on separate toning carts that can be exchanged whenever needed. In addition, the carts provide a safe place to store the toner when not in use.

ENHANCED SECURITY

The imageRUNNER Pro 7100VP Series printer employs special security features to ensure that MICR jobs are only run by authorized personnel. Only a logged-in user, identified as

a "Security Operator," will have permission and privileges to enable and disable MICR fonts and release jobs from the Secured State when Restricted, Secure Mode is active. Operators without the MICR-secure designation won't be able to activate MICR fonts or release secured jobs.

To activate MICR fonts, MICR toner must be detected by the system. Once the MICR toner is removed, the MICR fonts are automatically disabled. In addition, prints generated with MICR and non-MICR toner are tracked by separate meters to simplify billing and provide a greater level of control and accountability.

TOTAL APPLICATION SOLUTION

The precise paper-handling, superior image quality, and best-in-class registration of the imageRUNNER Pro 7100VP Series systems make them ideal MICR printers. With minimal jamming, excellent font readability, and consistent print performance, MICR applications such as checks, coupons, rebates, and financial documents can be printed with confidence.



- * With Extended Paper Size Range License
- ** Enhanced Feed Mode License
- *** Requires AP Print Production Software only

The Changing Environment of Graphic Arts



As the printing industry grows and evolves, new lucrative markets emerge.

On-demand digital printing is changing the publishing landscape. The book publishing model is changing from a "push" to a "pull" business model. Instead of a publisher printing a mass quantity of books and then hoping they sell, a publisher can economically print a small quantity of books to test the market. Another benefit of the digital business model is that the customer can determine what books are to be printed. An order can be submitted and paid for before the book is produced.

The Canon imageRUNNER Pro 7100VP Series digital presses and optional accessories like the Bourg Perfect Binder and Challenge Three-Knife Trimmer can help you develop new business models in these growing markets.

By adding the Perfect Binder and Three-Knife Trimmer, you now have an opportunity to produce professional looking books and manuals that are flawless in appearance. These components provide the opportunity to increase revenues by producing print work for the education, financial, and healthcare markets. As the book publishing market continues to shift from one of mass production to customization, you will be already positioned to take advantage of this lucrative area.



Variable Data Printing (VDP)

What is variable data printing? This is a form of direct marketing that targets individuals on a personal level. A typical direct mail piece is a "static" or fixed set of text and images sent to a large population. Digital printing has the advantage of being able to print "dynamic" text and images. With digital data, every print can be different. As a result, each direct mail piece can be customized for each person. Studies have shown that this form of printing may increase response rates by as much as 36 percent.

When you think of a direct mail piece, images of four-color mailers may come to mind. This definition of VDP is narrow and you could be missing lucrative opportunities. VDP printing can be prohibitively expensive if it's a large quantity. By printing on a high-end imageRUNNER Pro 7100VP Series black-and-white digital press, it's possible to keep the costs low while, at the same time, increasing the response rate of a direct marketing campaign.

In today's congested landscape, companies are vying for the consumer's dollar. Sending everyone the same message is not direct marketing—it's junk mail that goes unread. By utilizing VDP on a black-and-white device, a marketing campaign can be tested for less money. Once a campaign is deemed successful it could be moved to a four-color process device. With VDP it's possible to break through all the clutter.

Another benefit of VDP is how quickly the job can be turned around. Unlike traditional printing, which requires imposing, platemaking, make-ready, printing and time to dry, digital VDP can be ready within 24 to 48 hours of proof approval. Lastly, with VDP you can test different campaigns small and efficiently–before ramping up. Run a small test to determine the response rate. In this way, it's possible to minimize financial risk and validate or change variables.

The imageRUNNER Pro 7100VP press is the digital press for graphic arts applications. Producing a variable data marketing campaign requires the highest quality available. Technologies such as gray resolution enhancement technology (GRET) and small particle developer toner (SPD) produce images and text that are near lithographic quality. Clients that have stringent print quality requirements will not accept second best. The imageRUNNER Pro 7100VP digital production press delivers on all accounts.



Workflow that works



The imageRUNNER Pro 7100VP Series digital presses offer several optional tools to help you build a system customized for your specific application needs.

DOCUMENT SCANNING AND MAKE-READY

Alone, the imageRUNNER Pro 7100VP Series models are productive, high-speed printers. But combine any model with SmartBoard™ Suite software or the EFI MicroPress® and an optional Canon scanner, and you have a powerful solution from pre-flight to production.

SmartBoard Suite, a PDF-based workflow tool for the Canon imageRUNNER Pro 7100VP Series devices, takes document assembly, editing, and proofing capabilities to the next level. With SmartBoard, you can easily combine documents from various applications and input sources, and create brand-new output. Operations such as reordering pages, rotating pages, imposition, annotation, tab creation, and black-and-white and color image editing are done quickly and easily.

The EFI MicroPress for Canon combines powerful document "make- ready" capabilities with advanced job management and workflow tools through a single, front-end solution. The MicroPress delivers powerful digital prepress and workflow management utilities to mission-critical print environments, with productivity features that optimize throughput and minimize downtime to ensure on-time job completion.





Key productivity features include:

TrueEdit – A suite of make-ready tools for preparing post-RIP documents for printing; allows users to make job- and page-level changes without having to re-RIP the entire job, dramatically reducing the processing time. TrueEdit automates manual processes such as hand-collating, tab inserting, document renumbering, and booklet creating.

In addition, users have access to the Digital StoreFrontTM (DSF) software solution that simplifies the process of job submission, proofing, ticketing, and more.

THIRD-PARTY VALUE-ADDED SOLUTIONS

The imageRUNNER Pro 7100VP Series digital presses are designed to work easily with third-party software and hardware solutions in order to give you the highest degree of flexibility when configuring your equipment.

The third-party providers summarized below offer solutions that integrate seamlessly with the imageRUNNER Pro 7100VP Series devices to address customer- and industry-specific needs.

OBJECTIF LUNE

The Objectif Lune PlanetPress® Suite enables variable data documents and forms printed on legacy and proprietary impact printers to transition to the networked, speedy, and feature-rich imageRUNNER Pro 7100VP Series models.

ROCHESTER SOFTWARE ASSOCIATES (RSA)

M.I.S. Print, IPDS Print, and RDOPrint by RSA automatically convert line printer, Xerox LCDS (DJDE, Metacode, and XES/UDK), and IPDS datastreams into a format that can be printed on the imageRUNNER Pro 7100VP Series models.

ROLL SYSTEMS INC.

Roll System's DocuSheeter LS increases the productivity of your imageRUNNER Pro 7100VP Series system with in-line roll-feeding capabilities.

CHALLENGE MACHINERY

The CMT330 Three-Knife Trimmer, manufactured by Challenge Machinery, is a three-sided trimmer designed for use with the imageRUNNER Pro 7100VP Series device's Perfect Binder option. (No interface kit is required.)

COVERBIND/BINDOMATIC

The Coverbind/Bindomatic 301 provides an in-line thermal binding solution that requires no trimming, venting, or special power requirements. It's a great alternative to tape binding and perfect binding. (An Accessory Interface Box is required for integration.)

Custom Solutions

Canon understands that, occasionally, a customer may have a highly specialized workflow requirement that's not met through our standard product offerings. With this in mind, Canon created a "customization" program for the imageRUNNER Pro 7100VP Series devices. Customer requests for hardware and software solutions outside of our current product portfolio are evaluated and may be made available as a "custom" solution at an additional cost. (Please check with your Authorized Canon Dealer for more information.)

Count on Canon


As the nation's marketshare brand leader in black-and-white and color laser printer/copier solutions,* Canon imageRUNNER products are known for open architectures, modular design, and reliable performance. The imageRUNNER Pro 7100VP Series devices illustrate, once again, the Canon commitment to deliver high-quality, innovative solutions to market.

Additionally, every Canon imageRUNNER Pro 7100VP Series printer is backed by a network of experienced dealer organizations and expert sales, service, and technical support groups. You see, at Canon we all work together to ensure that you receive the level of customer service you not only expect, but also deserve.





Specifications



MAIN UNIT

Configuration/Platen: Imaging System: Digital, Multifunction Imaging System Electrophotographic Process Developing System: SPD, Two Component Dry Acceptable Originals: Std. Originals Size: Sheets, Transparencies, Tabs, Covers 14" x 18" Max. Originals Size: 14.33" x 18.5"* Min. Originals Size: 7" x 8.27"* 14" x 18.25" Max Print Size: Engine Resolution: 600 x 600 dpi Paper-Feeding: 3-Drawer Modular Paper Capacity

4.000 Sheets Standard: Drawer 1 (Top): 1,000 Sheets (20 lb.) Drawer 2: 1,000 Sheets (20 lb.) Drawer 3: 2.000 Sheets (20 lb.) 12,000 Sheets** Maximum Acceptable Paper Weight: 16 lb. Bond to 150 lb. Index (All Cassettes)**

Trayless Duplexing (Except Tabs) **Duplexing**: Warm-Up Time:

Maximum Print Speed

imageRUNNER Pro 7110VP: 110 ppm (LTR/LGL), 55 ppm (LDG) imageRUNNER Pro 7125VP: 125 ppm (LTR/LGL), 63 ppm (LDG) imageRUNNER Pro 7138VP: 138 ppm (LTR/LGL), 69 ppm (LDG) imageRUNNER Pro 7150VP: 150 ppm (LTR/LGL), 75 ppm (LDG) nensions (H x W x D): 64" x 119.5" x 47" Dimensions (H x W x D):

(163cm x 304cm x 119cm) 2,695 lb. (1,222kg) Weight Power Requirements: 208 VAC, 60Hz, 2.5A

Noise Level (Printing):

Duty Cycle: 2 to 5 Million Impressions per Month[†]

ACCESSORIES

Finisher Number of Trays:

Tray Capacity

Top Tray 500 Sheets (All Sizes) Non-Staple Mode Staple Tray: 3,000 Sheets (Straight or Offset/ 100 Sets with Staple)

Paper Size

7" x 8.27" to 14.33" x 18.5" 7" x 8.27" to 9" x 14" Top Tray: Staple Tray: Multiposition Stapling Staple Position: Stitching Capacity: None, Top, Bottom, Both Face-Down/Face-Up Document Delivery 50.000 Staples Power Supply:

Directly from Main Unit Weight: 650 lb. (294.7kg) 61.5" x 22.5" x 34 Dimensions (H x W x D): (156cm x 58cm x 86cm)

DR-7080C (Optional)

Optical Resolution: 600 x 600 dpi Speed (Simplex/Duplex LTR): 70 ppm/36 ipm Paper Feeder Capacity: 100 Sheets (LTR, 20 lb.) ADF (Width) 5.5"-12" ADF (Length) 5"-17" Document Size

Paper Weight Range 13 lb.- 32 lb. Bond (50 - 128 g/m2)

Weight: 74 lh

Dimensions (H x W x D): 11.8" x 22.6" x 23.7" **Paper Supply Module (Optional)**

Number of Trays: Tray Capacity

Drawer 4, 7 (Top): 1,000 Sheets (20 lb.) Drawer 5, 8: 1,000 Sheets (20 lb.) 2,000 Sheets (20 lb.) Drawer 6. 9: Paper Weight: 16 lb. Bond to 150 lb. Index*** 545 lb. (247.4kg) 45" x 35.5" x 31.5" Dimensions (H x W x D): (114cm x 90cm x 85cm)

Post-Process Inserter (Optional)

Number of Trays: Tray Capacity

1,000 Sheets (7" \times 8.27" to 9" \times 14")* 1,000 Sheets (7" \times 8.27" to 14.33" \times 18.5")* Drawer 1 (Top): Drawer 2:

2,000 Sheets (7" x 8.27" to 14.33" x Drawer 3:

Paper Weight: 16 lb. Bond to 150 lb. Index*** 610 lb. (276.7kg) Weight:

Dimensions (H x W x D): 49.5" x 31" x 33.5"

(125.7cm x 78.7cm x 85.1cm)

Puncher (Optional)

Power Requirements: 120 VAC, 60Hz, 2.5A 100 VAC, 50/60Hz, 2.5A Power Consumption: 320 VA

Dimensions (H x W x D): 49.6" x 40.2" x 31.9" (126cm x 102cm x 81cm) 595 lb. (270ka)

Weiaht

Punch Tools:

• Loose-Leaf/Office Hole-Punch Tool (2-/3-/4-Hole)

Plastic Comb Punch Tool (Rectangular)
Wire Comb Punch Tool 2-1 Pitch (Round) • Wire Comb Punch Tool 3-1 Pitch (Round)

· Wire Comb Punch Tool 2-1 Pitch (Rectangular) Wire Comb Punch Tool 3-1 Pitch (Square)

Punch Tool Durability: 12-15 Million Actuations

Stacker (Optional)

Number of Trays: 5,000 Sheets Tray Capacity

(Straight or Offset Non-Staple) 7" x 8.27" to 14.33" x 18.5"* Rotates 8-1/2" x 11" Portrait Sheets Paper Size: Rotator Unit:

90 Degrees Document Delivery: Face-Down/Face-Up Power Supply: 115V 450 lb. (203.7kg) Weight:

Dimensions (H x W x D): 49.5" x 33" x 31.6" (125.7cm x 84.8cm x 78.7cm)

Booklet-Maker (Optional)

Tray Capacity: Conveyor Belt Output 8" x 10" to 14" x 18 Paper Size: Stitching Capacity: 2 to 22 Sheets

Stitching Position

Single-Position Stapling: 2 Center Staple Positions Saddle-Stitched Specifications

Folding:

1 to 22 Sheets (20 lb. Bond) Folding Capacity: Trimming: Edge Trim Folded Booklets (Adjustable Trim Width)

Staple Wire Spool: 40,000 (100-Sheet Stitches) Power Supply: 115V

970 lb. (439.8kg) Weight: 58" x 100" x 24 Dimensions (H x W x D):

(147.2cm x 254cm x 58.4cm) **BPRF** (Optional)

Power Requirements: 120 VAC, 60Hz 920 Watts 51" x 64" x 31" Power Consumption: Dimensions (H x W x D): (129cm x 162cm x 78cm) 562 lb. (255kg)

Weight: Perfect Binder (Optional)

Book Thickness:

15 Sheets to 1.5" (40mm) About 350 Sheets at 20 lb. Bond 8.5" x 11"

Book Size (In-line Binding):

Book Size (Off-line Binding): 2.36" x 4" to 12" x 14" (60mm x 100mm to 305mm x 356mm)

Weight (with Input Unit, Delivery, and Bypass):

1.676 lb. (760kg) Dimensions with Bypass

45" x 8'4" x 5'11" (H x W x D): (1.2m x 2.6m x 1.8m)

Roll Feed Interface Kit (Optional)

• Supports Roll Systems DocuSheeter LS

Multi-Stacker Interface Kit (Optional)

· Supports up to three Stackers on one device

• One kit is required for each additional Stacker

Extended Paper Supply Module (Optional)

· Allows top drawer of Paper Supply Module to accommodate large-format paper

Only one per main unit, installed on left-most module

Optional Features for AP Print Production Software

• MICR Printing*

Enhanced Feed Mode*

• Digital Print Quality Adjustments* PCI Interpreter*

Extended Paper Size Range*

Optional license upgrade is required.

** With optional Paper Supply Module(s).

*** Caliper must fall within 3.5mil to 10mil (0.09mm to 0.25mm).

† Depends on customer job stream and number of shifts.



1-800-OK-CANON www.usa.canon.com

Canon U.S.A., Inc. One Canon Plaza Lake Success, NY 11042





