

AccurioPress C6100/C6085

COLOR DIGITAL PRODUCTION PRESS



THE ACCURIOPRESS C6100/C6085 —

SMART PRINTING WITH AUTOMATED QUALITY.



Designed to perform. Deliver exceptional color. Grow your business. AccurioPress C6100/C6085 will impress you — and your customers.

Get ready for a game-changer. The AccurioPress C6100/C6085 from Konica Minolta is revolutionizing production print and establishing new standards for cut-sheet digital presses. The C6100/C6085 performs, print after print, run after run, job after job, on diverse media such as envelopes, weights up to 400 gsm and sizes up to 47-inch banners. Automated closed-loop color and registration controls deliver industry-leading productivity and print quality at the touch of a button, with Konica Minolta's new IQ-501 Intelligent Quality Optimizer. The C6100/C6085 with IQ-501 Intelligent Quality Optimizer turns even your least experienced press operator into a highly versatile, world-class print professional.



EXCEPTIONAL QUALITY, EVERY PRINT

Exclusive IQ-501 Intelligent Quality Optimizer leverages Konica Minolta's long history of brilliant imaging technology, allowing you to wow your customers with stunning prints time and again.



INCREASE YOUR EFFICIENCY

Your AccurioPress C6100/C6085 operators can count on simple setup, an ultra-reliable paper path, exceptional print speed and outstanding automated image stability for superior output and minimal waste. It all adds up to world-class productivity on every job, and unlike some of its competitors, the C6100/C6085's Energy Star rating ensures that your business is efficient even beyond your print floor.



EXPAND YOUR BUSINESS

AccurioPress C6100/C6085 opens new business avenues for you and your clients with thick papers (up to 400 gsm), embossed media and envelopes. Optional bypass tray and auto-duplex banner printing will become available early in 2018, making your business a one-stop shop for all of your clients' printing needs.



KEEP YOUR FINISHING BUSINESS IN-HOUSE

AccurioPress C6100/C6085 offers one of the digital print industry's most comprehensive portfolios of in-line finishing options to create ready-to-ship output. You can meet your client's every need in one AccurioPress C6100/C6085 run.



HIGH-SPEED SCANNING CONVENIENCE

The Accurio Press C6100/C6085's new high-speed duplex scanner, with enhanced Open API and IWS applications support, delivers reliable high volume scanning to accommodate a wider array of legacy document sources and workflows.



MAXIMUM UPTIME

AccurioPress C6100/C6085 offers one of the most aggressive monthly duty cycle ratings in the digital production print industry, backed by the name you've come to trust: Konica Minolta.



IQ-501 INTELLIGENT QUALITY OPTIMIZER

CHANGES EVERYTHING.

Imagine automated color calibration and density control. Picture constant, closed-loop paper registration — image-on-image, image-on-paper and side one/side two registration — on every page, measured and managed automatically, in real time, by your digital press. What if you could forgo the use of an external spectrophotometer, manual measurements or complex color formulas, yet achieve the highest industry standards for color and registration with the simple touch of a button?

You can, today, with the IQ-501 Intelligent Quality Optimizer on the AccurioPress C6100/C6085. How IQ-501 will drive results for your business:

- · Minimize variability in color and registration
- Reduce paper waste
- · Minimize manual intervention
- Minimize the need for service with automated, autonomous self-correction, increasing uptime
- Execute the highest standards of accurate color, to meet the requirements of G7, Gracol and other print industry calibration systems

The IQ-501 is compatible with all controller offerings and allows you to achieve industry standards for color, such as G7 and Gracol, all at the touch of a button. The C6100/C6085 also support cloud-based color management software for further color control.

HOW IQ-501 WORKS

The IQ-501 uses a spectrophotometer/camera combination to examine each sheet in real time, and using a closed-loop feedback system, continually measures and transmits color density, color fidelity and registration information to the controller. Corrections are then made on the fly, ensuring that every print is of the highest quality, with the least amount of labor intervention.

AT A GLANCE

Accurio Press C6100 / C6085

- In-line, closed-loop quality management system
- · Media weights up to 400 gsm
- On-board media catalog system for one-touch optimized print quality
- Envelopes
- Banner printing up to 47" with optional bypass tray (available 2018)
- Industry-leading array of finishing options
- Superior print capacity with up to 1.8M duty cycle
- · Convenient high-speed scanning
- · U.S. Energy Star compliant

SETTING NEW PERFORMANCE STANDARDS.

In color fidelity. Image quality. Media flexibility. Automated convenience and productivity. Print after print, run after run, job after job.

BEST-IN-CLASS MEDIA RANGE

The AccurioPress C6100/C6085 can print up to 400 gsm stock, the thickest paper in its class, producing outstanding quality on select packaging as well as brochures, post cards, menus, sales promotion flyers, shelf-talkers, signage and other applications. And the dedicated envelope fusing technology allows you to print high-quality, low-cost envelopes quickly and efficiently.

AUTOMATED FRONT-TO-BACK REGISTRATION

The new automated, in-line registration features of the AccurioPress C6100/C6085 deliver exceptionally accurate image-on-image, image-on-paper and front-to-back registration, making it easy to produce cutter-ready business cards, tickets, post cards and other finishing-sensitive applications the first time, and every time.


OPTIMIZED MEDIA CATALOGS

In keeping with its long history of image excellence, Konica Minolta has taken its media catalog feature to new heights in the AccurioPress C6100/C6085. The press is equipped with precise, built-in media selection parameters that ensure exactly the optimal settings for hundreds of stocks, increasing productivity by automatically matching the best print settings to the paper selected.

LARGE CAPACITY BANNER PRINTING*

The C6100/C6085 allow you to print the largest banners in its class, up to 47" and auto-duplex paper stock up to 29.5." An optional paper feeder for the 29.5" banners accommodates 1,000 sheets for continuous feeding.

*Available late 2017 or early 2018.







VARIETY OF FINISHING OPTIONS

TO MEET YOUR CUSTOMERS' NEEDS.

FINISHING OPTIONS

The Accurio Press C6100/C6085 have a robust variety of finishing capabilities to help you power your business:



Booklets (including high-quality full bleed, square folded varieties)



Perfect Bound



Folding



Punching



GBC Punching and Binding



Stapling



Stacking



MORE CHOICES. CONVENIENCE. INTEGRATED WITH YOUR WORKFLOW.

- · Konica Minolta's exclusive internal image controller delivers a powerful, affordable color management solution that supports Konica Minolta Solution Platform Open API and IWS-related applications.
- . Both EFI Fiery and Creo controller options on the Accurio Press C6100/C6085 offer graphic communications professionals exceptional color performance and world-class functionality with hot folders, advanced color management controls, spot color libraries and seamless integration with third party systems.









MADE FOR YOUR BUSINESS.

COMMERCIAL PRINTERS

The Accurio Press C6100/C6085 delivers in-line, closed-loop quality management for automated color calibration and control, and in-line automated image registration, without the need for highly specialized press operator skills. Combined with its ability to print on stocks up to 400 gsm, envelopes and banners, the C6100/C6085 brings your commercial print business a whole new world of possibilities.

DIGITAL PRINTERS

With one-touch closed-loop image quality management, a huge array of stock choices and an extremely robust in-line finishing suite, the power, speed and productivity of the AccurioPress C6100/C6085 deliver an ideal solution for digital printers. AccurioPress C6100/C6085: flexibility, speed and reliability to meet or exceed the exacting standards of short-run on-demand workflows.

CRD

AccurioPress C6100/C6085 offers the high-speed scanning, versatile controller options and one-touch media setup critical to the diverse legacy job flows and ultra-tight turnaround times of the typical in-plant/CRD environment. C6100/C6085 is an ideal way to meet those demands with a smooth, easy productivity model, tidy footprint, less specialized work force requirement and the green advantages of Energy Star compliance.



DESIGNED FOR OUR PLANET.

Konica Minolta's Clean Planet Program provides cost-free recycling for all our consumables, including toner cartridges, toner bottles, imaging units, developer and drums, with prepaid shipping labels and cost-free packaging. Courtesy pick-up is available to high-volume users.

SUSTAINABILITY

Our exclusive Simitri HD^E toner formulation uses plant-based biomass material to reduce environmental impact. Our presses use recycled PC/ABS resins and bioplastics in construction. The AccurioPress series models are EPEAT-Gold Certified and achieve among the lower power consumption rate of presses in their class.

ECOVISION 2050

We're committed to a mid-century goal of reducing CO₂ emissions by 80% from 2005 levels, minimizing greenhouse gases that may contribute to global warming. We pursue that goal every day — minimizing energy consumption, cutting pollution and using recycled materials in construction.



CONTROLLER OPTIONS

AccurioPress C6100/C6085

COLOR DIGITAL PRODUCTION PRESS

FIERY IMAGE CONTROLLER IC-313

Туре	Server	
CPU	Intel® Core® i5-4570S Processor (6M cache, up to 3.60 GHz)	
Memory	4G8	
HDD	1 TB	
Page-description	Adobe PostScript 3 (3020), PDF 1.7, PPML v3.0GA,	
language	APPE 3.0, PCL 5/6 emulation	
Printing method	TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour	
Applicable OS	Windows Vista / 7 / 8.1 / 10 / Windows Server 2008 / 2012*1	
	Mac OS X v10.8 / v10.9 / v10.10	
Interface	10Base-T / 100Base-TX / 1000Base-T	
*! Including 6.6 bit variance	39	

Including 64 bit versions.

CREO IMAGE CONTROLLER IC-314

Туре	Server	
CPU	Intel Care i7-4790S 3.2 GHz	
Memory	12 GB (7 GB: system memory, 5 GB: image memory)	
HDD	3 x 1 TB (1 TB system disk, 2 x 1 TB image disks)	
Page-description	Adobe PostScript 3 (PS3020), PDF v1.7, APPE v3.4, PDF/X-1a/3/4,	
language	PDF/VT-2, TIFF v6.0, TIFF/IT, PPML v2.2, VPS, PPML/VDX, XPS	
Printing method	TCP/IP, SMB, LPR, Bonjour	
Applicable OS	Windows 7 / 8.1 / 10 / Windows Server 2008 / 2012*1	
	Mac OS X v10.7 / v10.8 / v10.9 / v10.10 / v10.11	
Interface	Ethernet (10Base-T / 100Base-TX / 1000Base-T) with IPv6, USB 2.0 / 3.0	
+1		

including 64-bit versions.

KONICA MINOLTA IMAGE CONTROLLER IC-604

KOMICAMINOLIA	MAGE CONTROLLER IC-00-	
Туре	AIO to the engine (option)	
CPU	Conforms with main unit specification	
Memory	20 GB (details: 8 GB (standard of the main body) + 12 GB (IC-604))	
HDD	4 TB (details: 1 TB x 4)	
Page-description language	Adobe PostScript3 (PS3020), PDF v1.7, APPE v4.2, PDF/VT-2, TIFF v6, PPML v2.2, PCL-5c, PCL6 v3	
Printing method	TCP/IP (LPR/LPD, Raw Port, socket), IPX/SPX (NDS, Bindery), NetBEUI, IPP, Apple Talk, WSD, Bonjour, SMB	
Applicable OS	PS Plug-in: Windows 7 / 8.1 / 10 Windows Server 2008 / 2008R2 / 2012*1 / 2016*1 Mac OS X 10.8 / 10.9 / 10.10 / 10.11 / 10.12 PS PPD+2: Windows 7 / 8.1 / 10 Windows Server 2008 / 2008R2 / 2012*1 / 2016*1 Linux CUPS	
Interface	Ethernet (10Base-T / 100Base-TX / 1000Base-T) with IPv6, USB 2.0	
Scanner resolution	200 / 300 / 400 / 600 dpi	
Data format	PDF, TIFF, JPEG, XPS	
Driver	HDD Twain Driver, Real Time Mode Twain Driver	

^{*1} Including 64-bit versions. ***WHQL is not obtained for the PSPPD driver.



FIERY IMAGE CONTROLLER IC-315

Туре	Server	
CPU	Xeon E5-2637 3.5 GHz	
Memory	14 GB	
HDD	500 GB + 2 x 2 TB	
Page-description language	Adobe PostScript 3 (PS3020), PDF v1.7, APPE 3.0, PDF/ VT-2, PPML v3.0, PCL 5/6 emulation	
Printing method	TCP/IP, SNMP, SMB, FTP, IPP, Bonjour	
Applicable OS	Windows 7*1 / 8.1*1 / 10*1 Windows Server 2008*1 / 2008R2*1 / 2012*1 Mac OS X v10.8 / v10.9 / v10.10 / v10.11	
Interface Ethernet (10Base-T / 100Base-TX / 1000Base with IPv6, USB 2.0 / 3.0		

^{*1} Including 64-bit versions.

OPTIONS

OPTIONS		
CR-101	Creaser unit for SD-513	
EF-104	Envelope fuser	
FA-502	PFU adjustment kit	
FD-503	Multi-fold punch unit	
FD-504	Square folding unit for SD-513	
FS-532	100-sheet staple finisher	
FS-532 PK/SD	100-sheet staple finisher with PK and SD-510-522	
GP-501	GBC multi-hole punch unit	
GP-502	GBC in-line ring binding unit	
HM-101	Humidification unit	
HT-506	Dehumidification heating unit for PF-707	
IQ-501	Intelligent quality optimizer	
LC-501	Cart for LS-506	
LS-506	Stacking unit	
LU-202XLm	2,500-sheet extra long paper feed unit*	
MB-508	Multi-bypass tray*	
MK-732	Post-inserter mount kit for FS-532	
MK-737	Mount kit for third party products	
MK-740	Banner tray unit*	
OR-102	ORU enablement kit	
OT-510	Open stacker	
PB-503	Perfect binder	
PF-707m	Vacuum paper feed unit	
PF-711	Vacuum paper feed unit with scanner	
PI-502	Post inserter for FS-532	
PK-522	2/3-hole punch for FS-532	
RU-510	Relay unit for GP-501	
RU-511	Relay unit	
SD-506	Booklet making unit	
SD-510	Saddle stitch kit for FS-532	
SD-513	Saddle stitch unit	
TU-503	Trimmer unit for SD-513	

^{*}Available late 2017 or early 2018.

AccurioPress C6100/C6085

COLOR DIGITAL PRODUCTION PRESS

	SYSTEM SPECIFICATIONS	ACCURIOPRESS C6100	ACCURIOPRESS C6085
Paper weight (Flain, Fine) S2-400 gsm S2-400 gsm S2-400 gsm S1-400 gsm S2-400 gsm S1-400 gsm	Resolution	1,200 x 1,200 dpi, (3,600 equivalent)	1,200 x 1,200 dpi, (3,600 equivalent)
Scan Specific Coated S1-400 gsm S1-400 gsm S2-400 gsm S2-50 gsm S2-400 gsm S2-400 gsm S2-50 gsm		8-bit, 256 gradations	8-bit, 256 gradations
Duplex unit S2-400 gsm	Paperweight (Plain, Fine,	52-400 gsm	52-400 gsm
Paper sizes (max.)	Color Specific) (Coated)	81-400 gsm	81-400 gsm
330 x 1200 mm (13" x 47" banners") 330 x 1200 mm (13" x 47" banners") 330 x 1200 mm (13" x 47" banners") 100 x 139 mm (3 94" x 5.47") 100 x 139 mm (3 94" x 5.40" x 5.40" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.40" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.40" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.40" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.20" x 5.20" x 5.20 mm (3 94" x 5.20	Duplex unit	52-400 gsm	52-400 gsm
Paper sizes (min.)	Papersizes (max.)	330 x 487 mm (13" x 19.2")	330 x 487 mm (13" x 19.2")
A mm or less for lead and trail edge, 3.0 mm or less for lead and trail edge, 3.0 mm or less for right/left edges 3.0 mm or less for right/left edges 480 seconds or less 480 seconds or		330 x 1200 mm (13" x 47" banners*)	330 x 1200 mm (13" x 47" banners*)
3.0 mm or less for right/left edges 3.0 mm or less for right/left edges	Papersizes (min.)	100 x 139 mm (3.94" x 5.47")	100 x 139 mm (3.94" x 5.47")
Warm-up time	Image loss (max.)	4 mm or less for lead and trail edge,	4 mm or less for lead and trail edge,
Paper input capacity (max.) 13,890 sheets		3.0 mm or less for right/left edges	3.0 mm or less for right/left edges
Paper output capacity	Warm-up time	480 seconds or less	480 seconds or less
FS-532 Finisher - 4,500	Paper input capacity (max.)	13,890 sheets	13,890 sheets
Main unit dimensions (W x D x H) 37.37" x 37.37" x 52" 37.37" x 37.37" x 52" Main unit weight 970 lb 970 lb Power requirements 208-240V, 60 Hz 208-240V, 60 Hz **Available late 2017 or early 2018. **PRODUCTIVITY* B.S" x 11" (max. per minute) 100 ppm 85 ppm Monthly duty cycle 1,800,000 pages 1,530,000 pages CONTROLLER Available Available IC-604 Internal Available Available Konica Minolta controller Available Available IC-313 External Available Available IC-314 External Creo controller Available Available SCANNER SPECIFICATIONS (PF-711 only) Scan speed (8.5" x 11") Single-sided 120 ipm / duplex 240 ipm Scan resolution 600 x 600 dpi 500 x 600 dpi 500 x 600 dpi Scan resolution 600 x 600 dpi 500 x 600 dpi 500 x 600 dpi Scan resolution 600 x 600 dpi 500 x 600 dpi 500 x 600 dpi Scan resolution 600 x 600 dpi 500 x 600 dpi 500 x 600 dpi Scan resoluti	Paper output capacity	LS-506 Stacker – 5,000	LS-506 Stacker - 5,000
Main unit weight 970 lb 970 lb 970 lb 970 lb 970 lb 900 lb 900 lb 900 lb 208–240V, 60 Hz 208–240V,		FS-532 Finisher - 4,500	FS-532 Finisher - 4,500
Power requirements 208–240V, 60 Hz 208–240V, 60 Hz *Available late 2017 or early 2018.** PRODUCTIVITY 8.5" x 11" (max. per minute) 100 ppm 85 ppm Monthly duty cycle 1,800,000 pages 1,530,000 pages CONTROLLER IC-604 Internal Available BFI Fiery controller IC-314 External Creo controller Available Av	Main unit dimensions (W x D x H)	37.37" x 37.37" x 52"	37.37" x 37.37" x 52"
Available late 2017 or early 2018. **PRODUCTIVITY 8.5" x 11" (max. per minute) 100 ppm 85 ppm Monthly duty cycle 1,800,000 pages 1,530,000 pages **CONTROLLER** IC-604 Internal Available EFF Fiery controller IC-313 External Available Ava	Main unit weight	9701b	970 lb
PRODUCTIVITY 8.5" x 11" (max. per minute) 1.800,000 pages 1.530,000 pages 1.530,000 pages 1.530,000 pages CONTROLLER IC-604 Internal Konica Minolta controller IC-417 Internal EFI controller IC-417 Internal EFI controller IC-318 External Available Available Available Available FI Fiery controller IC-314 External Creo controller Available SCANNER SPECIFICATIONS (PF-711 only) Scan speed (8.5" x 11") Single-sided 120 ipm / duplex 240 ipm Single-sided 120 ipm / duplex 240 ipm Soan resolution GOD x GOD dpi Scan resolution SCANNER SPECIFICATIONS (PF-711 only) Scan to-SMB; Scan-to-Email; Scan to USB SCann formats POF, TIFF, JPEG (all controllers), Secured PDF, PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations	Power requirements	208-240V, 60 Hz	208-240V, 60 Hz
Monthly duty cycle 1,800,000 pages 1,530,000 pages CONTROLLER IC-604 Internal		100 mm	95 page
CONTROLLER IC-604 Internal Available Available Konica Minolta controller IC-417 Internal EFI controller Available Available Available Available EFI Fiery controller IC-313 External Available EFI Fiery controller IC-314 External Creo controller Available Available SCANNER SPECIFICATIONS (PF-711 only) Scan speed (8.5" x 11") Single-sided 120 ipm / duplex 240 ipm Single-sided 120 ipm / duplex 240 ipm Scan resolution 600 x 600 dpi 600 x 600 dpi 600 x 600 dpi Scan modes TWAIN scan, Scan-to-HDD; Scan-to-FTP, Scan-to-SMB; Scan-to-SMB; Scan-to-FMB; Scan-to-FMB; Scan-to-SMB; Scan-to-FMB; Sca			
Available Available Available Available Available	Monthly duty cycle	1,800,000 pages	1,530,000 pages
IC-417 Internal EFI controller Available SCANNER SPECIFICATIONS (PF-711 only) Scan speed (8.5" x 11") Single-sided 120 ipm / duplex 240 ipm Scan resolution 600 x 600 dpi Scan resolution Scan-to-SMB; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan to USB Scan formats POF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations Available	IC-604 Internal	Available	Available
Available SCANNER SPECIFICATIONS (PF-711 only) Scan speed (8.5" x 11") Single-sided 120 ipm / duplex 240 ipm Single-sided 120 ipm / duplex 240 ipm 600 x 600 dpi SCAN to SCAN to SCAN, SCAN-to-FTP; SCAN-to-SMB; SCAN-to-FTP; SCAN-to-SMB; SCAN-to-Email; SCAN to USB SCAN-to-SMB; SCAN-to-Email; SCAN to USB SCAN-to-SMB; SCAN-to-Email; SCAN to USB COMpact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations		Available	Available
IC-314 External Creo controller Available Scan speed (8.5" x 11") Single-sided 120 ipm / duplex 240 ipm 600 x 600 dpi 600 x 600 dpi TWAIN scan, Scan-to-HDD, Scan-to-FTP, Scan-to-SMB; Scan-to-HDD; Scan-to-FTP, Scan-to-SMB; Scan-to-Email; Scan to USB Scan formats PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations	IC-313 External	1,,	335-31-32-3
SCANNER SPECIFICATIONS (PF-711 only) Scan speed (8.5" x 11") Single-sided 120 ipm / duplex 240 ipm Single-sided 120 ipm / duplex 240 ipm Scan resolution 6.00 x 6.00 dpi Scan resolution 6.00 x 6.00 dpi Scan-to-FTP; Scan-to-FMB; Scan-to-FTP; Scan-to-SMB; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan to USB Scan formats PDF, TIFF, JPEG (all controllers), Secured PDF; Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations		Available	Available
Scan resolution			
Scan modes TWAIN scan, Scan-to-HDD, Scan-to-FTP, Scan-to-SMB; Scan-to-Email; Scan to USB PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations			
Scan-to-SMB; Scan-to-Email; Scan to USB Scan formats PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations Scan-to-SMB; Scan-to-Email; Scan to USB PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations			
Scan formats PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A (with IC-604) Compact PDF, XPS, PDF/A (with IC-604) 256 gradations 256 gradations	Scan modes		[[[[[[[[[[[[[[[[[[[
Compact PDF, XPS, PDF/A (with IC-604) COMPact PDF, XPS, PDF/A (with IC-604) COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations			
COPIER SPECIFICATIONS (PF-711 only) Gradations 256 gradations 256 gradations	Scan formats		
Gradations 256 gradations 256 gradations		Compact PDF, XPS, PDF/A (with IC-604)	Compact PDF, XPS, PDF/A (with IC-604)
Gradations 256 gradations 256 gradations	COPIER SPECIFICATIONS (PF-	711 only)	
	The same of the sa	The state of the s	256 gradations
	THE RESERVE OF THE PARTY OF THE	25-400%, in 0.1% steps	25-400%, in 0.1% steps





For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

© 2017 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA and the KONICA MINOLTA logo are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & sped fications are subject to change without notice.

PARTNERSHIP

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT

Enterprise Content Management (ECM) Document Management Automated Workflow Solutions Business Process Automation Security and Compliance Mobility eDiscovery Services

IT SERVICES

Application Services Cloud Services IT Security Managed IT Services IT Consulting & Projects

TECHNOLOGY

Office Multifunction Business Solutions Commercial and Production Printers 3D Printers Wide Format Printers Laptops, Desktops and Computer Hardware Servers and Networking Equipment Managed Print Services (MPS) Managed Enterprise Services



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com





