



TASKalfa 552ci

Color Multifunctional System

EVERY DOCUMENT. EVERY TASK. EVERY TIME.



TASKalfa 552ci Color MFP:

The Kyocera TASKalfa 552ci Color Multifunctional System elevates office productivity to new heights with the combination of fast output speeds, Kyocera's proven color technology, and innovative product features assures the Tycomponents and embedded HyPAS, a powerful and scalable software solutions platform, the TASKalfa 552ci provides your business. The TASKalfa 552ci delivers superior document output when it matters most!

COLOR NEVER LOOKED SO GOOD

The TASKalfa 552ci brings the **WOW** factor to your business. Whether you want to persuade, present or just attract attention, adding color will raise the bar on your documents, while helping to drive your company's message.

Powerful, intuitive and incredibly efficient, the **proven technology** engineered into every TASKalfa Color MFP delivers brilliant, high-impact color. In addition, an **intelligent color calibration system** puts you in control, while ensuring consistent color reproduction page after page. Colors are true, gradations are smooth, and shading is accurate.

The result? Vivid color and crisp black & white documents that reflect your professionalism.



POWER AT THE DESKTOP

Kyocera's advanced KX Driver allows users to take full advantage of unique print features including the ability to save profiles for common jobs and advanced color settings to maximize your output quality.





Fast Dual Scan Document Processor

At up to 100 images per minute in full color, the dual scan capability dramatically improves your productivity and handles mixed originals with ease, for a powerful scanning solution in both full color and black & white.

Robust 3,000 Sheet Finisher

This robust finisher supports multi-position stapling and a variety of paper weights. Options include 2/3 hole punch, 7 bin mailbox and booklet folding for all your advanced finishing needs.

Maximum Productivity

A standard 2 GB of RAM and 160 GB x 2 Hard Disk Drives maximize your document processing and ensure that all of your document output requirements are handled with ease.

Efficient Duplex and Paper Handling

Standard stackless duplex combined with a maximum 4,100 sheet paper capacity (statement to ledger) gives you the flexibility to satisfy all your print and copy needs.

Professional Booklet Folding

Fold and saddle stitch booklets, up to 16 individual sheets from letter to ledger, for that professional touch in-house.



FLEXIBILITY TO GROW WITH



Power, Performance, Flexibility

unsurpassed performance, superior image quality and ultra-reliability that your business demands. A powerful ASKalfa 552ci will deliver superior document output, day-in and day-out. Engineered with Kyocera's unique long life with maximum performance and seamless integration with software applications that will operate in virtually any environment.



Wide 8.5" Color Touch Screen Control Panel

The user-friendly color touch screen control panel provides robust document handling and ease of use at your fingertips.

"On-board Document Storage"

Create a simple way for you to store, secure and access critical documents at the device through TASKalfa's unique on-board Document Box.

Advanced USB Host Interface

Conveniently print-from, and scan-to, any USB drive right from the touch screen control panel in PDF, JPEG, TIFF and XPS file formats.

Integrated Solutions

Leverage the full potential of your MFP with tools and utilities designed to maximize your security, management and accounting capabilities.

Optional Fax

Add up to two optional Super G3 fax/network fax systems and optional Internet fax for a space-saving footprint. Standard multi-send features combine fax and scanning for a truly efficient communication device.

HIGH END PERFORMANCE & DESIGN

- Fast, Superior Color Imaging for a Solid Impression. At speeds up to 55 ppm black and 50 ppm color, combined with proven color technology, the TASKalfa 552ci brings brilliant color to your output and enhanced quality control from the first print to the last.
- Micro-Particle Toner. Kyocera's unique, micro-particle toner provides superior image quality in both color and black & white.
 25,000 pages Black, 18,000 pages CMY @
 5% coverage.
- Proven Technology & Ultra Reliability.
 Kyocera's award-winning technology incorporates long life imaging components that can dramatically lower your total cost, while providing high productivity and exceptional image quality.
- Keeping the Future Green. Kyocera products offer environmentally friendly and superior energy- and supply-saving features without compromising your productivity.
- HyPAS. Kyocera's Hybrid Platform for Advanced Solutions, or HyPAS, will allow your business to further optimize the TASKalfa 552ci with powerful integrated solutions designed to boost your business activities. HyPAS delivers a broad range of options that enable the TASKalfa 552ci to seamlessly integrate with widely accepted software applications and operate in virtually any environment.

YOUR BUSINESS DEMANDS



Dual 500 Sheet Paper Trays

- Statement to Ledger Sized Sheets
- 16 lb Bond 90 lb Index



7 Bin Mailbox for 3,000 Sheet Finisher

- Output Sorting –
 Up to 7 Individual Mailboxes
- 16 lb Bond 90 lb Index



Optional Fax / Network Fax

- Add Up to Two G3 Fax Systems
- Internet Fax Kit Available







Shown with Optional DSDP, 500 x 2 Tray, and 3,000 Sheet Finisher 50.9" W x 26.8" D x 48.8" H



Shown with Optional DSDP, 500 x 2 Tray, and 1,000 Sheet Finisher 48.8" W x 26.8" D x 48.8" H



Shown with Optional DSDP and 3,000 Sheet LCT 23.8" W x 26." D x 48.8" H





Color Touch Screen Control Panel Screen Dimensions: 8.5" measured diagonally



Hybrid Platform for **Advanced Solutions**

Basic Specifications	
Configuration	Color Multifunctional System - Print/Scan/Copy/Optional Fax
Pages Per Minute	Letter: 55 ppm Black / 50 ppm Color; Legal and Ledger: 28 ppm Black / 25 ppm Color
Warm-up Time	58 Seconds or Less
First Copy Out Time	Black: 4.6 Seconds; Color: 6.1 Seconds
First Print Out Time	Black: 5.2 Seconds; Color: 6.7 Seconds
Resolution / Bit Depth	600 x 600 dpi / 8 Bit Color Depth
Memory / Hard Disk Drive Duplex	2 GB RAM / 160 GB x 2 HDDs Standard Stackless, Statement to Ledger, 16 lb Bond - 90 lb Index; 5.5" x 8.5" - 11" x 17"
Electrical Requirements / Weight	120V, 60Hz, 12 Amps / 233 lbs (mainframe only)
Max Monthly Duty Cycle	225,000 Pages Per Month
	220,000 Tages For Month
Paper Supply Standard Paper Sources	Dual 500 Shoot Trave 100 Shoot MDT: Auto Selection / Switshing, Add Dapar While Dunning
Optional Paper Sources	Dual 500 Sheet Trays, 100 Sheet MPT; Auto Selection / Switching, Add Paper While Running Dual 500 Sheet Paper Trays PF-720(B) ; 3,000 Sheet Large Capacity Tray PF-760(B)
Paper Capacity	Standard: 1,100 Sheets; Maximum: 4,100 Sheets
Paper Size	5.5" x 8.5" - 11" x 17" (Statement to Ledger)
Paper Weight	Trays: 16 lb Bond - 90 lb Index; MPT: 16 lb Bond - 120 lb Index; PF-760(B) : 16 - 28 lb Bond
Input Materials	Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes
Print Specifications	
Controller	IBM PowerPC 750 GL / 800 MHz
PDLs/Emulations	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PS3), XPS (Direct Print)
Fonts	136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap
Windows OS Compatibility	Windows 2000 / XP / 2003 / Vista / 2008 / Windows 7
Novell OS Compatibility	Novell NetWare® 3.x/4.x/5.x/6.x
MAC OS Compatibility	Mac OS 10.x
UNIX OS Compatibility	Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
Interfaces	Standard: 10/100BaseTX, Hi-Speed USB 2.0, USB Host Interface, 2 Expansion Slots
Network Print and Supported Protocols	TCP/IP, IPX/SPX, AppleTalk, NetBEUI, IPv6, IPsec, SSL, WSD Print
Drivers	KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC
Utilities	PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet for Accounting, KMnet Viewer, Kyocera Command Center
Scan Specifications	Color and Black & White Scanner
Scan Resolutions	200, 300, 400, 600 dpi
File Formats	Black & White: PDF, TIFF; Color: PDF, JPEG, TIFF, XPS
PDF Extension Connectivity / Supported Protocols	High Compression PDF, Encrypted PDF 10/100BaseTX / TCP/IP
Scanning Functions	Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to USB, WSD Scan, TWAIN Scan
Driver	TWAIN / WIA Driver
- 	TWIN, WILLIAM
Copy Specifications Image Mode	Text, Photo, Text/Photo, Auto, Manual, Map
Continuous Copy	1 - 999 / Auto Reset to 1
Additional Features	Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort,
	Margin Shift, XY Zoom, Job Build, Sheet Insertion
Job Management	Job Interrupt, Job Build, 50 Job Programs, Repeat Copy, 1,000 Department Codes
Color Adjustment	
,	One Touch, Color Balance, Hue, Auto Exposure, Sharpness, Color Calibration, ACS
Magnification / Zoom	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments
,	
Magnification / Zoom	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments
Magnification / Zoom Document Box Fax Specifications Compatibility	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B)
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B)	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi)
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B)	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi)
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720)
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11";
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) S.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11";
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" Main Tray: 8.5" x 11" - 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11"
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; Main Tray: 8.5" x 14", 11" x 17" Main Tray: 8.5" x 11" - 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11" Main Tray: 16 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" Main Tray: 1.6 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox Optional Punch	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" Main Tray: 8.5" x 11" - 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11" Main Tray: 16 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-5A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17", 16 lb Bond - 110 lb Index
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" Main Tray: 8.5" x 14", 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11" Main Tray: 16 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-5A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" x 17", 16 lb Bond - 110 lb Index BF-720 Supports 8.5" x 11", 8.5" x 14", 11" x 17", 16 lb Bond - 120 lb Index; Over 20 lb Bond Single Sheet
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox Optional Punch	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" Main Tray: 8.5" x 11" - 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11" Main Tray: 16 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-5A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17", 16 lb Bond - 110 lb Index
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox Optional Punch Optional 1,000 Sheet Finisher	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) Or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11" Main Tray: 16 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond 3 Positions: Top Left, Bottom Left, Center Bind MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond - 1720 (B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17" PH-5A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" x 17", 16 lb Bond - 120 lb Index; Over 20 lb Bond Single Sheet Folding Capacity: 1-3 Sheets - 30 Booklets; 4-6 Sheets - 20 Booklets; 7-16 Sheets - 10 Booklets DF-780(B) (Requires JS-720(B))
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox Optional Punch Optional 1,000 Sheet Finisher Stack / Staple Capacity	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" Main Tray: 8.5" x 11" - 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11" Main Tray: 16 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 150 Sheets: 8.5" x 14", 11" x 17" PH-5A 2 and 3 Hole Punch Unit, Supports 8.5" x 11"; 16 lb Bond - 120 lb Index; Over 20 lb Bond Single Sheet Folding Capacity: 1-3 Sheets - 30 Booklets; 4-6 Sheets - 20 Booklets; 7-16 Sheets - 10 Booklets DF-780(B) (Requires JS-720(B)) 1,000 Sheets; 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox Optional Punch Optional Saddle Stitch / Fold Optional 1,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Punch Optional Saddle Stitch / Fold	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 100 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray (B/C): 16 - 24 lb Bond 3 Positions: Top Left, Bottom Left, Center Bind MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 10 Sheets: 8.5" x 14", 11" x 17" PH-5A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17", 16 lb Bond - 120 lb Index; Over 20 lb Bond Single Sheet Folding Capacity: 1-3 Sheets - 30 Booklets; 4-6 Sheets - 20 Booklets; 7-16 Sheets - 10 Booklets DF-780(B) (Requires JS-720(B)) 1,000 Sheets: 5.5 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" 8.5" x 11" - 11" x 17" / 16 - 28 lb Bond
Magnification / Zoom Document Box Fax Specifications Compatibility Data Compression Transmission Speed / Modem Speed Fax Memory Driver Fax Functions Optional Document Processors Type / Capacity DSDP Scan Speed DP-760(B) RADF Scan Speed DP-750(B) Acceptable Originals / Weights Optional 3,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-Bin Mailbox Optional Punch Optional 1,000 Sheet Finisher Stack / Staple Capacity	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Fax System (S)C / Internet Fax Kit (A) (requires Fax System (S)C) G3 Fax MMR, MR, MH, JBIG Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DP-760(B) or DP-750(B) DP-760(B) Dual Scan Document Processor / 100 Sheets DP-750(B) Reversing Automatic Document Processor / 100 Sheets Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) Simplex: 75 ipm/Duplex: 45 ipm (300 dpi) 5.5" x 8.5" - 11" x 17", Mixed Size Originals / 9 - 42 lb Bond DF-760(B) (Requires JS-720(B), AK-720) Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17" Main Tray: 8.5" x 11" - 11" x 17"; Sub Tray(B): 5.5" x 8.5" - 11" x 17"; Sub Tray(C): 8.5" x 11" Main Tray: 16 lb Bond - 90 lb Index Duplex; 16 lb Bond - 120 lb Index Simplex; Sub Tray (B/C): 16 - 24 lb Bond MT-720(B) Includes 7 Trays; Supports 16 lb Bond - 90 lb Index Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5" x 11"; 150 Sheets: 8.5" x 14", 11" x 17" PH-5A 2 and 3 Hole Punch Unit, Supports 8.5" x 11"; 16 lb Bond - 120 lb Index; Over 20 lb Bond Single Sheet Folding Capacity: 1-3 Sheets - 30 Booklets; 4-6 Sheets - 20 Booklets; 7-16 Sheets - 10 Booklets DF-780(B) (Requires JS-720(B)) 1,000 Sheets; 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"















Additional Options