

LD425B/LD425 LD433B/LD433

Complete document management solutions for offices on the move

From affordable to sophisticated, a powerful and efficient combination of copying, printing, faxing and color scanning capabilities in a single device



Office productivity moves to the next level

Every office is unique. Yet all have the same overriding pressures: raise productivity, complete projects faster, improve quality and encourage collaboration. That's why the Lanier LD425B/LD425 & LD433B/LD433 is such a compelling office solution. It's engineered with all the speed, quality, finishing capabilities and easy usability you need to help accomplish the universal objectives of your office. These systems also streamline document distribution with the color/black & white scanning capabilities of the Lanier LD425 & LD433, and the black & white scanning capabilities of the LD425B & LD433B.

Powerful Productivity

Getting your office up to speed in today's global marketplace means stepping up your delivery on a wide range of variables. The Lanier LD425B/LD425 & LD433B/LD433 is designed to help you get there.


- Boost your productivity with up to 33 prints per minute.
- Scan your documents and enter the world of cost-free electronic document storage and distribution.
- Expand your faxing capabilities while greatly reducing faxing time with up to three Super G3 fax lines.
- Give your documents the right finishing touch with three different finishing options—including a 1,000-Sheet Booklet Finisher—all designed to make you and your work look better than ever.
- The Lanier LD425B/LD425 & LD433B/LD433 can store up to 3,000 frequently used documents in its Document Server, where they can be instantly accessed for reprinting, re-faxing or re-scanning.
- Special design features provide easy access for every authorized user, such as the simplified color display, easy-access paper tray handles and animated guidance.

The Intelligent Approach to Networking

To say the Lanier LD425B/LD425 & LD433B/LD433 is an "intelligent" system sounds cliché, until you see just how smart it is at helping you accomplish your objectives.

- Prioritize your job list by automatically moving the most critical jobs to the head of the print queue, making sure they're finished first.
- Choose the capabilities you need—from economical Refined Print Command Stream (RPCS), PCL or sophisticated Adobe® PostScript® 3™ —to handle exactly the type of documents you have.
- Reduce network traffic with PDF Direct Print by sending PDF files directly to the printer without opening Adobe® Acrobat™ Software.





LAN Fax allows you to fax documents right from your desktop, maximizing convenience and boosting productivity.

Experience the Benefits of Cost-Free Document Distribution

The Lanier LD425B/LD425 & LD433B/LD433 gives you the power to capture important documents and distribute them anywhere in the world.

- Scan and capture documents and reports with the color/black & white scanning capabilities of the LD425/LD433 and the black & white scanning capabilities of the LD425B/LD433B, and then share them cost free using the powerful Scan-to-Email/Folder/Hard Disk Drive features.
- Reduce programming time and make more efficient use of company information by accessing up to five LDAP servers.
- Improve productivity and accuracy by viewing full-color thumbnails on the control panel and confirming that scanned documents were captured correctly before you distribute them.
- Use High Compression PDF to dramatically reduce the file sizes on color documents—alleviating the problem of large documents moving over your network—while still producing high quality prints.
- Reduce network traffic with Scan-to-URL, which allows you to store documents on the Hard Disk Drive, where they can be viewed and downloaded with a Web browser.

Powerful, Next-Generation Faxing

Sending and receiving faxes have never been easier, faster or more convenient than with the Lanier LD425B/LD425 & LD433B/LD433, cutting your costs no matter how you distribute your documents.

- The Super G3 modem allows you to send out documents on up to three analog lines, boosting your fax capabilities and reducing faxing time significantly.
- Internet Fax lets you send scanned documents directly to e-mail addresses, eliminating both phone charges and wasted paper.
- Go completely paperless by automatically forwarding inbound faxes to e-mail addresses, network folders or for storage on the systems' Hard Disk Drive.

Keep Your Work Secure

The Lanier LD425B/LD425 & LD433B/LD433 is designed to be an integral part of a total system of document security.

• Restrict access to the system only to people who are authorized and have a password. You can also restrict usage rights by application; for example, you can restrict scanning or faxing to authorized personnel only.

LD425B/LD425/LD433B/LD433



- Using Locked Print, you can protect your confidential documents from being seen or accidentally picked up in the output tray by unauthorized users—eliminating costly mail boxes.
- For the highest security requirements, you can use the DataOverwriteSecurity System (DOSS) to prevent the possibility of reconstructing data from "latent images" of documents left in the internal hard drive.
- Use Unauthorized Copy Control to deter copying of sensitive documents a necessity for workgroups creating and distributing confidential information.

Simplified Management

With the Lanier LD425B/LD425 & LD433B/LD433, you can turn your computer into a control center for everything from system management and device monitoring to troubleshooting.


- Get instant access to system settings, program address books, and much more with Web Image Monitor.
- Efficiently configure, monitor and manage multiple connected Lanier devices with Web SmartDeviceMonitor.
- Rely on Auto E-mail Notification to generate an alert when the system is low on toner or otherwise not functioning at optimum performance levels.

Technology to Empower Your Business



At Lanier, we're committed to helping you achieve your goals for reducing overall Total Cost of Ownership, optimizing fleet management and ultimately increasing employee productivity.

- Automating service call procedures, eliminating the need for end-users
 to initiate service calls. If a service call is required, the @Remote network
 appliance automatically places a request for service—including detailed
 and accurate diagnostic information.
- Upgrading and adjusting your devices via remote firmware applications, which means that your devices will always be functioning within the most current and productive operational parameters.
- To ensure that your devices are constantly up and running, alerts can be sent, such as a low toner warning.



With the Lanier RPCS Driver, you can simplify complex jobs to one-click operations. For example, you can program the driver to automatically duplex, three-hole punch, and insert a front and back cover on a document—and then run the program with a single button.



Color scanning combined with Scan-to-URL improves project collaboration and reduces network traffic. (Color scanning is not available on the LD425B/LD433B models).

Your Environmental Partner





Lanier continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, including:

- Quick Start-Up (QSU) Technology
- Power-saving Sleep Mode
- Duplex and Combine Copy Modes
- Internal Toner Recycling
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances (RoHS) Compliant

LD425B/LD425/LD433B/LD433



Efficiently processes multi-page originals, even mixed sizes up to 11" x 17".

1,000-Sheet Booklet Finisher (optional)

Provides three destinations for output, including the ability to produce paginated, saddle-stitched, punched and folded booklets, greatly expanding your in-house capabilities.

1,000-Sheet or 500-Sheet Finisher also available.

2 x 500-Sheet Paper Trays (standard) User-adjustable paper trays holds envelopes, plus a range of paper sizes up

to 11" x 17" and weights up to 42 lb. Bond.

2 x 500-Sheet Paper Trays (optional) Adjustable paper bank increases capacity to hold up to five different sizes and orientations of paper, reducing maintenance requirements.

2,000-Sheet Large Capacity Tray also available.

Color Control Panel

Full-color VGA display with the simplified display feature makes using the system easy and accessible for everyone.

Duplex Unit

Provides stackless, two-sided printing—cutting paper, filing and postage costs in half.

100-Sheet Bypass Tray Holds a variety of paper types and sizes for printing envelopes, labels and transparencies.

One-Bin Tray (optional)
Provides a cost-effective
option to separate output
generated from two different
system functions, such as
faxes and prints.

Easy-Access Tray Handles Unique design makes accessing trays fast and simple for everyone.

Choose the configuration that best meets your office requirements and budgets.

LD425B/LD433B



For robust copying and a flexible upgrade path to black & white printing, scanning and faxing.

LD425SP/LD433SP




For exceptional black & white printing and color and black & white scanning.

LD425SPF/LD433SPF



For a complete document management system with printing, faxing, color and black & white scanning in a single, compact device.

Flexible upgrade path (LD425B/ LD433B)



For an all inclusive solution, a
Printer/Scanner Kit is also available

For a low-cost network printer, where a specific printer language is not required, start with Lanier's RPCS printer unit.

For the next step up, add the Printer Enhance and get PCL printing and document storage capabilities.

For a device that can send cost-free documents electronically anywhere in the world, simply add the Scanner Enhance for black & white scanning.



LD425B/LD425/LD433B/LD433

SPECIFICATIONS

ENGINE/COPIER SPECIFICATIONS

Configuration Scanning Element Console Flatbed with Moving CCD Array Image Sensor Single Laser Beam Scanning &

Electrophotographic Printing

LD425B/LD433B: 256/512 MB RAM

LD425/LD433: 768/768 MB RAM

LD425B/LD433B: 40 GB Optional

Plain Paper, Transparencies, Envelopes,

LD425B/LD425: 25 copies/minute (LTR)

LD433B/LD433: 33 copies/minute (LTR)

LD425/LD433: 40 GB Standard

Optional 50-Sheet ARDF

5.5" x 8.5" to 11" x 17"

10 seconds (from Auto Off)

500 sheets x 2 trays, and

100-Sheet Bypass Tray

5.5" x 8.5" to 11" x 17

(Tray 1 and Duplex)

(Tray 2 and Bypass)

250 sheets (Legal, Ledger)

24.8"(W) x 25.7"(D) x 27.9"(H)

500 sheets x 2 trays or 2,000-Sheet Large Capacity Tray

16 - 28 lb. Bond/60 - 105 a/m²

14 - 42 lb. Bond/52 - 157 g/m²

25%, 50%, 65%, 73%, 78%, 85%,

121%, 129%, 155%, 200%, 400%

25% to 400% in 1% increments Auto Magnification, Auto Paper Select,

Auto Tray Switch, Center/Border Erase,

Date Stamp, Directional Magnification,

Control Panel, 10 Job Programs,

Number Stamp, 500 User Codes

Electronic/Rotate Sorting, English Pre-Set Stamps, Full-Color VGA Touch-Screen

Negative/Positive, OHP Slip Sheet, Page

8 Job Presets, Background Numbering, Booklet/Magazine Copy, Document

Server (3,000 File Capacity), Series Copy,

Chapters, Combine Mode, Cover Insertion,

Cardstock, Recycled

Dry, Dual Component

600 x 600 dpi

256 levels

Up to 999

Book/Sheet

14 seconds

4.5 seconds

120V/60Hz

143 lbs.

A5 to A3

Printing Process Document Feeding

System Memory (std./max.)

Hard Disk Drive **Copy Resolution**

Grayscale Exposure Adjustment Manual & Automatic Quantity Indicator Original Type Maximum Original Size Up to 11" x 17

Copy Size Copy Type Warm-Up Time

First Copy Speed **Continuous Copying** Speed

Recovery Time **Power Source** Dimensions Weight

Standard Paper Capacity Optional Paper Capacity Paper Size Paper Weight

Standard Output Tray 500 sheets (Letter),

Capacity **Reduction Ratios**

Enlargement Ratios Standard Features

Hard Drive Required

Print Speed

Standard Interfaces **Optional Interfaces**

Memory Capacity Network Protocol Network Operating Systems

IEEE 1284, Gigabit Ethernet Shared with Copier TCP/IP, IPX/SPX, AppleTalk Windows Vista/2000/ME/XP/Server 2003, Netware 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6.0, 6.5, Unix; Sun Solaris, HP-UX, SCO OpenServer, Red Hat Linux, IBM AIX, Mac OS 8.6 – 9.2x, OS X 10.1 or later, SAP R/3, NDPS Gateway, IBM iSeries/AS/400® using OS/400 Host Print Transform, Citrix Metaframe

User Stamps

PRINTER SPECIFICATIONS (STANDARD)*

LD425B/LD425: 25 ppm

LD433B/LD433: 33 ppm

10/100BaseTX Ethernet, USB 2.0

IEEE 802.11a/b/g Wireless LAN, Bluetooth,

RM7035C 533 MHz

Utilities

DeskTopBinder, Web Image Monitor

Page Description Languages **Print Resolution**

PCL 5e/6 emulation Lanier RPCS Adobe PostScript 3 (optional)

Grayscale 256 levels

Fonts for PCL 5e/6

Fonts for PS3 Standard Features (Hard Disk Drive)

SmartDeviceMonitor. Web SmartDeviceMonitor

Up to 600 dpi (2400 x 600 dpi with smoothing)

35 Intellifonts, 10 TrueType, 1 Bitmap and 13 International Fonts

136 PostScript Fonts Sample/Locked/Hold/Stored Print

SCANNER SPECIFICATIONS (STANDARD)* Scanning Speed Embedded Scanning: 50/29 ipm

B&W/Color (@ 200 dpi) **Scanning Resolution** 600 dpi Gravscale 256 levels Scan Area Up to 11" x 17" 10/100BaseTX Ethernet **Standard Interfaces**

Optional Interfaces IEEE 802.11a/b/g Wireless LAN, Gigabit Ethernet TCP/IP, NCP, SMB, SMTP, POP 3,

Protocol LDAP, FTP

Shared with Copier **Memory Capacity** File Types Single page and Multi-page TIFF/PDF,

Standard Features

High Compression PDF, Single page JPEG Embedded Scan-to-Email/HDD/Folder/ **URL and TWAIN**

Note: Color Scanning, Color Dropout and High Compression PDF are not available on the LD425B/LD433B models.

FAX SPECIFICATIONS (OPTION)

PSTN, PBX Circuit Compatibility ITU-T G3 200 x 200/100 dpi Resolution 400 x 400 dpi (Optional)

Compression Method MH. MR. MMR. JBIG Scanning Speed 0.40 seconds (LFF) Modem Speed 33.6 Kbps with Auto Fallback Transmission Speed G3: 3 seconds per page

(MMR Compression) G3: 2 seconds per page (IBIG Compression) 4 MB standard/28 MB maximum Memory 320 pages/2,240 pages

Std/Max Auto Dials 2,000 (with HDD) 100 (max. 500 numbers per group) Group Dials **ID Code Programming** 4 digits

User Function Key 3 keys

Optional Features

Standard Features Book Transmission, Dual Access, Duplex Reception, Image Rotation, 1 Hour Backup, LAN-Fax Capability*, Internet

Faxing (T.37)*, IP Faxing (T.38)*, Fax Forwarding to E-Mail/HDD/Folder* Simultaneous Operation of up to 3 lines (G3 x 3)

Note: Fax is standard on the LD425SPF/LD433SPF models.

SECURITY FEATURES (STANDARD)

S/MIME, IPsec Communication, Locked Print Password Encryption, Encrypt Address Book, SSL Secure Socket Layer, User Authentication, SNMP v3, Encryption of Password PDF, Encrypted PDF

PB3030 PAPER BANK UNIT (OPTION)

5.5" x 8.5" Paper Size A5 to A3

16 to 28 lb. Bond/60 to 105 g/m² Paper Weight **Paper Capacity** 2 x 500 sheets 21.7"(W) x 20.5"(D) x 10.7"(H) Dimensions

PS500 LARGE CAPACITY TRAY (OPTION)

Paper Size 8.5" x 11"/A4 Paper Weight

16 to 28 lb. Bond/60 to 105 g/m² Paper Capacity 2.000 sheets x 1 21.7"(W) x 20.5"(D) x 10.7"(H) Dimensions

ONE-BIN TRAY BN3030 (OPTION)

Paper Size 5.5" x 8.5" to 11" x 17"/A5 to A3 16 to 28 lb. Bond/60 to 105 g/m² Paper Weight

Paper Capacity 125 sheets

SR3050 500-SHEET FINISHER (OPTION)

Paper Size 5.5" x 8.5" to 11" x 17"/A6 to A3 14 to 42 lb. Bond/52 to 157 g/m² **Paper Weight** Stack Capacity

Shift Tray: 500 sheets (8.5" x 11" or smaller)

250 sheets (8.5" x 14" or larger)

50 sheets (8.5" x 11") 30 sheets (8.5" x 14" or larger) **Staple Capacity** 1 staple/4 positions: Staple Position

2 staples/1 position

Dimensions 15.6"(W) x 21.7"(D) x 10.9"(H)

SR790 1,000-SHEET FINISHER (OPTION)

5.5" x 8.5" to 11" x 17"/A6 to A3 Paper Size Paper Weight 14 to 42 lb. Bond/52 to 260 g/m² Stack Capacity

Proof Tray: 250 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger) Shift Tray: 1,000 sheets (8.5" x 11" or smaller)

500 sheets (8.5" x 14" or larger) 50 sheets (8.5" x 11") 30 sheets (8.5" x 14" or larger)

Staple Position 1 staple/2 positions;

Staple Capacity

2 staples/1 position 10.7"(W) x 20.5"(D) x 31.2"(H) Dimensions

SR3000 BOOKLET FINISHER (OPTION)

Paper Size 5.5" x 8.5" to 11" x 17"/A6 to A3 Paper Weight 14 to 28 lb. Bond/52 to 105 g/m2 (Proof Tray); 14 to 68 lb. Bond/52 to 256 g/m²

(Shift Trav)

Stack Capacity

Proof Tray: 100 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger) Shift Tray: 1,000 sheets (8.5" x 11" or smaller)

500 sheets

(8.5" x 14" or larger) 50 sheets (8.5" x 11") 30 sheets (8.5" x 14" or larger) Staple Capacity

Staple Position 1 staple/2 positions; 2 staples/1 position

Dimensions 21.1"(W) x 23.7"(D) x 36.7"(H)

Punch Unit (Option) 2 or 3 hole punch

ARDF DF3030 (OPTION)

Paper Size 5.5" x 8.5" to 11" x 17" Paper Weight 11 to 34 lb. Bond/40 to 128 g/m² Stack Capacity 50 sheets

21.7"(W) x 19.3"(D) x 4.7"(H) Dimensions

ADDITIONAL OPTIONS FOR LD425B/LD425 & LD433B/LD433

Platen Cover Type 3800C, FAC38 Cabinet, Fax Type 3350, G3 Interface Type 3350, 32 MB Fax Memory, Handset Type 1018, IEEE 1284 Interface Board Type A, IEEE 802.11a/b/g Interface Unit Type J, Adobe PostScript 3 Type 3350, Bridge Unit Type BU3020, Internal Shift Sort Tray Type SH3010, Key Counter Bracket Type H, File Format Converter Type E, DataOverwriteSecurity Unit Type I, Copy Data Security Unit Type F, Bluetooth Interface Type 3245, Java VM Card Type F, Punch Kit PU3000, HDD Encryption Type A Gigabit Ethernet Type A

ADDITIONAL OPTIONS FOR LD425B/LD433B MODELS ONLY

Hard Disk Drive Type 5000, Printer Enhance Type 3350, Printer/Scanner Unit Type 3350, RPCS Printer Unit Type 3350, Scanner Enhance Type 3350

*Options for Lanier LD425B/LD433B









