

Océ ColorWave® 300 multifunction system

Jump to One





All-in-one large format color system

Jump to One

- One for all: print, copy, and scan in color and black and white
- One that saves: reduce floor space and labor
- One for tomorrow: grow your business sustainably

Jump to One





Océ ColorWave 300 multifunction system Wide format color, all in one



Don't waste a bit of valuable space. Jump over to the one system that can do it all. The Océ ColorWave 300 multifunction system effortlessly handles all your color and black and white print, scan, and copy jobs. And the optional top delivery tray saves even more space by neatly collating and stacking your documents.

Designed around your needs and our long understanding of the wide format industry, the Océ ColorWave 300 multifunction system delivers the quality and flexibility of a color printer with the ease of use and workflow efficiency of a monochrome system. It's the first truly integrated all-in-one color multifunction system for large format users.

Océ ColorWave 300 multifunction system

One system for all of your tasks: print, copy, and scan in color and black and white

Print, copy, and scan all your color and black and white wide format documents on one system. Thanks to the top mounted scanner, all functions can be controlled from one simple user panel. Unique Océ technologies, like Océ Image Logic® technology ensures first-time right results, while Océ Dynamic Switching technology maximizes productivity of mixed drawings—all without complex print settings or user configuration. Whether you are printing complex GIS or BIM drawings or copying detailed black and white CAD documents, the Océ ColorWave 300 multifunction system is up for the job.

The powerful controller swiftly handles the most widely used file formats — HP-Gl/2, PDF, DWF, JPEG and many more —

4

and large files in concurrent operation without sacrificing speed. Files can be submitted via state-of-the-art drivers and job submission tools.

Realize further flexibility by printing from and scanning to a USB flash drive. The optional Océ Repro Desk® Studio software lets you preview prints to avoid misprints and effortlessly track your print volumes and costs.

The Océ ColorWave 300 multifunction system is a true all-in-one:

- One system for all your technical applications
- One system that can be easily operated by all users
- One system footprint for stacking all your documents
- One system that can handle your large format document needs today and tomorrow

Achieve superior scan and copy quality with **Océ Color Image Logic technology** 1 Scanning: scanner efficiently captures the original image 2 Background correction: removes unwanted wrinkles and background without affecting critical light colored information 3 Filtering: sharpens lines and text 4 Color management: matches colors of original to printer ensuring optimal copy quality 5 Halftoning: converts image to printable data

All-in-one large format color system





Simply scroll and click to select with smart buttons and color visuals to clearly guide you through copy, scan, and print jobs.

Time saving templates

Templates enable recurring tasks to be performed at the touch of a single button. Format resolution, color or B&W, file format, destination, etc. Just press a button and start. Convenient USB printing and

Easily print and scan documents, on the spot, with a USB flash drive so you don't have to haul stacks of plans around. Ideal for frequently revised documents.

4 Neat document stacking

Active curl guide and air separation keeps different sizes and types of media neatly collated and stacked on optional top delivery tray. No extra space table required.





Superior color and black and white scanning with Océ Color Image Logic technology

Océ Color Image Logic technology automatically compensates for wrinkles and background to produce superior results without affecting information in light colors.

6 High print quality and productivity ensured with Océ Dynamic Switching technology

Automatically determines the best print setting for each part of the plot. Delivers high print quality without sacrificing productivity.

7 Uninterrupted operation
Print, copy, and scan at the same time.
Add ink and paper while system is
running. Easily load new media. Paper

8 Efficient workflow

Océ Express WebTools provides a web-based job submitter so users can print from any desktop without installing additional software. Track costs with optional Océ Repro Desk Studio software.

is fed, cut, and sized - automatically.

One system that saves: reduce floor space and costs

Reduce floor space requirements by replacing multiple printers and scanners with a single system that can handle both color and monochrome output. The top delivery tray eliminates the need for an extra stacking table, allowing neatly collated copies/prints to be easily picked up from the front. Media and ink are loaded from the front for further convenience.

Reduce cost by investing in one system to do both color and monochrome tasks. Consolidating multiple devices to one system simplifies supply requirements and IT support resources. And the design and technology of the Océ ColorWave 300 multifunction system lowers energy consumption compared to conventional monochrome systems.

One system to grow with your needs: grow your business sustainably

Boost your competitive edge by applying monochrome or color as needed to enhance documents and make your company stand out. The Océ ColorWave 300 multifunction system easily accommodates monochrome jobs without compromising on throughput for color applications.

The Océ ColorWave 300 multifunction system helps achieve a more sustainable working environment. Waste is eliminated by using automatic original and media size recognition and image positioning features to avoid misprints. And your working environment is not affected by ozone, dust, or odors.





General

Description

Technology

Number of inks/printheads

Speed

Warm-up time

Configurations

Roll options

Output delivery

Certifications

Printer

Print resolution

Paper capacity

Output sizes width

Output sizes length

Paper weight

Media type

(www.oceusa.com/imagingsupplies)

Controller

Controller type

Memory

Hard drive

Page Description Language

Scanner

Scanner type

Scan resolution

Scan speed

Scan format

Scan destination

Original size width/length

Original thickness

Scaling

Preset modes

Print, copy, and scan workflow

General workflow

Submission

Job management

Accounting

Templates

Wide format color, all-in-one (single footprint print, copy and scan system)

Thermal inkjet with Océ Dynamic Switching technology

3 black printheads (K) and 2 printheads each color (C, M, Y)

Black and white: 41 seconds/E size; Color: 63 seconds/E size

Instant on

Océ ColorWave 300 R multifunction system (includes receiving tray)

Océ ColorWave 300 T multifunction system (includes top delivery tray and receiving tray)*

2 rolls (standard)

Front-accessible receiving tray

Optional top delivery tray with active curl guide, stacks up to 50 sheets depending on media type and size*

ENERGY STAR®, TuV GS, CETECOM, CE, UL, cUL,

RoHS, CB, FCC, RoHS, FEMP

True: 600 × 600 dpi

Up to 395' per roll, standard 2 rolls

11"-36"

8.5"-147'6" (might influence side margins when > 16')

16 lb.-50 lb.

Uncoated papers, recycled papers, coated papers, transparent papers, photo papers and films

Embedded Océ PowerM® controller with Windows XP® Embedded

1 GB

160 GI

HP-GL, HP-GL/2, TIFF, JPEG, DWF, Adobe® PS®/PDF (option)

CALS, NIFF, NIRS, ASCII, CalComp 906/907/951, C4

Contact Image Sensor (CIS) with Océ Color Image Logic® technology

Optical resolution 600 × 600 dpi

Up to 38'/min. (monochrome), up to 13'/min. (color)

TIFF, PDF (PDF/A), JPEG, Multipage TIFF & PDF/A, CALS

Local USB flash drive, controller, network via FTP or SMB

8.2"-36"/8.2"-52'6"

Up to .031" (non rigid media)

Scale to standard format and custom scale 10 %--1000~%

Color: Artwork, line/text, map, photo

Grayscale/B&W: Line/text, colored original, photo, blueprint, dark original

Concurrent print, copy, scan and file processing

Single files: local USB flash drive, Microsoft® Windows® driver, Adobe Postscript 3™ driver

Sets of files: Océ Express Web Tools Publisher Express (integrated web-based job submission); Océ Client Tools Publisher (set submission with powerful document transformation and WYSISYP preview)

Océ Express WebTools: Single interface to view and control the system via an Internet browser without the need to install additional software; Monitor and manage the system status, settings, network configurations, updates; Includes personal Smart Inbox for organizing print jobs

 $Oc\acute{e}\ Repro\ Desk\ Studio\ software \ref{tware}*: for\ printing\ to\ multiple\ wide\ format\ devices,\ viewing,\ and\ cost\ tracking$

Océ Account Center: featuring customized accounting fields and copy/print/scan lock out

Océ Repro Desk Studio software $\!\!\!\!\!\!^*$ (option): for registering print, copy, and scan activities

Four each user-defined copy and scan templates. Enables recurring tasks to be performed at the touch of a single button



Options

Hardware

Software

Network information

Client OS support

Standard interface

Network protocols

Printing protocols

Scanning protocols

Environmental data

Power consumption active mode (printing)

Power consumption ready mode (standby)

Power consumption sleep mode

Power requirements (V/Hz/A)

Energy consumption per print

Noise Level (active/ready)

Ozone concentrations

Recyclability hardware

Recyclability inktanks

Size print engine ($W \times D \times H$)

Size scanner ($w \times D \times H$)

Weight print engine

Weight scanner

Weight top delivery tray*

Supplies

Consumable type

Size

Océ Scanner Express (integrated on top of the printer for copying and scanning)

Top delivery tray with active curl guide: for stacking of different media types and sizes*

Adobe PostScript 3/PDF file interpreter. Enables the submission of PDF files with USB flash drive or job submission tools directly to the printer

Océ Repro Desk Studio software: for printing to multiple wide format devices, viewing and cost tracking

Océ Account Center: featuring customized accounting fields and copy/print/scan lock out

Windows driver for Windows Vista® (32 & 64bits), Windows XP and Windows Server® 2003

Windows Terminal Server, Citrix® Metaframe and presentation server

Adobe PostScript3 driver for Windows XP and Windows Server 2003. Mac OS® v9, Mac OS X

Océ Express WebTools for Windows® Internet Explorer® and Mozilla® Firefox®

Ethernet 100 MB/sec., 1GB/sec.

TCP/IP, IPv6, IPX/SPX, Windows APIPA

LPR, Novell®NDPS, FTP

FTP, SMB

Engine (printer + scanner): 201 W, controller: 38 W

Engine (printer + scanner): 146 W, controller: 38 W

Engine (printer + scanner): 3 W, controller: 38 W, ENERGY STAR

100 V-240 V, 50/60 Hz, 9-4 A

 $34~\mbox{Wh}$ calculated average based on an E size print and EPA ENERGY STAR $^{\!\circ}$ TEC method

66 dB (A)/47 dB (A)

None

Designed to be upcycled or recycled. Engine made of steel and recyclable plastics

Made of recyclable plastics polyethylene and polypropylene

 $78" \times 31" \times 50"$ (including scanner, receiving tray and user panel)

 $78"\times36"\times68"$ (including scanner, top delivery tray, receiving tray and user panel)

43" × 12" × 5.5" (fits on top of print engine)

400 lb.

54 lb.

82 lb.

Océ high density aqueous ink (black: pigment, color: dye)

Ink tank size:

Black ink tank size: 200 ml, 400 ml

Color ink tanks size: 180 ml, 350 ml

^{*} available soon

Beyond the Ordinary

Environmental Certifications



Mixed Sources

Product group from well-managed forests and other controlled sources www.fsc.org Cert no. SCS-COC-00856 © 1996 Forest Stewardship Council





















Awards







2007



2008





2006



2006







Partners Certifications













© 2010 Océ. Illustrations and specifications do not necessarily apply to products and services offered in each local market. Technical specifications are subject to change without prior notice. The Océ logo, "Océ," "Océ ColorWave," "Océ Image Logic," "Océ Color Image Logic," "Océ Repro Desk," and "Océ PowerM" are registered trademarks of Océ-Technologies B.V. "Adobe" and "Postscript" are registered trademarks of Adobe Systems Incorporated. "PostScript 3" is a trademark of Adobe Systems Incorporated. "Mac OS" is a registered trademark of Apple Computer, Inc. "Microsoft," "Internet Explorer," "Windows" "Windows XP," "Windows Vista," and "Windows Server" are registered trademarks Microsoft Corporation. "Novell" is a registered trademark of Novell, Inc. "Mozilla" and "Firefox" are registered trademarks of Mozilla Corporation. "ENERGY STAR" is a registered trademark of the U.S. Environmental Protection Agency (EPA). "Citrix" is a registered trademark of Citrix Systems, Inc. All other trademarks are the property of their respective owners.



Printing for Professionals

Océ helps the people who make our world. Companies everywhere use Océ high-speed printing, technical documentation, and professional document systems to keep the wheels of business, industry and government turning. Océ also helps the world. Developing products and services that add value to the document processes of our customers, while minimizing environmental impact and protecting health and safety, has always been one of our core principles. From bank statements to utility bills, from blueprints to newspapers, from on-demand documents to wide-format display graphics, Océ helps our professional customers go "Beyond the Ordinary" in print and document management.

Océ North America

Océ Wide Format Printing Systems 5450 North Cumberland Avenue Chicago, Illinois 60656 1-800-714-4427 1-773-714-4056

Fax 1-773-714-4056 email: us.info@oce.com

Océ-Canada, Inc. 4711 Yonge Street, Suite 1100 Toronto, Ontario, M2N 6K8 Canada 1-800-668-1945 Fax 1-416-224-5778 email: info.ca@oce.com

Océ Mexico, S.A. de C.V. Ave. Pol. Paseo de la Reforma No. 1236 Piso 4 Mexico City, DF 05348 52-55-5089-8700 email: mex.info@oce.com

For information and services, visit us at:

www.oceusa.com