

Smart office assistant

Harnessing the power of the Cloud, these smart all in one printers automate everyday document processes, leaving you free to focus on core business activities.

Intelligent workflow tools

- Intuitive user interface
- Ricoh Smart apps
- Cloud-share services
- Smartphone connection

Ricoh's super-sized 10.1 inch Smart Operation Panel is host to a suite of intelligent workflow tools. Pre-installed Smart apps, such as ID Card Copy, automate time-consuming processes. More applications can be installed on demand. It is easy to print from and scan to smartphones and tablets, and critical documents can be scanned in colour directly to DropBox[™] or Sharepoint[™].

Simply more productive

- 35 & 43 ppm print speeds
- 52 256 gsm support
- Large paper capacity
- Offline stapler option



Despite their advanced functionality, Ricoh's new all in one printers are surprisingly easy to setup and support. With their compact design and quiet operation, they are a perfect fit for every office. Ricoh's installation wizard simplifies setup. To safeguard information, they support tap and go authentication and confidential documents can be securely locked, pending release. Clever energy saving features reduce power consumption and contribute to a low total cost of ownership.

A friendly and affordable solution

- Space saving design
- Secure authentication
- Confidential printing
- Low noise levels

To save time, double sided originals are scanned in a single pass. The first immaculate 1200 dpi print is ready in under 6 seconds. Multipage documents are produced at speeds of 35 or 43 pages per minute and can be quickly collated using the offline stapler option. The optional high capacity paper trays further enhance productivity. It is easy to print onto envelopes and labels. And, with the printer switching from one tray to another, you need never run out of paper.



RICOH IM 350/IM 350F/IM 430F

MAIN SPECIFICATIONS

GENERAL	IM 350	IM 350F	IM 430F		
Warm-up time		24 seconds			
First output speed: B/W	6 seconds	6 seconds	5 seconds		
Continuous output speed	35 ppm	35 ppm	43 ppm		
Vemory: standard	oo ppin	2 GB	-io phili		
		2 GB			
lemory: maximum					
IDD: standard		320 GB			
IDD: maximum		320 GB			
PDF capacity		50 sheets			
Veight		30.5 kg			
-		•			
Dimensions: W x D x H		476 x 442 x 510 mm			
Power source		220 - 240 V, 50/60 Hz			
COPIER					
Multiple copying Copy resolution: maximum	Up to 999 copies 600x600 dpi				
Zoom	From 25% to 400% in 1% steps				
PRINTER					
CPU	Intel Atom Processor Bay Trail 1.46GHz				
Printer language: standard	PCL5e, PCL6, PostScript 3 (emulation), PDF direct (emulation)				
Printer language: option	Genuine Adobe ®PostScript®3™, XPS, IPDS, PDF Direct from Adobe®				
Print resolution: maximum	1,200 x 1,200 dpi				
Network interface: standard	Ethernet 10 base-T/100 base-TX/1000 base		201		
Network interface: option	Bi-directional IEEE 1284/ECP, Wireless LAI		port		
Nobile printing capability	Apple AirPrint™, Mopria, Google Cloud Prin	t, NFC, Ricoh Smart Device Connector			
Network protocol	TCP/IP (IP v4, IP v6)				
Nindows® environments	Windows® 7, Windows® 8.1, Windows® 10), Windows® Server 2008, Windows® Serve	er 2008R2, Windows® Server 2012.		
	Windows® Server 2012R2, Windows® Server		,		
Mac OS environments	Macintosh OS X v10.10 or later				
JNIX environments	UNIX Sun® Solaris, HP-UX, SCO OpenSer	ver, RedHat® Linux, IBM® AIX, Citrix XenA	pp		
SAP® environments	SAP® R/3®, SAP® S/4®				
Other supported environments	NDPS Gateway				
	AS/400® using OS/400 Host Print Transform IBM iSeries	n			
	IDIVI ISENES				
SCANNER	IDIVI ISENES				
Scanning: B/W	43.4 ipm				
Scanning: B/W Scanning: full colour	43.4 ipm 43.4 ipm				
Scanning: B/W Scanning: full colour	43.4 ipm				
Scanning: B/W Scanning: full colour Resolution: maximum	43.4 ipm 43.4 ipm				
Scanning: B/W Scanning: full colour Resolution: maximum Compression method	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl		n PDF, Single page PDF/A, Multi page TI		
SCANNER Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi		1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX		1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modem speed: maximum	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modem speed: maximum Resolution: standard	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Fransmission speed Vodem speed: maximum Resolution: standard	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modem speed: maximum Resolution: standard	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modem speed: maximum Resolution: standard	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MR		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modern speed: maximum Resolution: standard Compression method	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MR MMR JBIG		1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modern speed: maximum Resolution: standard Compression method	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm		1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Vodem speed: maximum Resolution: standard Compression method	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MR MMR JBIG		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modern speed: maximum Resolution: standard Compression method	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm		n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages)		1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed Memory: standard Memory: maximum	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages)		1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Vemory: standard Vemory: maximum PAPER HANDLING	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 5 tandard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6	on PDF, Multi page PDF/A	n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Fransmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed Memory: standard Wemory: maximum PAPER HANDLING Recommended paper size	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Dypass tray:A4, A5, A6, B5, B6, Custom Siz	on PDF, Multi page PDF/A	1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Dircuit Transmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Vemory: standard Vemory: maximum PAPER HANDLING Recommended paper size Paper input: standard	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Bypass tray:A4, A5, A6, B5, B6, Custom Siz 500 sheets	on PDF, Multi page PDF/A	n PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Dircuit Transmission speed Modern speed: maximum Resolution: standard Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Bypass tray:A4, A5, A6, B5, B6, Custom Siz 500 sheets 2,100 sheets 2,100 sheets	on PDF, Multi page PDF/A	h PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Circuit Cransmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Vemory: standard Vemory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Bypass tray:A4, A5, A6, B5, B6, Custom Siz 500 sheets	on PDF, Multi page PDF/A	1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Circuit Cransmission speed Modern speed: maximum Resolution: standard Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper utput: standard	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Bypass tray:A4, A5, A6, B5, B6, Custom Siz 500 sheets 2,100 sheets 2,100 sheets	te paper	1 PDF, Single page PDF/A, Multi page TI		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Spass tray:A4, A5, A6, B5, B6, Custom Siz 500 sheets 2,100 sheets 250 sheets	n PDF, Multi page PDF/A			
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Vemory: standard Vemory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper output: standard Paper output: standard Paper weight	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6, Custom Siz 500 sheets 2,100 sheets 2,50 sheets Trays: (52 - 220 g/m²), Bypass: (52 - 256 g/m²)	n PDF, Multi page PDF/A			
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Fransmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Wemory: standard Wemory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper output: standard Paper output: standard Paper weight Paper types	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6, Custom Siz 500 sheets 2,100 sheets 2,50 sheets Trays: (52 - 220 g/m²), Bypass: (52 - 256 g/m²)	n PDF, Multi page PDF/A			
Scanning: B/W Scanning: full colour Resolution: maximum Compression method iile formats Scan modes FAX Circuit Fransmission speed Modern speed: maximum Resolution: standard Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper viput: standard Paper viput: standard Paper viput: standard Paper viput: standard Paper viput: standard Paper viput: standard Paper vipus ScoLOGY	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 tandard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Sypass tray:A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Trays: (52 - 220 g/m²), Bypass: (52 - 256 g/m Plain paper, Recycle paper, Special paper, f	te paper n°), Duplex: (52 - 162 g/m²) Color paper, Letterhead, Preprinted paper, E	Envelope, Label paper, OHP		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Fransmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper types ScOLOGY Power consumption: max. Power consumption: max.	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper, tray(s):A4, A5, A6, B5, B6 Standard paper, tray(s):A4, A5, A6, B5, B6 Standard paper, Recycle paper, Special paper, tray Less than 1,280 W	re paper m²), Duplex: (52 - 162 g/m²) Color paper, Letterhead, Preprinted paper, E Less than 1,280 W 562 W	Envelope, Label paper, OHP Less than 1,290 W		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method iile formats Scan modes Scan modes Scan modes Scanning speed Addem speed: maximum Resolution: standard Compression method Scanning speed Ademory: standard Ademory: standard Ademory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper input: standard Paper vipus ScoLOGY Power consumption: max. Power consumption: max.	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper, tray(s):A4, A5, A6, B5, B6 Standard paper, tray(s):A4, A5, A6, B5, B6 Standard paper, Recycle paper, Special paper, tray Less than 1,280 W	te paper m²), Duplex: (52 - 162 g/m²) Color paper, Letterhead, Preprinted paper, E Less than 1,280 W 562 W 91.5 W	Envelope, Label paper, OHP Less than 1,290 W		
Scanning: B/W Scanning: full colour Resolution: maximum Compression method File formats Scan modes FAX Circuit Transmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Vemory: standard Vemory: standard Vemory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper output: standard Paper veight Paper vypes ECOLOGY	43.4 ipm 43.4 ipm 600 dpi TIFF (MH, MR, MMR, JBIG2), Grayscale Single Page TIFF, Single page JPEG, Singl Multi page PDF, Multi page High compressi E-mail, Folder, USB, SD Card PSTN PBX 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH MR MMR JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 5 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper tray(s):A4, A5, A6, B5, B6 Standard paper, tray(s):A4, A5, A6, B5, B6 Standard paper, tray(s):A4, A5, A6, B5, B6 Standard paper, Recycle paper, Special paper, tray Less than 1,280 W	re paper m²), Duplex: (52 - 162 g/m²) Color paper, Letterhead, Preprinted paper, E Less than 1,280 W 562 W	Envelope, Label paper, OHP Less than 1,290 W		

RICOH IM 350/IM 350F/IM 430F

MAIN SPECIFICATIONS

IM 350 IM 350F IM 430F OUTPUT TRAYS AND FINISHER OPTIONS



 tray
 Paper size: (A4, A5, A6, B5, B6), Paper weight: (52-220 g/m²)

 tray
 Paper size: (A4, A5, A6, B5, B6), Paper weight: (52-220 g/m²)

OTHER OPTIONS

Fax connection unit, High cabinet, Low cabinet, IPDS unit, Offline stapler, Genuine PostScript 3, XPS direct print, IEEE 1284 I/F, IEEE 802.11 a/b/g/n I/F, USB Device Server, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, Page keeper, Key counter bracket, Extended USB board, Paperlock

CONSUMABLES

Starter toner	14,000 prints	14,000 prints	17,400 prints
Drum		70,000 sheets	
Toner: black	14,000 prints	14,000 prints	17,400 prints
Consumable vield measuring			

Consumable yield measuring method ISO/IEC 19752



Adobe: PDF

Adobe" PostScript" 3"

😵 Bluetooth





All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. Images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and layout may not be modified and/or adapted, without the prior written permission of Ricoh Europe PLC.