



MP C307 MP C407

Multifunction Color

- ✓ Copier
- ✓ Printer
- ✓ Facsimile
- ✓ Scanner



MP C307

31/31
ppm Black & white
/Full color

MP C407

42/36
ppm Black & white
/Full color



Turn limited space into an advantage

Improve your workgroup's productivity and economics by keeping more jobs in-house with the SAVIN® MP C307/MP C407 color laser multifunction printers (MFPs). With all-in-one print, copy, scan, fax, local storage and cloud capabilities, the MP C307/MP C407 become your workgroup's Information Management Hubs—where print and digital documents come together as unified workflows to help streamline collaboration and more. Larger workgroups that generate higher volumes of output may prefer the faster MP C407 with “workhorse” performance, speedily powering through large, graphics-intensive files.

- MP C307: 31 ppm (Color), 31 ppm (B&W)
- MP C407: 36 ppm (Color), 42 ppm (B&W)
- Print, copy, fax and scan (up to 80 images per minute)
- Support sheet sizes up to 8.5" x 14"
- Safeguard proprietary information from unauthorized access and erase or encrypt information on the local hard drive



Efficient workgroups

Get more work done in less time—even when space is limited

Increase your productivity

While the MP C307/MP C407 MFPs may not take up much space, they pack in many robust features to help you increase productivity with fast print and copy speeds. Save valuable time waiting for warm-up and jobs to start thanks to fast first-print times for both color and black-and-white output. Ultimately, speed means little if your MFP isn't backed up by enough processing power to avoid user frustration. The MP C307/MP C407 come with a standard Intel 1.46 GHz processor and 2 GB RAM to easily handle large files and process multiple jobs at once.



Digitize documents at the speed of business

Scan two-sided documents with the MP C307/MP C407's standard single-pass document feeders at speeds up to 80 ipm and 600 dpi resolution, freeing you to digitize large volumes of documents. Standard on both MFPs, PageKeeper* helps to keep scanning jobs running smoothly as it detects—and stops—your MFP from feeding multiple sheets. Types of scanning include: Scan-to-Email (SMTP/POP3), Scan-to-Folder (SMB/FTP), Scan-to-Media (USB/SD card), plus Network TWAIN scanning. Now, you can efficiently store and share print documents as easily as digital information—in PDF, TIFF, JPEG and other common formats. Never lose a document again with optional OCR scanning, allowing you to create searchable PDFs.

*PageKeeper models only.



Bring color documents to life

Create professional-looking documents with print-shop quality color in-house when you need them. Standard PostScript helps to transform your documents with colors that appear more brilliant and text that reads crisper and clearer. Impress your customers with proposals, presentations and other vital documents in 1200 x 1200 dpi resolution.



Streamline everyday tasks

Save time and automate repetitive tasks with the Savin Smart Operation Panel (SOP)—standard on the MP C307/MP C407. The SOP's large 10.1" color touch screen offers intuitive, tablet-like functionality, even allowing you to customize shortcuts and prioritize apps that help to make your work life more efficient. Speed through jobs with one-touch convenience, and watch how-to videos for quick self-help.





Efficient workplaces

Embrace mobile innovation

Thrive in the “everywhere workplace” as you connect your mobile devices to the MP C307/MP C407. When your mobile devices are connected to the same network as the MP C307/MP C407, use AirPrint® to connect iOS devices or Mopria™ for Android devices. With the Smart Device Connector App, connect to the MP C307/MP C407 and initiate print, scan, copy and fax jobs right from your smart device. Also print files on your device(s) or cloud storage, and scan directly to cloud storage. Users can connect via NFC or QR code to the MP C307/MP C407 without needing to go onto the corporate network.



Support diverse media and large workloads

Maximize the value of your investment as you take on a wide array of print jobs and easily scale for increased output with the MP C307/MP C407. Instead of interrupting workflows to refill paper trays, simply add two optional 500-Sheet paper feed units, expanding the standard 350-sheet capacity up to 1,350 sheets. Support thick media up to 120 lbs. index and large-format media up to 23.6” via the bypass tray. Also print on letterhead, transparencies and labels.



Safeguard sensitive information


Be proactive about avoiding data breaches that could hurt you and your customers. As your workgroup’s information management hub, the MP C307/MP C407 provides crucial safeguards to help protect sensitive information from unauthorized access, data leakage and network security threats. SSL/TLS and IP address filtering help to create secure connections and authenticate users. Also manage user access with an NFC card reader plus ensure critical documents are secure by using Locked Print, which requires a user to enter a passcode before the job is printed. Secure local storage includes standard data encryption and Data Overwrite Security System (DOSS), which overwrites latent data on the hard disk drive.



Efficient workplaces

Simplify device management

Manage the MP C307/MP C407 from almost anywhere via utilities from Savin such as Web Image Monitor and @Remote. With Web Image Monitor, your IT team can remotely configure the MFPs and painlessly change security settings through guided pop-up dialog boxes. In the event of a power outage, you can get back to business quickly with Remote Power-On. Also manage user access and set user permissions. Maximize uptime and efficiency with auto-notifications when supplies like paper need to be replenished.



More workflow enhancements

Take your efficiency to another level with unique features on the MP C307/MP C407 to help you eliminate waste and finish jobs faster. Store up to 3,000 documents—from forwarded faxes to frequently used forms and documents—on the standard document server. Now, print on-demand rather than pile up wasteful pre-printed forms. Also, search and view locally stored documents from your desktop. The ID Card Copy feature makes it easy to copy the front and back of identification and insurance cards onto a single sheet of paper.



Low environmental impact

Committed to reducing your environmental impact, the MP C307/MP C407 are EPEAT® Gold rated* and ENERGY STAR® certified, and offer a low Typical Electricity Consumption (TEC) of just 1.2 KWh/week (1.8 KWh/week for the MP C407). And with an 8-second recovery from Sleep Mode, the MP C307/MP C407 help your office save on energy costs without slowing down. Reduce costs further by using less paper with standard two-sided printing. Recycle toner cartridges through Savin's Cartridge Return Program to help maintain a low environmental impact.



*EPEAT rating is applicable only in the USA.

Own your workstyle



1



2



3



4



5

Just because you move among different workgroups or offices, it doesn't mean you can't bring your workstyle with you. Enjoy a consistent experience anywhere you work on an MP C307/MP C407 or another Savin device with the

Savin Smart Operation Panel — and benefit from the same apps and enterprise solutions for smarter automation, information security and more.

- 1 Make your MFP work for you:** The Smart Operation Panel is your portal to productivity. On the 10.1" touch screen, find information quickly and accelerate workflows with shortcuts—including personalizing three persistent shortcuts at the top left of the panel. Simplify document creation with convenient previews in which you can configure detailed layout options. Additionally, change the look and layout of your SOP's user interface per your preferences.
- 2 Simplified Quick Screens:** Quick User Interface screens provide access to basic features on one screen to help simplify print, copy, scan and fax jobs. Large icons provide a user-friendly interface for novice or one-time users as well as the ability to preview your job prior to transmission for accuracy.
- 3 Application Site:** Select easy-to-use apps from the convenient Application Site to automate many of your most time-consuming tasks. Place them on the home screen as easily identifiable one-touch shortcuts. With a single tap, you can add specific features to copy, print, scan and fax with less hassle and fewer delays.
- 4 How-to-videos:** Access an extensive library of self-help videos directly from the Smart Operation Panel. The easy-to-follow tutorials guide you through basic MFP operations, troubleshooting, customizing controls and more to help you boost productivity and standardize the user experience.
- 5 Web browser:** Access websites directly from your MFP as though you were using a personal smart device. Convert a web page into a hardcopy document in seconds.

Workstyle innovation for workgroups



Explore the key features of the MP C307/MP C407 that help to meet the requirements of your workgroup's changing workstyle — from affordable in-house high-resolution

color printing to mobile printing and high-speed document scanning for cloud services.

- 1 Smart Operation Panel (SOP):** Run solutions-focused smart apps on the Android-based 10.1" Smart Operation Panel (SOP) with a user interface that's as easy to use as a personal smart device. The SOP also features a USB and SD card slots for scanning to and printing from portable media.
- 2 Single Pass Document Feeder (SPDF):** Get high-resolution scanning with speeds up to 80 ipm by simultaneously scanning both sides of documents up to 8.5" x 11".
- 3 NFC user authentication:** Embedded software for Near Field Communication (NFC) user authentication is standard. With the optional NFC card reader, you can quickly authenticate via NFC-enabled proximity cards.
- 4 Paper-feeding capacity:** Expand the standard 350-sheet capacity to 1,350 sheets from four independent paper supply sources with the addition of two optional 500-Sheet Paper Feed Units. Bypass tray holds up to 100 sheets, supporting thick media up to 120 lbs. index and large-format media up to 23.6".
- 5 Paper output capacity:** Standard output capacity of 100 sheets, expandable to 200 sheets with the addition of the optional 100-sheet One Bin Tray.

The One Bin Tray offers the added advantage of separating print and copy or copy and fax output for faster, easier document retrieval.

- 6 PageKeeper:** A multi-feed detection sensor that automatically stops a scanning job when more than one sheet is fed through the single pass document feeder. Avoid delays and errors with a more reliable scanning workflow.
- 7 Mobile printing:** It's easy to connect your mobile device to the MP C307/MP C407 and stay productive while on the move. Connect your NFC-enabled device by simply placing it near the attached NFC tag. For added functionality download the Smart Device Connector app and connect quickly to the MFP using a QR code – no need to access the network. You'll be able to initiate print, copy, scan and fax jobs right from your mobile device. And when network access is available, use AirPrint® to connect iPhones and iPads and Mopria™ for Android-based smartphones and tablets.
- 8 Powerful Controller and local storage:** Savin's next generation architecture controller equipped with a powerful Intel 1.46 GHz processor and 2 GB standard RAM process complex files quickly and keep pace with your busy work day. Standard 320 GB HDD provides a Document Server to store inbound faxes and frequently used forms.

Savin MP C307/MP C407

SYSTEM SPECIFICATIONS



General Specifications

| | |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Scanning Element | One-dimensional solid scanning through CCD; CIS sensor scans backside of SPDF |
| Printing Process | Dry electrostatic transfer system with dual component development; 4-drum method |
| System Memory | 2 GB (RAM) |
| Output Speed (LT) | MP C307: B&W – 31 ppm; Full Color – 31 ppm MP C407: B&W – 42 ppm; Full Color – 36 ppm |
| First-Print Time (LT) | MP C307: B&W – less than 7.2 seconds; Full-Color – less than 11 seconds MP C407: B&W – less than 6.2 seconds; Full-Color – less than 10.5 seconds |
| Recovery Time from Sleep Mode | MP C307: 8.2 seconds MP C407: 8 seconds |
| Copy Resolution | 600 x 600 dpi (Print: 1,200 x 1,200 dpi) |
| Exposure Adjustment | Manual and automatic |
| Multiple Copies | Up to 999 |
| Document Feeder | Single Pass Document Feeder (SPDF) (Standard) |
| Original Capacity | 50 sheets (SPDF) |
| Paper Sizes | Standard Tray: 5.5" x 8.5" to 8.5" x 11" Optional Trays: 5.5" x 8.5" to 8.5" x 14" Bypass Tray: 3.0" x 5.4" to 8.5" x 23.6" Duplex Unit: 5.5" x 8.5" to 8.5" x 14" |
| Paper Weights | Standard Trays: 16 – 43 lb. Bond (60 – 163 g/m) Optional Trays: 16 – 43 lb. Bond (60 – 163 g/m) Bypass Tray: 16 – 58 lb. Bond (60 – 220 g/m) Duplex Unit: 16 – 43 lb. Bond (60 – 163 g/m) |
| Exposure Glass | Up to 8.5" x 14" |
| Input Capacity | Standard: 250 sheets + 100-Sheet Bypass Tray Optional: 500 sheets x 1 or 2 Trays Maximum: 1,350 sheets Standard: 100 sheets |
| Output Capacity | Optional: 200 sheets (total) with One Bin Tray |
| Paper Types | Plain, Recycled, Colored, Letterhead, Preprinted, Bond, Card Stock, Special, Coated, Waterproof, Back Copied, Thick*, OHP (Transparency)*, Envelopes*, Label Stock* |
| Auto Duplex | Standard |
| Zoom | 25% to 400% in 1% increments |
| Preset Reduction and Enlargement Ratios | 65%, 78%, 93%, 100%, 129%, 155% |
| Dimensions (WxDxH) | 19.6" x 23.0" x 20.1" (498mm x 585mm x 510mm) |
| Weight | Less than 101.4 lbs (46 kg) |
| Power Requirements | 120V~127V, 60Hz, 10A |
| Power Consumption | Less than 1.3 KW (max.); 0.81 W (sleep mode) |
| TEC** | MP C307: 1.2 kWh/week MP C407: 1.8 kWh/week |
| Standard Features | Document Server, Java™, Poster Copy, ID Card Copy, Auto Tray Switch, Auto Start, Auto Off Timer, Energy Saver Timer, Color Balance Adjustment, Color Balance Program, Auto Color Calibration, Combine Copy, Electronic Sort, Photo Mode, Series Copy, Job Programs, User Codes (1,000), Simplified Display, Login/Logout Button, Eco-friendly Indicator |

*Bypass Tray only.

**Typical Electricity Consumption by ENERGY STAR® Program.

Printer Specifications

| | |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CPU | 1.46 GHz Intel |
| Memory Capacity | 2 GB |
| Hard Disk Drive | 320 GB |
| Page Description Languages | Standard: PCL5c/6, PostScript 3, PDF Direct Optional: Adobe® PostScript®3™, PDF Direct, XPS Direct Print 1200 x 1200 dpi |
| Maximum Print Resolution | |
| Standard Interfaces | Ethernet (10BASE-T/100BASE-TX/1000BASE-T), USB 2.0 (Type A), SD Card Slot |
| Optional Interfaces | Wireless LAN IEEE 802.11a/b/g/n and IEEE 1284/ECP, USB 2.0 Type B TCP/IP (IPv4, IPv6) |
| Network Protocols | Windows Vista/7/8/8.1/10/Server 2008/Server 2008R2/Server 2012/Server 2012R2; UNIX Filters for Sun Solaris 9/10; HP-UX 11.x/11v2/11v3; Red Hat® Linux Enterprise V4, V5, V6; SCO OpenServer 5.0.7/6.0; IBM AIX Version 5L, 5.3, 6.1, 7.1; SAP R/3, device type: barcode and OCR package; Mac OSX 10.8 or later, Citrix® XenApp 6, 5+, Xen Desktop 7.0+; IBM iSeries/AS/400 — using OS/400 host print transform |
| Network Operating Windows Systems | |
| Utilities | @Remote, Device Manager NX, Web Image Monitor |
| Other Printer Features | Media Direct Print (Print-from USB/SD), Sample/Locked/Hold/Scheduled/Stored Print, Banner Page Print, Poster Print, Unauthorized Copy Control, User ID, User Code, Classification Code, Layout (N-up), Watermark, Collate, CLP Simulation, Bonjour Support, PDF Direct Print, Windows Active Directory Support, DDNS Support, PCL Resident Font Adoption, Universal Driver, WS Printer, 1200 dpi Support, XPS Support, Auto Job Promotion, Mail-to-Print |

Scanner Specifications

| | |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Scanning Speed | 80ipm @ 300dpi full color and B&W Duplex |
| Scanning Resolution | 100, 200, 300, 400, 600 dpi |
| Scan Area | Main: 8.5" (216 mm) Sub: 14.0" (356 mm) |
| Compression Method | B&W: TIFF (MH, MR, MMR, JBIG2), Grayscale Full-Color: JPEG |
| Scan Mode | B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full-Color: Text/Photo, Glossy Photo, Standard Auto Color Select |
| Standard Interfaces | Ethernet 10BASE-T/100BASE-TX/1000BASE-T, USB Type A and SD Card via Smart Operation Panel |
| Optional Interfaces | Wireless LAN (IEEE 802.11a/b/g/n) |
| File Formats | Single/Multi Page TIFF, Single/Multi Page PDF, Single/Multi Page High Compression PDF, Single/Multi Page PDF/A and Single Page JPEG |
| Scan Modes Supported | Scan-to-Email (POP, SMTP, TCP/IP); Scan-to-Folder (SMB/FTP); Network TWAIN Scanning; Scan-to-Media (USB/SD) |
| Standard Features | WS-Scanner, Scan to Email/SMB/FTP/URL, Scanned File Naming, Scan File Type Selection, LDAP Support, Preview Before Transmission, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send, PDF/Digitally Signed PDF/PDF/A, Distributed Scan Management, PageKeeper |

Fax Specifications

| | |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type | ITU-T CCITT G3 |
| Circuit | PSTN, PBX |
| Resolution | 200 x 100 dpi, 200 x 200 dpi |
| Modem Speed | 33.6K – 2,400 bps with Auto Shift Down |
| Compression Method | MH, MR, MMR, JBIG |
| Scan Speed | 30 pages per minute |
| Transmission Speed | Approx. 2 seconds/page (200 x 100 dpi, JBIG) |
| Memory | 4 MB (approx. 320 pages) |
| Memory Backup | 1 hour |
| Quick Dial | 2,000 numbers |
| Group Dials | 100 groups (max. 500 numbers per group) |
| Standard Features | Detection of Misplaced Documents, Double Check Destination Address, Direct SMTP, Serial Broadcasting, Fax Forward to Email/Folder, Internet Fax (T.37), IP Fax (T.38), LAN Fax, Remote Fax (optional), Paperless Fax, LDAP Support, Universal Send |

Hardware Options

| | |
|-------------------------------|-------------------------------------------------|
| Paper Feed Unit PB1080 | |
| Paper Size | 5.5" x 8.5" SEF, 8.5" x 14" SEF |
| Paper Weight | 16 – 43 lb. Bond (60 – 163 g/m2) |
| Paper Capacity | 500 sheets x 1 or 2 trays |
| Dimension (WxDxH) | 19.6" x 21.7" x 5.9" (498 mm x 552 mm x 150 mm) |
| Weight | 23 lbs./10.4 kg. |
| 1 Bin Tray BN1030 | |
| Paper Size | 5.5" x 8.5" SEF to 8.5" x 14" SEF |
| Paper Weight | 16 – 43 lb. Bond (60 – 163 g/m2) |
| Paper Capacity | 200 sheets (total output with standard tray) |

Additional Options

Low Cabinet, Medium Cabinet, High Cabinet, Fax Connection Unit Type M28, XPS Direct Print Option Type M28, IEEE 1284 Interface Board Type M19, IEEE802.11 IEEE 802.11a/g/n Interface Unit Type M19, File Format Converter Type M19, NFC Card Reader Type M13, OCR Unit Type M13, Embedded HotSpot Type S, PostScript Unit Type M28, 1-Bin Tray BN1030, Extended USB Board Type M19, ESP XG-PC-515D Power Filter, ESP S1 Power Filter

Security

Network User Authentication, IP Address Filtering, HDD Data Overwrite, HDD Encryption, Copy Guard Security, Secure Print, Encrypted Secure Print, Encrypted PDF Mode, Digitally Signed PDF, IP Sec, SSL/TLS, SNMPv3, SMTP over SSL, Security for IEEE 802.11/w, IPv6, Transport Layer Security

Specifications are subject to change without notice. Some features may require additional options.

For maximum performance and yield, we recommend using genuine Savin parts and supplies.

www.savin.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-877-472-8460
Savin® and the Savin logo are registered trademarks of Ricoh USA, Inc. Ricoh® and the Ricoh Logo are registered trademarks of Ricoh Company Ltd. All other trademarks are the property of their respective owners. ©2017 Ricoh USA, Inc. All rights reserved. Savin products and services are offered by Ricoh USA, Inc. and its affiliates. The content of this document, and the appearance, features and specifications of Savin products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Savin products and services are as set forth in the express warranty statements accompanying them.