

## SP 5200S/5210SR

Black and White Laser Printer

✓ Copier ✓ Printer ✓ Facsimile ✓ Scanner



SP 5200S

45  
ppm Black and  
white

SP 5210SR

50  
ppm Black and  
white

# Compact print power with 4-in-1 functionality

Where space is at a premium, our compact A4 black and white multifunctional printers, the SP 5200S and SP 5210SR are ideal. They deliver 4-in-1 printing, copying, colour scanning and faxing\* to meet all your document needs. Packed with features usually expected only from larger printers, these units are solid performers. Your busy office or workgroup gets fast, affordable and versatile devices that can expand from desktop models to mighty four-tray, floor-standing powerhouses.

\*Optional faxing card required

## Printer features – at a glance



- 1** These devices have a resolution of 1200 x 600 dpi which produces quality black and white prints
- 2** Print, Copy, Scan, Fax. This four-in-one device gives you the ability to multitask
- 3** Fast printing of up to 45 ppm on the SP 5200S and 50 ppm on the SP 5210SR for single sided printing – quickly handling even the most demanding jobs
- 4** With its low Total Cost of Ownership (TCO) and high toner yield, these devices are competitively priced printers that small to medium workgroups will quickly find indispensable
- 5** The SP 5200S and 5210SR will manage all print jobs with efficiency and speed. With the first-page-out time being a mere 7.5 seconds, these devices won't keep you waiting
- 6** Large dimension touch panel which can also feature a built-in function for ease of use (SP5210SR)



## Keep confidential documents confidential

You have the choice of a full suite of security tools to keep your data safe. For example, hard copies that won't print until a PIN is entered and you can restrict the use of the multifunctional printers to approved groups or individuals.

- Data encryption and overwrite security (standard on SP 5210SR)
- HDD with Locked Print (SP 5210SR)

## Versatile and flexible

The standard configuration offers a single tray with 550-sheet capacity, which is great for either a desktop or a small office environment. Larger workgroups can extend the devices with three further paper trays to a maximum 2300-sheet capacity for different paper types. The SP 5210SR also includes an inner finisher that can staple for superb professional results.



## Beyond scanning

Move beyond simple scanning with optional software that can:

- Provide OCR (Optical Character Recognition) capabilities with ESA TransFormer – you can scan a hardcopy document into an editable format such as Microsoft Word, Excel, PowerPoint, PDF and more.
- Automate your document scanning and routing. GlobalScan NX\* makes it easier to incorporate paper documents (such as invoices, purchase orders and bills) into your digital workflows including personalised 'project-based' scanning.

\* Version 1.4.4.0 or later

## Spend time working, not waiting

You can access the copying, scanning or faxing\* functions whenever you need them, whether or not other jobs are being printed. Stacks of loose paper documents can be scanned straight to your desktop, email, USB device, SD card or a folder. You'll also have no problem faxing\* from your PC and organising, editing and sending files with the onboard scanning tools, while a standard USB print connection saves valuable time and enhances productivity.

\*Optional faxing card required



## Protect the environment

Maximising efficiency is a firm commitment, and the SP 5200S/5210SR are Energy Star compliant and offer duplex printing, paperless faxing and all-in-one toners reducing energy usage and costs.

# SP 5200S/5210SR

MAIN SPECIFICATIONS

## COPIER

<b>Copy speed:</b>	
<b>SP 5200s:</b>	45 cpm
<b>SP 5210sr:</b>	50 cpm
<b>Copy resolution:</b>	600 x 600 dpi
<b>Multiple copy:</b>	Up to 999
<b>Warm-up time:</b>	20 sec or less
<b>First copy speed:</b>	10 sec or less
<b>Zoom (in 1% step):</b>	
<b>Platen:</b>	25% to 400%
<b>ARDF:</b>	25% to 200%
<b>Memory:</b>	1 GB
<b>HDD:</b>	128 GB
<b>Paper input capacity:</b>	
<b>Std:</b>	550 sheets
<b>Bypass:</b>	100 sheets
<b>Max:</b>	2300 sheets
<b>ARDF capacity:</b>	50 sheets
<b>Paper output capacity:</b>	
<b>SP 5200s:</b>	Up to 500 sheets
<b>SP 5210sr:</b>	Up to 250 sheets
<b>Paper size:</b>	
<b>Std:</b>	A4 - A6
<b>Bypass:</b>	A4 - A6
<b>Optional tray:</b>	A4 - B6
<b>ARDF:</b>	A4 - A5
<b>Paper weight:</b>	
<b>Std/Opt:</b>	52 - 220 gsm
<b>Bypass:</b>	52 - 220 gsm
<b>Duplex:</b>	60 - 163 gsm
<b>Dimensions (WxDxH):</b>	
<b>SP 5210sr:</b>	460 x 615 x 686 mm
<b>SP 5200s:</b>	460 x 510 x 686 mm
<b>Weight:</b>	
<b>SP 5210sr:</b>	less than 53 kg
<b>SP 5200s:</b>	less than 45 kg
<b>Power source:</b>	220-240 V, 50/60 Hz
<b>Power consumption:</b>	1500 W or less
<b>Energy saver:</b>	8 W or less

## PRINTER

<b>Print speed:</b>	
<b>SP 5200s:</b>	45 ppm
<b>SP 5210sr:</b>	50 ppm
<b>Warm-up time:</b>	20 sec or less
<b>First print speed:</b>	7.5 sec or less
<b>Duplex:</b>	Automatic
<b>Printer language:</b>	PCL5e/6, Postscript 3, IPDS (option)
<b>Print resolution:</b>	1200 x 600 dpi
<b>Interface:</b>	Ethernet 10BASE-T/100BASE-TX/USB 2.0
<b>Network Protocol:</b>	TCP/IP (IPv4, IPv6), IPX/SPX, Bonjour
<b>Supported environments:</b>	Windows XP Windows Vista Windows Server 2003 Windows Server 2008 Windows 7 MacOS X (v10.2 or later)

## SCANNER

<b>Scan speed:</b>	over 30 ipm
<b>Scan resolution:</b>	600 dpi (maximum)
<b>Protocol:</b>	
<b>Network:</b>	TCP/IP
<b>Scan to Email:</b>	POP, SMTP
<b>Scan to folder:</b>	SMB, FTP, NCP

## FAX (OPTION)

<b>Circuit:</b>	PSTN/PBX
<b>Compatibility:</b>	ITU_T, G3
<b>Modem speed:</b>	33.6 K - 2400 bps with Auto Fallback
<b>Fax resolution:</b>	200 x 100, 200 x 200, 200 x 400, 400 x 400 dpi (with optional memory)
<b>Compression method:</b>	MH/MR/MMR/JBIG
<b>Scan speed:</b>	
<b>Platen:</b>	less than 2 sec
<b>ARDF:</b>	less than 1 sec
<b>Scan speed (PPM):</b>	40 spm (A4 SEF)
<b>Memory capacity:</b>	
<b>Std:</b>	approx 320 pages
<b>With optional SAF memory:</b>	approx 2240 pages
<b>Memory backup:</b>	1 hour

## SOFTWARE

<b>Standard:</b>	@Remote Intelligent Management System SmartDeviceMonitor Web Image Monitor GlobalScan NX
<b>Optional:</b>	ESA TransFormer

## OTHER OPTIONS

550 sheet paper tray<sup>1</sup>  
550 sheet paper tray with casters<sup>1</sup>  
IPDS unit  
IEEE 802.11a/g interface unit  
Gigabit Ethernet Board  
Bluetooth Interface Unit  
Browser unit  
Media link board  
Fax option  
SAF Memory unit (32 MB)

<sup>1</sup> Please consult your local Ricoh supplier for configuration options

**RICOH**  
imagine. change.

