


PRO SERIES COLOR DOCUMENT SYSTEMS ••••



MX-7500N with MX-PE10 EFI Fiery Controller Outstanding 71-80 ppm A3 Color MFP

MX-6500N with MX-PE10 EFI Fiery Controller Outstanding 61-70 ppm A3 Color MFP "Outstanding Achievement in Innovation" Full-Bleed Booklets "Outstanding Achievement in Innovation" EFI Fiery Command Workstation Integration

"Better Buys for Busines Editor's Choice Award The new Sharp Pro Series Color Document Systems deliver breakthrough performance and unmatched versatility.

SUPERIOR IMAGE QUALITY WITH PRODUCTIVE FEATURES

The MX-6500N and MX-7500N high performance color document systems offer exceptional productivity, professional features and world-class image quality at speeds up to 75 ppm. Designed for busy in-plant and on-demand workflow environments, these new models combine a versatile, modular design with a wide range of supported media and powerful output capabilities that can help your business produce more jobs in-house and improve profitability.

Key Features

- Edge-to-edge printing enables operators to output high quality, full-bleed booklets in-line, helping to reduce outsourcing costs as well as production time.
- A powerful external Fiery[®] Color Print Server with Command WorkStation[®] is available for color critical environments that need precision job management. Command WorkStation is fully integrated with the Sharp touch-screen for unmatched control and ease-of-use.
- Sharp's exclusive triple air-feed paper handling option provides higher reliability for maximum uptime as well as enhanced media support, and is virtually maintenance free.

The MX-6500N and MX-7500N also support Sharp OSA® technology, which makes integration with network applications and cloud services simple and easy. Sharp's industry-leading security platform incorporates standard 256-bit data encryption and overwrite protection to help safeguard your business's intellectual property. And when it comes time to trade in, a convenient End-of-Lease feature can erase all job data and user data.



ENGINEERED TO MAXIMIZE OUTPUT EFFICIENCY



FULL-BLEED
EDGE-TO-EDGE PRINTING

AVAILABLE FIERY COLOR PRINT SERVER

TRIPLE AIR-FEED PAPER HANDLING OPTION

An advanced design plus multi-function capability allow you to meet tomorrow's document needs today.

- Flexible modular design provides a wide variety of configurations from basic high-speed copying and printing to professional folding and booklet making
- 150-sheet **Duplex Single Pass Feeder** (DSPF) scans documents at up to 150 images per minute
- Up to **13,500-sheet paper capacity** supports media **up to 110 lb. cover stock** (300 gsm) and up to 13" x 19" output
- On-board paper catalog stores up to 1,000 media profiles to help streamline job set-up and maintain optimum output quality
- Sharp's Color Consistency System with next generation image process control delivers
 high-quality color output and maintains optimum color balance and toner density page after page
- Standard PCL®6 and true Adobe® PostScript®3™ with available Windows® XPS printing systems
- Large 15.4" (diagonally measured) high-resolution color touch-screen display with integrated keyboard




MX-7500N shown with Fiery Command WorkStation fully integrated at the Sharp control panel.

- PANTONE Licensing offers unprecedented levels of color fidelity to the PANTONE MATCHING SYSTEM®
- True 1200 x 1200 dpi printing with 8-bit processing provides beautiful images and enhanced clarity for fine details such as small text and graphics
- Standard **Job Management** features make it easy to print on-demand as well as retain jobs, combine jobs, repaginate jobs, edit pages and more
- Energy efficient belt fusing offers low power consumption, fast warm up time, enhanced print quality and greater media capabilities
- Convenient End-of-Lease feature can erase all files on the hard disk drive, all user data, job status data and address book data at trade-in time




PROFESSIONAL FEATURES THAT ENHANCE PRODUCTIVITY



Triple air-feed LCT paper trays maximize reliability and minimize downtime. Pneumatic sensors maintain consistent air flow.



Produce high quality full-bleed color booklets up to 80 pages with the MX-FN22 Saddle Stitch Finisher, or up to 120 pages with the Plockmatic Booklet Maker System.



The MX-TM10 Trimmer Unit option for the MX-FN22 Saddle Stitch Finisher can cut the folded open edge for a smooth, straight, finished look.

Production class paper handling, full-bleed printing, with versatile in-line finishing – the MX-6500N/7500N capabilities will exceed your expectations.

High Performance Paper Handling with Air-feed Technology

Sharp understands the importance of productivity, that's why the new MX-6500N and MX-7500N Pro Series Color Document Systems offer up to 13,500-sheet paper capacity and support media types up to 110 lb. cover (300 gsm), even when duplexing! Sharp's advanced large capacity paper tray option uses air-feed technology, which minimizes downtime. A feature typically found on printing presses, the triple air-feed system directs air flow with precision accuracy to ensure proper paper handling. A standard dual head document feeder can scan up to 150 images per minute.



Print full-bleed High Quality Color Booklets In-line

With the MX-6500N/7500N innovative **edge-to-edge printing** feature, operators can produce compelling **full-bleed color booklets** up to 80 pages. Sharp makes it easy with the available MX-FN22 Saddle Stitch Finisher and MX-TM10 Trimmer Unit. For even more productivity, choose the Plockmatic Booklet Maker System, which can **produce up to 120-page saddle-stitch or square fold spine booklets**. Help reduce outsourcing costs as well as production time by producing high quality full-bleed booklets in-house.

MX-FN22 Saddle Stitch Finisher



OUTSTANDING COLOR QUALITY - HIGH PERFORMANCE OUTPUT

With the available MX-PE10 Fiery Color Print Server, the Sharp Pro Series Color Document System becomes a powerful integrated solution for managing professional in-plant and busy on-demand printing environments.

- Easily manage jobs with Fiery® Command WorkStation® fully integrated at the Sharp control panel for unmatched control and ease of use
- · Deliver high impact documents with vibrant color fidelity that maintains consistent results page after page
- Process large, complex jobs at speeds up to 75 ppm that will exceed your expectations

Better Productivity with Higher Performance

The powerful architecture of the MX-PE10 Fiery Server **shortens turnaround times**, while helping companies produce professional-looking finished jobs that win them new business and get their customers noticed.

Outstanding Color Across Applications

In demanding environments, achieving accurate color every time is critical. The integrated Fiery color management tools provide **superior color control** out of the box. Customers who routinely use transparencies, and other effects such as drop shadows, can rest assured that their designs will be printed correctly.

Centralized Control and Automated Management

The MX-PE10 Fiery Server offers a **centralized solution** that features the award winning Command WorkStation[®]. Its interactive WYSIWYG interface enables operators to monitor, control and troubleshoot production from multiple desktops or locally at the Fiery Server directly from the Sharp Pro Series touch-screen.



 ${\it MX-7500N shown with Fiery Command WorkStation fully integrated at the Sharp control panel.}$

Industry-Leading Production Print and Variable Data Tools

The MX-PE10 Fiery Server offers optional make-ready tools and driver-based imposition with Booklet Maker, to efficiently handle many production processes. It enables customers to **produce short-run jobs profitably** by automating manual tasks, and increases workflow flexibility by supporting industry-leading variable data printing (VDP) formats including PPML and the new PDF/VT-1 and 2 formats.

Integration with Third Party and Other EFI Solutions

The MX-PE10 Fiery Server uses the Adobe PDF Print Engine (APPE) v2.5 rendering technology to offer a native end-to-end PDF workflow. The Fiery open platform also supports industry standards and **seamlessly integrates with existing MIS environments**, third-party vendors and other EFI MIS solutions.





The MX-PE10 Fiery Server installation includes a touch pad for the Sharp Pro Series Document Systems.





A HIGH PERFORMANCE DOCUMENT SYSTEM


The MX-6500N and MX-7500N Pro Series Color Document Systems utilize a powerful multi-processor controller designed to quickly execute complex print and copy jobs in busy production environments at speeds up to 65ppm and 75ppm respectively.

High Quality Professional Output

Produce brilliant color documents as well as compelling black and white documents with crisp razor-sharp graphics. True 1200 x 1200 dpi resolution with 8-bit processing helps ensure all your documents will look great.

Multi-Folding Unit

Provides a variety of folds, including Z-fold, C-fold, Accordion fold, Double fold and Half fold.





Plockmatic Production Booklet Maker System

Produces 120-page full-bleed, square-fold spine booklets in-line at engine speed.



Versatile Finishing Options

Two powerful finishing systems are available – a 4,000-sheet stacking finisher with 100-sheet stapling capacity or a 4,000-sheet saddle-stitch finisher, which can produce up to 80-page full-bleed booklets with the available face trimmer unit.

GBC[®] SmartPunch Pro™ Professional punching system produces up to seven commonly

produces up to seven commonl used punch styles for creating professional bound booklets.



5,000-Sheet Stacker

For high volume post process jobs add the 5,000-sheet stacker with standard paper cart. Connect two stackers in tandem (as shown) for unattended output of up to 10,000 sheets.



HIGH IMPACT VERSATILITY AND SCALABILITY



Color Consistency System

Sharp's Color Consistency System combines Micro-fine Toner Technology with advanced Developer Refresh Technology and next generation Image Process Control. This synergy of processes helps ensure color output is at peak performance page-after-page and job-after-job.

Convenient Job Management

1TB hard disk drive provides on-board document storage. An intuitive thumbnail view makes it easy to select, edit, reprint, repaginate and more.

Post Sheet Inserter

Produce professional looking documents with pre-printed covers and chapter inserts with the available post sheet inserter.

Integrated Network Scanning

Sharp's ImageSEND™ feature provides one-touch document distribution. Scans to multiple destinations, including E-mail, FTP, Network Folder (SMB and Home Directory) and USB.

Duplexing Single Pass Feeder (DSPF)

Standard 150-sheet dual head document feeder scans both sides of a document in a single pass at up to 150 images per minute (IPM). This system helps maximize both efficiency and reliability.

15.4" (diagonally measured) Touch-screen

A large, high resolution touch-screen with tablet-style navigation makes it easy to access features. You can also add shortcut keys to popular features, change the key layout or add a custom background theme.

500-Sheet Multi-Bypass

Feeds paper sizes from 5-1/2" x 8-1/2" to 13" x 19" Also feeds banner paper up to 12" x 47.2" with the available Long Paper Feeding Tray.

149 PVI

Independent Motors

Insulated independent motors run quieter and provide higher reliability.

3,000-Sheet Standard Paper Capacity

Includes 2,000-sheet letter size tandem tray and two 500-sheet letter/legal/ledger size trays. Add optional paper handling accessories for a maximum on-line paper capacity of 13,500 sheets.

Rigid Frame ConstructionOffers increased durability

Offers increased durability and reliability to withstand heavy use.



Superior Media Handling

Sharp's advanced 5,000-sheet large capacity paper tray option utilizes triple air-feed technology, which directs air flow with precision accuracy for proper paper handling and enhanced media support up to 300 gsm. Two large capacity trays can be connected in tandem (as shown).

CONFIGURATIONS TO SUIT VIRTUALLY ANY ENVIRONMENT

Versatile and Customizable To Fit Your Needs

The MX-6500N/7500N Pro Series Color Document Systems offer flexible paper handling and finishing options to accommodate any size in-plant or on-demand workflow environment.




MX-7500N shown with 3,500-sheet large capacity cassette, 100-sheet Staple/Saddle Finisher and 100-sheet bypass tray.



MX-7500N shown with Curl Correction Unit, Inserter, Multi-Folding Unit, GBC SmartPunch Pro, 100-sheet Staple/Saddle Stitch Finisher, dual 5,000-sheet large capacity trays, dual 5,000-sheet paper stackers, 500-sheet multi-bypass tray and status indicator.

Modular Options Make It Easy To Build the System of Your Choice

Options for the MX-6500N/7500N enable businesses to choose from several high performance finishing systems that offer up to 100-sheet stapling, professional saddle stitch booklet making and three-hole punching. More advanced configurations include a square-fold spine Booklet Making System, a professional punching system, high capacity paper stackers, a two-tray inserter, a multi-folding unit and a trimmer unit.
















100-Sheet Staple Saddle Finisher



100-Sheet Staple Stacking Finisher



*Some options not available in all configurations, see your local dealer.



GBC Smart Punch Pro™



5,000-Sheet Paper Stacker



5,000-Sheet LCT Air-Feed



GET MORE OUT OF NETWORK RESOURCES

Streamline your document workflow and enhance productivity with Sharp OSA technology.

Integrating with Network Applications and Cloud Services Has Never Been So Easy

With standard Application Communication and External Accounting modules, the MX-6500N/7500N color series offers **powerful document workflow capabilities** to help businesses leverage their network infrastructure, cloud-enabled services and more.* While others are limited to a small circle of productivity, the Sharp OSA development platform allows businesses to leverage the power of their network applications, back-end systems, even cloud-enabled services, right from the touch-

Save Time, Increase Efficiency

screen panel of this new series.

You'll save time and increase the efficiency of everyday tasks with Sharp OSA technology because it can be virtually seamless to the user. Any MX-6500N/7500N anywhere in the organization can display choices that were once only available on a desktop PC. With **one-touch access** to business applications via Sharp OSA integration, you can start and finish a document distribution task without worry.

Customized Integration

Sharp OSA technology also provides **powerful customization**. With the ability to personalize applications and processes specific to your business, Sharp OSA technology can help eliminate redundancy and **streamline workflow**, helping to save time and **optimize productivity**. The latest version of Sharp OSA technology can reach beyond the firewall, enabling cloud-based applications over the Internet. And since Sharp OSA technology utilizes industry-standard network protocols and web APIs, third party software developers can deliver customized solutions to your business faster than ever.

Connect with Cloud Portal Office and Collaborate More Easily

Cloud Portal Office is a comprehensive document storage and sharing service that provides a convenient way to **seamlessly connect to your business content** and easily **share and collaborate** with team members. You can also capture, index and archive both paper and electronic documents in a single repository. Most importantly, IT administrators can **manage and control user access** in order to safeguard company data.

ADVANCED DEVICE MANAGEMENT TOOLS MAXIMIZE EFFICIENCY

The MX-6500N/7500N Pro Series Color Document Systems enhance operational efficiency through versatile device management.

Sharp Remote Device Manager (SRDM)*

Make management of your MX-6500N/7500N simple and straightforward with Sharp Remote Device Manager (SRDM). This easy-to-use software allows you to take control of the versatile system features and simplifies installation and management.

- With Printer Status Monitor, network users can view printer conditions, check paper levels, toner, and more, all through an easy-to-use interface.
- With Sharp Remote Device Manager, administrators can easily manage the setup, configuration, device settings and more. Advanced features such as Remote Front Panel allow administrators and support personnel to view and control the LCD panel of the machine remotely from virtually any PC on the network. Plus, with event-driven service alerts, administrators and supervisors can achieve higher productivity. Now it is easier than ever to view click counts, history reports and more.
- Experience the convenience of an Embedded Web Page right from your desktop. This advanced web-based management tool allows users to create and manage their own network scanning destinations, profiles and web-links. Administrators can access device settings, color control, account information and security settings.

Take Charge of Color Usage and Costs

With Sharp's device management system, administrators and supervisors can **define user groups** on the MX-6500N/7500N to manage and restrict features, such as color copying, scanning or printing. Easily set up a custom user group to manage page counts (copy, print, scan or fax operations) for both color and B&W. This helps to simplify cost management of color imaging. The MX-6500N/7500N can store profiles for up to 1,000 users.

24/7 Training with My Sharp™

Managing all of the advanced features of your Sharp product is simple and easy. Ask your Authorized Sharp Dealer about the **My Sharp** website. This dedicated customer training website is customized to your MX-6500N/7500N and allows you to locate resources and find information specific to your configuration, truly helping you maximize your investment.



Embedded Web Page

^{*} Some features require optional equipment.

^{*} Not available at time of launch.

SAFEGUARD YOUR INTELLECTUAL PROPERTY

PRIVACY

AUTHORIZATION

CONFIDENTIALITY

PROTECTION



Sharp's Standard Key Security Features at a Glance

- 256-Bit Data Encryption
- Up to 7 times Data Overwrite Protection
- Group Account Management for up to 1,000 Users
- Confidential Printing
- Port Management
- · IP/MAC Address Filtering

Innovative document and device protection helps ensure confidentiality.

To help protect your data, the MX-6500N/7500N offers several layers of **Standard Security**, making Sharp the optimum choice to help protect employees' privacy and intellectual property. As a leader in office equipment security, Sharp makes it easy for virtually any business or government entity to safely deploy digital copying, printing, scanning and faxing.

Authority Groups

Advanced **Account Management** enables administrators to set authority groups for access to features of the MX-6500N/7500N. Administrators can control which department, for instance, has full access to copying, printing and/or scanning. Walk-up users enter a code, Local Name and Password, or LDAP User Authentication to access the features assigned to their group.

Data Encryption and Overwrite

To help protect your data, the MX-6500N/7500N can encrypt document data using AES (Advanced Encryption Standard) **256-bit encryption**. The MX-6500N/7500N can also erase the temporary memory on the hard drive by overwriting the encrypted data up to seven times, offering an unprecedented level of assurance. A convenient **End-of-Lease feature** overwrites all data, including the Document Filing area, user data, job status data and address book.

Network Scanning Access Control

To help protect your network from unauthorized e-mail communications, the MX-6500N/7500N supports **User Authentication**, requiring users to login before performing any network scanning operations.

Gontrol Device Access Over the Network

To help restrict access to the device over the network, the MX-6500N/7500N offers IPsec, SMB and extended support for **SSL Encryption** (Secure Sockets Layer), **IP/MAC** address filtering, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

Documents Remain Confidential

The MX-6500N/7500N offers **Confidential Printing**, which when used, requires users to enter a PIN code in order to print a queued document. To help protect your direct-print documents from unauthorized viewing, the MX-6500N/7500N offers encrypted PDF printing and scanning.

Tracking and Auditing Information

Legislation and industry policies require companies to be more aware of information flow from their offices. Sharp offers both built-in and additional hardware/software which allows users to **control**, **access** and **track usage** of each device on the network.

Data Security Kit (Optional)

For maximum protection, the optional data security kit offers additional features, such as **Data Overwrite on-demand** and at power up, Document Filing access control, **Incorrect Password Lockout** and Restricted Status Display and Restricted List printing.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business to meet regulatory requirements, such as the Health Insurance Portability and Accountability Act (HIPAA) and the Gramm-Leach-Bliley Act (GLB). For additional information visit: www.sharpusa.com/security.





COMMITTED TO HELPING PROTECT THE ENVIRONMENT












Advanced Energy Saving Features

The MX-6500N/7500N utilizes several energy efficient technologies to minimize power consumption and maximize energy savings.

- An LED exposure lamp reduces power significantly when compared to conventional exposure lamps.
- A customizable seven-day power management scheduler allows businesses to define the days and times when power will be turned on and turned off.
- Sharp's Auto Power Management function allows the device to be set to shut off automatically based on usage trends.
- Sharp's Eco-Scan mode can shut off the fuser when scanning documents, previewing images, faxing and other operations.

State-of-the-art belt fusing system consumes less power and shortens warm up time.



Sharp's environmental initiatives and dedication to developing energy efficient document systems set a high standard for the industry.

An Environmentally Responsible Approach to Product Design

The MX-6500N/7500N Pro Series Color Document Systems utilize Sharp's advanced micro-fine toner technology, which offers a lower consumption rate and produces less waste than conventional toners, resulting in longer replacement intervals. Sharp supplies are packaged using fully recyclable materials. Long-life consumable parts help minimize service intervals and downtime, resulting in lower operating costs. With two different energy saving modes, power can be reduced or shut off at set intervals. All Sharp document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances.

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for all Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid Recycling Kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the **ENERGY STAR**® annual **Excellence in Energy Proficiency Product Design**. Sharp is also a multi-year winner of the **SmartWay**sm **Excellence Award**, which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation. Sharp was also a previous recipient of the *Excellence in Partnership* **Green Contractor Award** and the **Evergreen Award** from the General Services Administration (GSA) and the Coalition for Government Procurement. These awards recognize environmentally responsible businesses and their efforts on recycling, waste reduction and affirmative procurement practices.

Global Initiatives

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-6500N/7500N SPECIFICATIONS

MX-7500N Base models include, 150-sheet DSFF, 3,000-sheet paper acpacity, 1-TB and disk drive, PCL6/Adobe® PostScript® 3™ network printing, color network scanning, web browser and swing-out keyboard. Includes Application Communication Module and External Accounting Module. Type Light production, color multi-function digital document system Display 15.4" (diagonally measured) color dot matrix high-resolution touch panel tilting display. 1280 x 800 dots (WXGA) Features Copy, System Copy, print, network print, network scan and document filling' Driginal Size Max. 11" x 17" sheets and bound documents Copy Speed 65/75 pm B&W/Color (8½" x 11") Miltiple Copy Max. 999 copies MX-7500N Max. 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 15 me MX-750N May 10 me May 999 copies MX-750N May 10 me May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N May 999 copies MX-750N Miltiple Copy Max 999 copies MX-750N Miltiple Copy May 999 copies MX-750N Miltiple Copy MX-750N MX-750N Miltiple Copy MX-750N M	Main Specification	is.	Network Printing	System (Standard)	4K 100-Sheet Star	oler/Finisher (Option)
March Section Sectio						4,000-sheet console stapler finisher (100-sheet stapling)
Price Pric						Upper tray: Moving offset tray (up to 1,500 letter size sheets)
Mary				· · · · · · · · · · · · · · · · · · ·		, , , , , , , , , , , , , , , , , ,
1966 1967			Print Drivers			Lower tray: Moving offset tray (up to 2,450 letter size sheets)
		Module and External Accounting Module.		Windows Server 2003-2008 x64, Windows Vista®, Windows	Staple Capacity	Up to 100 sheets (letter/statement)
Part				Vista® x64, Windows 7, Windows 7 x64, Windows 8, Windows	Staple Media	Plain paper, letter/legal/ledger size or mixed
Section Company Comp	Display					
Comparison Com			Features			
Process Proc						
Page 1	Copy System					
Matheward March Matheward Mathewar	0-1-11-01				Dimensions	Approx.: 30 3/4" (w) x 30" (d) x 41" (h) (with tray extended)
Procession 1					AV 100 Chast Ctar	Nov/Coddle Stitch Einicher (Ontion)
Ministric Logs Mini						
Migrate Column Migr					туре	,
First Copy 6.8 C-500 6					Outnut Travs	
Package Pack			Direct Printing		output Trayo	
Section Color Co			Diroct Timing			
Interface 5.5 2 3 3 8 Interface 5.4 5.5 2 3 3 8 Interface 5.4 5.5 5.00 7 1 1 1 1 1 1 1 1 1	(Resident Fonts	· · · · · · · · · · · · · · · · · · ·	Staple Capacity	
Separation Sep						
Magnification 26 h h 64 00 is 15 is 16 memoris with 1557 27th 2010 System System Warrior 17 memoris (15 memory 10 me	Warm Up Time	90 seconds ²	Operating	Windows Server 2003-2012, Windows XP, Windows Vista,	Staple Positions	
Soan Special Sign	Magnification	25% to 400% in 1% increments (with DSPF 25%-200%)		Windows 7, Windows 8, MAC OS X10.4, X10.5, X10.6, X10.7,	Saddle Stitch	Center stitch/center fold (2 staples)
Page Teagues Six Not 17 18 17 18 17 18 17 18 17 18 17 18 17 18 18	Original Feed	150-sheet DSPF		X10.8, Novell® Netware® Unix®, Linux® and Citrix® (XenApp 5.0		letter/legal/ledger sizes
Page of page Page of page	Scan Speed	DSPF Scan: Up to 150 IPM2 (Monochrome); Up to 150 IPM2 (Color)		6.0, 6.5) and Windows Terminal Services, SAP device types.1	Saddle Stitch	Up to 5 sets (16-20 sheets)/10 sets (11-15 sheets per set)/15
Sparse Standard Tandem Tay 1 - 1200 stocks Internation Tay 1 - 1200	Original Sizes	5½ x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"	Network	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, SMTP,	Max. Sets	sets (6-10 sheets per set)/25 sets (1-5 sheets per set)
Sees 17		Std. 3,000 sheets/max. 13,500 sheets	Protocols		Pwr. Source	
Principal protection Principal protection Principal protection Principal protection Principal protection Principal principal protection Principal protection Principal protection Principal protection Principal protection Principal principal protection Principal protection Principal protection Principal princ						
Parwer/Richard Parwer/Richard Parwer/Richard Parwer/Richard Parwer/Richard Parwer	Sizes	, , ,				
Power Powe			Printing Protocols		Dimensions	Approx.: 30 3/4" (w) x 30" (d) x 41" (h) (with tray extended)
			Notes de Occusión	•	0-11	
Columnian 2-500 - sheets each drawer (ether(paglifee)garfee) (large 17 × 17 × 17 × 17 × 17 × 17 × 17 × 17			Network Security			
12 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1		, , ,	Coourity Ctdo			
Network (Section 10% Network (Section			Security Stus.	IEEE-2000 -2006, DOD (NSTISSE) #11, CAC/FIV access control		
Pager Weight Page			Notwork Coanning	Suctam (Standard)		
Body	Paner Weighte					
						21 71 7
Multi-Nyposa Tray (for LCT) - 15 lb. bond to 10 00 b. instead (55-200 gmi, Letter/Ladger LCD - 16 lb. bond to 10 00 lb. instead (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 00 lb. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 00 lb. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 00 lb. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi) (10 0c) 200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 gmi), Letter/Ladger LCD - 16 lb. bond to 10 0b. bristed (56-200 g	and Types	The state of the s				
65-20 gam, LCT C-drawner) - 15 ib. bond to 101 bit. bords				•		
Ge-220 gam . Includes thin, pain, recycled, color, letter head, pre-printed and possey pain. Per printed and pre-punched, embosed and glossy pain. Compressor (SA MH), 64 MRNMMIN]			imago i ormato			
Depubering Standard authoration duplex copying and printing, supports up to provide provided (pulser copying and printing, supports up to provided (pulser copying and printing, supports up to provided (pulser copying and printing, supports up to provided (pulser) (puls			Image			
Sambard automatic duplies copying and printing, supports up to 10 ib. cover (200 gam)						
Purpose Multi-Processor Controller Group Dest. Up to 500 More Plant Mor	Duplexing				MX-RB12	
R4-66 Reserved R5-14-56 Remert (10/100/100/Rese-1), USB 2.0 (2 levice port) Forgrams 48 (combined) Max. Jobs Up to 100 Roduction R5 (2 levice port)	-	110 lb. cover (300 gsm)	One-touch Dest.	Up to 2000 (combined scan destinations)	MX-RB13	Relay Unit ¹
Marco	CPU	Multi-Processor Controller	Group Dest.	Up to 500	MX-RB14	Paper Pass Unit (for MX-LC13)
Memory Standard 5 GB Protocols TC/P/P and Sta, (includes HTTP, SMTP, LDAP, FTP, PDP3), SMB, EMSTP and 802. ftx Staple Cartridge (for MX-FN21/FN22) Stapp Cartridge (for MX-FN21/FN22)	Interface	RJ-45 Ethernet (10/100/1000Base-T), USB 2.0 (2 host ports,	Programs	48 (combined)	MX-RB15	Curl Correction Unit ¹
Biast Disk Drive 1 TB 88W:120X 1200 dpi (max.), Color: 600 x 600 dpi (max.) Color Modes Photo, Full Color Mode, Monochrome (BW) Exposure Control Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Printed-Phot		front and rear), USB 2.0 (1 device port)	Max. Jobs	Up to 100	MX-RB17	Large Capacity Tray Tandem Connecting Kit
Dept Resolution BeW 1200 x 1200 dp (imax), Color: 600 x 600 dp (imax) Color Mode, Monochrome (B-W)	Memory	Standard 5 GB	Protocols	TCP/IP and SSL (includes HTTP, SMTP, LDAP, FTP, P0P3), SMB,	MX-TM10	Trimmer Unit ¹
Produce Prod		1 TB			MX-PN13B	
Exposure Control Mokes: Text, Text/Photon, Text/Photon, Text/Photon, Text/Photon, Text/Photon, Text/Photon, Text Photon, Map, Pale-Color: Settings: Auto or 9 step manual Server type Externed Server			Network Security	E-mail server user authentication for LDAP and Active Directory		
Potto, Map, Pale-Cotor . Settings: Auto or 9 step manual Sever Type External Server Potto Processions System Software System S		, , ,				
Action	Exposure Control					
CPU Type Intel® Core® i5-2400 Magnification Selection (AMS), image previewedit, auto tray switching, rotate copy, reserve copy, tandem copy, book copy, margin shift, edge/center erase, book divide, dual page, cover/ insert page, OHP insert, job build, card shot, blank page skip, miror/reverse, proof, watermark, custom image, job programs. Network Corn. Account Control Up to 1000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDP server) for Copy, Print, Scan, Fax and document management. Dimensions Pwr. Consumption 25 w (Typical)/350w (Max.) MX-EB15 HDD Mirroring Expansion Kit MX-EB15 HDD Mirroring E						
Magnification Selection (AMS), image preview/edit, auto tray switching, rotate copy, reserve copy, tandem copy, book copy, margin shift, edge/center rease, book divide, dual page, covery insert page, OHP insert, job build, card shot, blank page skip, mirror/reverse, proof, watermark, custom image, job programs. Account Control Up to 1000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP severel) for Copy, Print, Scan, Fax and document management. Output Capacity Main output tray (top) 250 sheets (face down) Firmware Flash ROM (USB), network update capability and 1 to N update with SRDM spread management with spread management with spread management with spread management with user/administrator level login, Configuration Web-based management with user/administrator level login, Configuration Web-based management with user/administrator level login, Lounger-Functions Remote front panel, access to service logs and click counts Accessibility Till Front Panel, Adjustment of Key Touch-Send and Speed, Features Document Feeder Free Stop, Job Programs, Remote Front Panel, Environmental International Energy Star Program Ver. 1.2, Law on Promotting Standards Green Purchasing. European RoHS Pwr. Consumption Mx-Exp (A) (S) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A		, ,				
switching, rotate copy, reserve copy, tandem copy, book copy, margin shift, edge/center erase, book divide, dual page, cover/ insert page, OHP insert, job build, card shot, blank page skip, mirror/reverse, proof, watermark, custom image, job programs. Account Controll Du to 1000 users. Supports user-number authentication (on device), login name/password or login name/password vid LDAP server) for Copy, Print, Scan, Fax and document management. Output Capacity Firmware Flash ROM (USB), network update capability and 1 to N update Method cloning (1 to N) with SRDM and remote front panel access December 100 to	copy reatures					
margin shift, edge/center erase, book divide, dual page, cover/ insert page, OHP insert, job build, card shot, blank page skip, mirror/reverse, proof, watermark, custom image, job programs. Account Control device), login name/password for login name/password (via LDAP server) for Copy, Print, Scan, Fax and document management. Output Capacity Main output tray (top) 250 sheets (face down) Output Capacity Management Wis SRDM (Sharp Remote Device Management) Configuration Meb-based management with user/administrator level login, Accessibility Till Front Panel, Adjustment of Key Touch-Send and Speed, Features Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout Environmental International Energy Star Program Wer. 1.2, Law on Promoting Standards Green Purchasing, European RoHS Weight MX-6200X-690 (Surphyson Vegight MX-6200X-690 (Surphyson Vegight) MX-6200X-690 (Surphyson Vegight) MX-6200X-690 (Surphyson Vegight) MX-6200X-690 (Surphyson Vegight) MX-620NRSA MX-EB15 MX-PE10 M						
insert page, OHP insert, job build, card shot, blank page skip, mirror/reverse, proof, watermark, custom image, job programs. Account Control Up to 1000 users. Supports user-number authentication (on device), login name/password for login name/password oil opin name/password (via LDAP server) for Copy, Print, Scan, Fax and document management. Output Capacity Main output tray (top) 250 sheets (face down) Firmware Plash ROM (USB), network update capability and 1 to N update with SRDM (Sharp Remote Device Management) Output Capacity Web-based management with user/administrator level login, device, login and permanent with user/administrator level login, between the total coloning (1 to N) with SRDM and remote front panel, access to service logs and click counts Accessibility Features Environmental International Energy Star Program Ver. 1.2, Law on Promoting Standards Green Purchasing, European RoHS Faver Consumption Environmental International Energy Star Program Netr. 1.2, Law on Promoting Standards Green Purchasing, European RoHS Fewr. Consumption MX-6500N/7500N: Approx. 490 lbs. Operating System Wilndows 7 Professional for Embedded Systems x32/x64 MX-650/60 Hz, 6A MX-ED50 AMX-ED50 MX-ED50 AMX-ED50						
Metwork Conn. Metwork Conn						
Account Control device), login name/password or login name/password (via LDAP server) for Copy, Print, Scan, Fax and document management. Output Capacity Main output tray (top) 250 sheets (face down) Firmware Flash ROM (USB), network update capability and 1 to N update with SRDM (sharp Remote Device Management) Configuration Web-based management with user/administrator level login, detection in (in (in (in (in (in (in (in (in (in						
device), login name/password or login name/password (via LDAP server) for Copy, Print, Scan, Fax and document management. Dutput Capacity Main output tray (top) 250 sheets (face down) Firmware Flash ROM (USB), network update capability and 1 to N update Management with SRDM (Sharp Remote Device Management) Configuration Web-based management with user/administrator level login, Coning (1 to N) with SRDM and remote front panel access Service/Functions Remote front panel, access to service logs and click counts Accessibility First Panel, Adjustment of Key Touch-Send and Speed, Universide Green Trays, and Disable Screen Timeout Environmental International Energy Star Program Ver. 1.2, Law on Promotting Standards Green Purchasing, European RoHS Pwr. Consumption 125w (Typical)/350w (Max.) Mayorox. 8 1/2" (w) x 14" (d) x 19 1/4" (h) MX-BDX MX-BDX MX-BDX MX-BDX MX-BCX2 GBC SmartPunch Pro MX-GRX2 GBC SmartPunch Pro MX-GRX3 MX-GRX3 Commercial Data Security Kit (not available at time of Ize MX-GRX) MX-BDX MX-GRX2 GBC SmartPunch Pro MX-GRX2 GBC SmartPunch Pro MX-GRX3 Commercial Data Security Kit (not available at time of Ize MX-GRX) MX-GRX3 Commercial Data Security Kit (not available at time of Ize MX-GRX) MX-GRX3 Application Integration Module MX-AMX1 Application Integration Module MX-AMX1 Application Integration Module MX-SINDN MX-SENTON Supplies Supplies Inserter (Option) Inserter (Option) Inserter (Option) Fast You prove Spectrophotometer, Fiery Central, Removable Hard Disk Security	Account Control	.,				,
Server) for Copy, Print, Scan, Fax and document management. Output Capacity Main output tray (top) 250 sheets (face down) Firmware Flash ROM (USB), network update capability and 1 to N update Management with SRDM (Sharp Remote Device Management) Method Coining (1 to N) with SRDM and remote front panel access Service/Functions Remote front panel, access to service logs and click counts Accessibility Flattres Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout Environmental International Energy Star Program Ver. 1.2, Law on Promoting Standards Green Purchasing, European RoHS Powr Consumption MX-650N/7500N: Approx. 490 lbs. Dimensions Approx. 8 1/2" (w) x 14" (d) x 19 1/4" (h) Weight (A x 19 1/4" (h) MX-BM50 MX-BM50 Plockmatic Booklet Maker MX-GBXZ GBC SmartPunch Pro MX-GBXS Approx. 49 lbs. Fiery Color place it feity JobMaster-III, plery Impose, Fiery JobMaster-III, plery Impose, Fiery Compose, Fiery Compose, Fiery JobMaster-III, plery Impose, Fiery Compose, Fiery JobMaster-III, plery Impose, Fiery Compose, Fiery JobMaster-IIII, plery Impose, Fiery Compose, Fiery JobMaster-IIII, plery Impose, Fiery Compose, Fiery JobMaster-IIII, plery Impose, Fiery C	Addoding Control					
Output Capacity Main output tray (top) 250 sheets (face down) Weight Approx. 43 lbs. MX-GBCX2 GBC SmartPunch Pro Firmware Flash ROM (USB), network update capability and 1 to N update with SRDM (Sharp Remote Device Management) Options Fiery Color Profiler Suite, Fiery Graphic Arts Package Premium MX-FRA3U MX-FRA3U Commercial Data Security Kit (not available at time of Ize MX-AMX1 Application Integration Module Configuration Web-based management with user/administrator level login, Configuration JobFlow™. Fiery Impose-Compose, Fiery JobMaster™, Fiery Impose, Fiery JobMaster-Impose, Fiery JobMaste		,, , , , , , , , , , , , , , , , , , , ,				
Firmware Flash ROM (USB), network update capability and 1 to N update Management with SRDM (Sharp Remote Device Management) Configuration Web-based management with user/administrator level login, Method cloning (1 to N) with SRDM and remote front panel access to service logs and click counts Accessibility Tint Pranel, Adjustment of Key Touch-Send and Speed, Universal Grip for Paper Trays, and Disable Screen Timeout International Energy Star Program Ver. 1.2, Law on Promoting Standards Green Purchasing. European RoHS Fewr. Cosumption Maximum: 2880w or less Power Consumption Max-6500N/7500N: Approx. 490 bs. Potition Flash ROM (USB), network update capability and 1 to N update with SRDM (Isbar, Flash RoM (USB), network update capability and 1 to N update with SRDM (Isbar, Flash Rom (USB), network update capability and 1 to N update and Speed, Edition, Flery Integrated Workstation) Firely Color Profiler Suite, Flery Graphic Arts Package Premium MX-FR43U MX-FR43U Commercial Data Security Kit (not available at time of Isbar, MX-SLDM) MX-SLDM (Sharp Remote Device Management with user/administrator level login, MX-SLDM (Status Indicator) Form Coning (1 to N) with SRDM (Sharp Remote Front panel access to service logs and click counts Accessibility Tilt Front Panel, Adjustment of Key Touch-Send and Speed, Flery Dobhaster-Impose, Flery JobMaster-Impose, Flery JobMaster-Impose	Output Canacity					
Management with SRDM (Sharp Remote Device Management) Configuration Web-based management with user/administrator level login, Method cloning (1 to N) with SRDM and remote front panel access Service/Functions Remote front panel, access to service logs and click counts Accessibility Tilt Front Panel, Adjustment of Key Touch-Send and Speed, Universal Grip for Paper Trays, and Disable Screen Timeout Environmental International Energy Star Program Ver. 1.2, Law on Promoting Standards Green Purchasing. European RoHS Favr. Source AC 208-240 VAC, 60 Hz, 20 Amps Pewr. Consumption MX-650N/7500N: Approx. 490 bs. Edition, Fiery JobMaster⁻N, Fiery Impose, Fiery Compose, Fiery JobMaster-Impose, EFI MX-SL10N Status Indicator MX-AMX1 Application Integration Module MX-SL10N Status Indicator MX-SL10N Status Indicator MX-SL10N Status Indicator MX-SCNTBA Black Toner Cartridge MX-62NTBA Black Toner Cartridge MX-67NTBA Black Toner Cartridge MX-75NTBA Magenta Toner Cartridge MX-75NTBA Magenta Toner Cartridge MX-75NTBA Vellow Toner Cartridge MX-75NTBA Standards Green Purchasing. European RoHS Power Source AC 208-240 VAC, 60 Hz, 20 Amps Power Source AC 208-240 VAC, 60 Hz, 20 Amps Power Source 24 Volts (Supplied by Main Unit) MX-62NVBA Black Developer WX-62NVBA Black Developer MX-62NVBA Cyar/Magenta/Yellow Developer						
Configuration Web-based management with user/administrator level login, Method cloning (1 to N) with SRDM and remote front panel access Service/Functions Remote front panel, access to service logs and click counts Accessibility Tilt Front Panel, Adjustment of Key Touch-Send and Speed, Features Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout Paper Capacity Upper Tray: 200 sheets; Lower Tray: 200 sheets; Lower Tray: 200 sheets; (20 lb. bond) MX-75NTCA Cyan Toner Cartridge Standards Green Purchasing. European RoHS Paper Size Up to 13" x 19" MX-62NTBA Black Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA MAGENTMA MX-62NWA Black Developer MX-62NWA Black Developer MX-62NWA Black Developer MX-62NWA Developer MX-6						
Service/Functions Remote front panel, access to service logs and click counts Service/Functions Remote front panel, access to service logs and click counts Service/Functions Remote front panel, access to service logs and click counts Accessibility Tilt Front Panel, Adjustment of Key Touch-Send and Speed, Features Document Feeder Free Stop, Job Programs, Remote Front Panel, Panel Programs, Remote Front Panel, Panel Programs, Remote Front Panel, Panel Programs, Panel Progra						•
Service/Functions Remote front panel, access to service logs and click counts Accessibility Tilt Front Panel, Adjustment of Key Touch-Send and Speed, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout Paper Capacity Upper Tray: 200 sheets; Lower Tray: 200 sheets; Lower Tray: 200 sheets (20 lb. bond) Riversal Grip for Paper Trays, and Disable Screen Timeout Paper Weight 16 lb. bond to 100 lb. Bristol (Paper feeding) Riversal Green Purchasing. European RoHS Perr. Source Ac 208-240 VAC, 60 Hz, 20 Amps Pewr. Consumption Riversal Mx-650NV7500N: Approx. 490 lbs. Accessibility Access to service logs and click counts And FACI Kit (Fiery Integrated Workstation) And FACI Kit (Fiery Integrated Workstation) Supplies Supplies Supplies Access to service (Option) MX-650NTA MX-650NTA Magenta Toner Cartridge MX-75NTM Magenta Toner Cartridge MX-75NTM Agenta Toner Cartridge MX-75NTM MAGENTSA MAGENTSA MAGENTSA Dartridge MX-75NTM Agenta Toner Cartridge MX-75NTM MAGENTSA Dartridge MX-75NTM MAGENTSA MAGENTSA Dartridge MX-75NTM MAGENTSA Dartridge MX-75NTM MAGENTSA MAG	-					
Accessibility Feature Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout Paper Capacity Universal Grip for Paper Trays, and Disable Screen Timeout Paper Capacity Paper Weight 16 lb. bond to 100 lb. Bristol (Paper feeding) MX-75NTCA MAY-75NTCA MAY-75NTCA Magenta Toner Cartridge MX-75NTCA MAGENTSA Magenta Toner Cartridge MX-75NTCA Magenta Toner Cartridge MX-75NTCA Magenta Toner Cartridge MX-75NTCA Magenta Toner Cartridge MX-75NTCA MAGENTSA MAGENTSA MAGENTSA MX-75NTCA MAGENTSA MAGENTSA MAGENTSA MX-62NNSA Dirum MX-62NNSA Diru		• • • • • • • • • • • • • • • • • • • •				
Features Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout Paper Capacity Upper Tray: 200 sheets; Lower Tray: 200 sheets; Could be bond MX-75NTCA Cyan Toner Cartridge Environmental International Energy Star Program Ver. 1.2, Law on Promoting Standards Green Purchasing. European RoHS Paper Size Up to 13" x 19" MX-75NTMA Magenta Toner Cartridge Pwr. Source AC 208-240 VAC, 60 Hz, 20 Amps Power Source Power Source Pwr. Consumption Mx-62NVBA Black Developer Pwr. Consumption Mx-650NV7500N: Approx. 490 lbs. Dimensions 21 1/2" (w) x 30" (d) x 50 1/2" (h) MX-62NVBA DIMENSA Drum				, , , , , , , , , , , , , , , , , , , ,	Supplies	
Universal Grip for Paper Trays, and Disable Screen Timeout Paper Capacity Upper Tray: 200 sheets; Lower Tray: 200 sheets (20 lb. bond) MX-75NTCA Cyan Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-75NTMA Vellow Toner Cartridge MX-75NTMA Magenta Toner Cartridge MX-62NWSA Disk Developer MX-62NWSA Cyan Toner Cartridge MX-62NWSA Disk Developer MX-62NWSA Drum' Magenta/Yellow Developer MX-62NWSA Drum' Magenta/Yellow Developer	-		Inserter (Option)			Black Toner Cartridge
Standards Green Purchasing. European RoHS Paper Size Up to 13" x 19" MX-75NTYA Yellow Toner Cartridge Pwr. Source AC 208-240 VAC, 60 Hz, 20 Amps Power Cons. 70w or Less MX-62NVBA Black Developer Pwr. Consumption Maximum: 2880w or less Power Source 24 Volts (Supplied by Main Unit) MX-62NVSA Cyan/Magenta/Yellow Developer Weight MX-650NV/7500N: Approx. 490 lbs. Dimensions 21 1/2" (w) x 30" (d) x 50 1/2" (h) MX-62NRSA Drum				Upper Tray: 200 sheets; Lower Tray: 200 sheets (20 lb. bond)		
Standards Green Purchasing. European RoHS Paper Size Up to 13" x 19" MX-75NTYA Yellow Toner Cartridge Pwr. Source AC 208-240 VAC, 60 Hz, 20 Amps Power Cons. 70w or Less MX-62NVBA Black Developer Pwr. Consumption Maximum: 2880w or less Power Source 24 Volts (Supplied by Main Unit) MX-62NVSA Cyan/Magenta/Yellow Developer Weight MX-650NV/7500N: Approx. 490 lbs. Dimensions 21 1/2" (w) x 30" (d) x 50 1/2" (h) MX-62NRSA Drum	Environmental					
Pwr. Source AC 208-240 VAC, 60 Hz, 20 Amps Power Cons. 70w or Less MX-62NVBA Black Developer Pwr. Consumption Maximum: 2880w or less Power Source 24 Volts (Supplied by Main Unit) MX-62NVSA Cyan/Magenta/Yellow Developer Weight MX-650NV/7500N: Approx. 490 lbs. Dimensions 21 1/2" (w) x 30" (d) x 50 1/2" (h) MX-62NRSA Drum						
Pwr. Consumption Maximum: 2880w or less Power Source 24 Volts (Supplied by Main Unit) MX-62NVSA Cyan/Magenta/Yellow Developer Weight MX-650NV/7500N: Approx. 490 lbs. Dimensions 21 1/2" (w) x 30" (d) x 50 1/2" (h) MX-62NRSA Drum						
Weight MX-6500N/7500N: Approx. 490 lbs. Dimensions 21 1/2" (w) x 30" (d) x 50 1/2" (h) MX-62NRSA Drum				24 Volts (Supplied by Main Unit)		
Dimensions Approx. 33 1/4" (w) x 33 1/4" (d) x 48" (h) Weight Approx. 51 lbs. MX-700HB Toner Collection Container	Weight	MX-6500N/7500N: Approx. 490 lbs.	Dimensions		MX-62NRSA	Drum
	Dimensions	Approx. 33 1/4" (w) x 33 1/4" (d) x 48" (h)	Weight	Approx. 51 lbs.	MX-700HB	Toner Collection Container

¹ Some features may require optional equipment.















SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com Design and specifications subject to change without notice. Sharp, Sharp OSA and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server and Windows Vista are trademarks or registered trademarks of Microsoft Corporation. EFI, Fiery, Electronics For Imaging, the Fiery logo, the EFI logo, FreeForm, Spot-On, WebTools and Command WorkStation are trademarks or registered trademarks of Electronics For Imaging, Inc. All other trademarks are the property of their respective owner.



² Specification may vary depending on product configuration, machine settings and operating conditions.