

TOSHIBA

e-STUDIO™ 330AC/400AC

- > Color A4 Multifunction Printer
- > Up to 42 PPM
- > Small/Medium Workgroups
- > Copy, Print, Scan, Fax
- > Advanced Features
- > Customizable UI



BIG FEATURES IN A SMALL FOOTPRINT.

The amazing color and impressive features you'd expect to find on Toshiba's larger departmental MFPs are now available in a desktop model. Toshiba's e-STUDIO330AC/400AC provides the robust feature set of its full-size MFPs in a compact footprint, making this series an ideal candidate for small to mid-size workgroups. They will also lighten the load of the busiest workgroup systems. Like Toshiba's larger models, this series offers all the functions and applications you need to keep your business running smoothly – copy, print, scan, and fax, plus the same workflow-enhancing solutions.

People-pleasing performance.

We know deadlines can't wait. Your teams have contracts, presentations, and reports to produce. These machines ramp up quickly in 20 seconds (or less) and produce 35 and 42 Pages per Minute (PPM), respectively. While the 100-sheet Dual-Scan Document Feeder automatically adjusts for any skews as it scans 120 duplex Impressions per Minute (IPM). Scan Preview allows you to scan, rotate pages, or even change their order. For added efficiency, Print Around eliminates printing bottlenecks by allowing other print jobs to go around any job being held-up for a specific paper size, media type or even color toner if not available in the machine. And Limitless Job Reservation allows you to queue up multiple copy or print jobs.

Super easy to use.

The tilting 10.1" full-color, tablet-style touch screen with embedded web browser makes it easy to navigate features and functions. You may customize the user interface to your needs and simplify the menu structure to improve workflow and productivity. Cloud accessibility is built-in, simply print documents from the cloud, or scan to a folder, email or a variety of cloud-based applications. With Toshiba's Auto-Launcher, you may even scan and print from a USB quickly and easily. These machines will automatically notify you and the dealer when service or supplies are needed. And if you need any more help, you can access the manual right on the touch screen.

Paper handling that stacks up.

These machines are team players. They can accommodate heavy paper and two-sided printing. On their own, they offer 650-sheet capacity from two paper sources. If you want even more, an optional second cassette will add another 550 sheets. Still not enough? An optional base provides one or two additional 550-sheet cassettes, or an optional tandem Large Capacity Feeder (LCF) that provides 2,000 sheets instead for a maximum capacity of 3,200 sheets.

Strong and dependable.

This series is designed for minimal downtime with a maximum Monthly Copy Volume of 150,000 for color and monochrome printing, a high toner yield of 17,400 pages at five percent coverage, and periodic maintenance that can be done quickly.

True colors.

Let your output shine with proven, accurate color. Just as its larger systems, Toshiba's unique toner formulation and patented image technology enables these compact models to achieve a wider gamut of colors more accurately

than found on competitive 4-color toner-based devices. Whether it's a boardroom presentation or your brand identity, the new e-STUDIO330AC/400AC will capture each color correctly in high-resolution up to 1,200 dpi. As sticklers for image quality, periodic auto-checks ensure colors remain consistent throughout long runs.

State-of-the-art security.

Whether you're protecting personal records, private data, or intellectual property, Toshiba knows security is a top priority. These machines are equipped with a 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation and Data Overwrite capability for advanced protection. With the optional FIPS 140-2 Validated SED, the e-STUDIO330AC/400AC further attain Hardcopy Device Protection Profile (HCD-PP) certification, the latest benchmark in printer and MFP security.

Green machines.

This series not only has a compact footprint, but a compact carbon footprint. They are RoHS compliant, use recycled plastics, and have a Super Sleep (1W) Mode. They also reduce the environmental impact by being EPEAT Gold and Energy Star V 3.0 certified.




The e-STUDIO330AC/400AC Series is small enough for the desktop but big enough for the most demanding jobs with impressive features you'd expect to find on Toshiba's larger departmental MFPs.

A QUICK LOOK AT A COMPACT MACHINE.

Impressive Performance

- > 35 and 42 PPM, respectively
- > 100-sheet dual-scan document feeder provides 120 duplex IPM
- > Fast, first-copy-out times at 7.2 for color and 5.7 for monochrome



Brilliant Image Quality

- > High resolution up to 1,200 dpi color with 256 gradations
- > Accurate color and fine detail
- > Auto color calibration for consistent color across large print jobs



Broad Paper Handling

- > 650-sheet standard with up to 3,200-sheet maximum capacity
- > Heavy paper support through drawers and duplex up to 140-lb index
- > Support for envelopes through the drawers



Unmatched Reliability

- > 150K monthly copy volume and periodic maintenance intervals
- > High toner yields of K: 18.4K & CMY: 17.4K @ 5% coverage
- > Service Module Design allows for efficient maintenance

Easy to Use

- > 10.1" Tablet-Style, Full-Color Tilting Touchscreen Panel
- > Customizable user interface
- > Embedded web browser allows third-party document solutions within front panel



Innovative Technology

- > Next generation e-BRIDGE technology enables third-party solutions integration and support
- > Fast Intel dual-core processor with 4GB RAM and 320GB SED
- > Optional fax with iFax capability



Like our larger models, this series offers all the functions and applications you need to keep your business running smoothly – copy, print, scan, and fax, plus the same workflow-enhancing solutions, all in a compact design to fit any size workspace.



e-STUDIO™ 330Ac/400Ac

Main Specifications

Copy System	Indirect Electrostatic Photographic Method/OPC/LED Printing/Heat Roller Fusing
Display	10.1" Color WSVGA Touch Screen Tilting Display
Copy Speed	35/42 PPM (LT)
First Copy Out	Color: 7.2/6.3 Seconds Monochrome: 5.7/5.1 Seconds
Warm-Up Time	Approx. 20 Seconds
Copy Resolution	600 x 600 dpi
Stack Feed Bypass	3.9" x 5.8" to 8.5" x 14" (LG), Envelope
Multiple Copying	Up to 999 Copies
Paper Capacity	Standard 650 Sheets/Max. 3,200 Sheets
Original Feed	Standard 100-Sheet DSDF
Scan Speed & Weights	DSDF Scan: Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome) Up to 82 IPM Duplex, 41 IPM Simplex (Color), 9.3-28lb Bond LG
Max. Original Size	Drawer 1: 550 Sheets-ST-R to LG
Paper Feed Sizes	Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to 8.5" x 14" (LG) Opt. 550-Sheet Paper Feed Unit (up to 3)-ST-R to 8.5" x 14" (LG) Opt. 2,000-Sheet LCF (Pedestal Type)-LT Only Standard: 550 Sheets x 1-16 lb Bond-140 lb Index Stack Feed Bypass: 100 Sheets-14 lb Bond-140 lb Index Opt. 550-Sheet Paper Feed Unit-16 lb Bond-140 lb Index Opt. 2,000-Sheet LCF (Pedestal Type)-16 lb Bond-140 lb Index Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)
Paper Weights	25% to 400% Max. 150K Month Approx. 117 lb 20.5" (W) x 21.3" (D) x 25" (H) CMY: 17.4K, BK: 18.4K @ 5% 120 Volts, 50/60 Hz, 12 Amps Maximum 1.5 kW (120 V) Intel ApolloLake™ E3930 (Dual-Core) 4GB 320GB Self-Encrypting Drive
Duplex	
Reproduction Ratio	
Max Duty Cycle	
Weight	
Approx. Dimensions	
CMYK Toner Yield	
Power Source	
Power Consumption	
CPU	
Memory	
Hard Disk Drive	

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	35/42 Pages Per Minute (LT)
Print Resolution	600 x 600 dpi (5bit), 1,200 x 1,200 dpi (Color/2bit) or 3,600 (Equivalence) x 1,200 dpi (BW/with Smoothing) (PS3Only)
Operating Systems	Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 8.1, 10, Windows Server® 2012/R2, Windows Server® 2016, Macintosh® (macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell®
Printing Protocols	Environments, EtherTalk for Macintosh Environments SMB, LPR/LPD, IPP (Ver. 2.0) w/Authentication, AppleTalk® PAP or EtherTalk, Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/iPrint, WS Print, FTP
Print Drivers	Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 SP1 (64-bit), SP1 (32-bit, 64-bit), Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server® 2016, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional IEEE802.11b/g/n, Wireless LAN, Optional Bluetooth
Wireless Device	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
Account Control	Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts



*Requires FIPS 140-2 HDD

Security Features

User Authentication, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0*, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, NFC Authentication
*Conformance with HCD-PPv1.0 in High Security Mode.
ENERGY STAR® (V3.0), EPEAT Gold, Californian Proposition 65 WHQL (Windows® 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint® and Mopria®

Environmental Stds. Certification

Scan Specifications

Scan Speed	DSDF Scan: Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome) Up to 82 IPM Duplex, 41 IPM Simplex (Color)
Scan Modes	Standard: Full Color, Auto Color, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF
Image Compression	Color/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility	SuperG3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400Destinations/Job
Scan Speed	0.7 Seconds Per Page, Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome or Color)

e-Filing Specifications

Operation Method	Color Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Paper Feed & Finishing Options	Software Options		
Paper Feed Unit	MY1050	IPsec	GP1080NODE
2,000 Sheet LCF	KD1071	Hardcopy Security	GP1190NODE
Spacer	GR1380	Unicode Font	GS1007NODE
Caster	GR1390	Metascan	GS1010NODE
Offline Stapler	MJ1047	Embedded OCR 1 License	GS1080NODE
		Multi-Station Print 1 License	GS1090NODE
		Fax Over IP	GS1100NODE
Connectivity Options		e-BRIDGE Replicator Ex	GB1550NODE
FAX Unit	GD1370N	e-BRIDGE Job Point Ex	GB1560NODE
FIPS 140-2 HDD	GE1230	e-BRIDGE Job Separator Ex	GB1590NODE
Wireless LAN Bluetooth Option	GN4030	e-BRIDGE Plus	
		for Exchange Online V3.0	GB2320NODE
Miscellaneous Options		e-BRIDGE Job Build Ex	GB1610NODE
Panel 10 Key Option 10.1"	GR1340	e-BRIDGE Job Point Ex	
Card Reader Holder	GR1400	for Business V3.0	GB2300NODE
Harness for Coin Controller	GQ1280N	e-BRIDGE Plus	
Stand	STAND400	for Sharepoint Online V3.0	GB2310NODE
Power Filter, 120V/15A,		e-BRIDGE Plus for Gmail	GB2380NODE
Compact, 1 Receptacle	PWRFLTR-S1	e-BRIDGE Plus for Google Drive	GB2390NODE
		e-BRIDGE Plus for Docuware	GB2430NODE

Designs and specifications are subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage of a Letter-sized page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Corporate Office

25530 Commercentre Drive, Lake Forest, CA 92630
Tel: 949-462-6000

East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054
Tel: 973-316-2700

Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631
Tel: 773-380-6000

South

2037 Bakers Mill Rd., Dacula, GA 30019
Tel: 678-546-9385

West Coast

25530 Commercentre Drive, Lake Forest, CA 92630
Tel: 949-462-6000

Web Site

www.business.toshiba.com