

- > Up to 85 PPM
- > Black & White MFP
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Eco Friendly



Take the lead.

As companies continue to cut back, Toshiba continues to move full speed ahead. The e-STUDIO556/656/756/856 Series combines speed, power, functionality and image quality to help businesses become more efficient and competitive. Busy departmental offices can rely on the security, dependability and versatility of this impressive series. It has the capability to manage, store, and produce documents and data in the various forms required by today's work environment.

Power packed and feature rich

Combining what we've learned from the past 136 years with advanced Toshiba technology, we have created what is likely the most powerful family of products in its class. An exceptional warm up time, first copy out time, and fast color scanning, in addition to print speeds from 55 to 85 pages per minute, illustrate that speed is an impressive feature. So are power and performance. This series will go the distance, with a monthly duty cycle up to 600K, an RADF that holds 100 originals and can be loaded multiple times, and a base unit capacity of 3,600 sheets that more than doubles to 7,600 sheets with an optional external LCF. Also, a higher toner yield will print 73.9K pages at 6% coverage and when needed, the toner can be changed on the fly.

Impress others with ease

Document storage, management and production have never been simpler, thanks to the e-STUDIO856 Series. Start with its large, 9" full color touch screen panel that can be easily read and intuitively navigated. If you need to know more, a context-sensitive help button provides clear, concise instructions that are taken straight from the manual. You'll find everything you need to know in order to print with unparalleled image quality—at 2,400 x 600 dpi, with smoothing. Need to print on the go? A USB port has been conveniently placed near the front so you can print from or scan to USB drives and other portable devices. Just plug in, print and go.



- > Up to 7,600 Capacity
- > 73,900 Toner Yield
- > 9" Color Touch Screen
- > USB Direct Scan & Print
- > Add Paper "On the Fly"



- > 110-lb Index, Each Drawer
- > Tandem LCF 2,500 Sheets
- > Smart Feed Bypass
- > Universal Print Driver
- > Service Module Design



Adapt to a constantly changing business environment.

With the unpredictability of today's business environment, it's nice to know you can count on Toshiba. Whether you need to print on tab paper and automatically insert each tab into the job or you want to insert pre-printed, 140 lb. cover stock, the e-STUDIO856 Series has the paper handling capacity needed to tackle any job. Also, with the next generation e-BRIDGE technology, this impressive series enables third party integration with ease.

Advantage Toshiba

Advantages such as First Copy Out Times under 3.5 seconds, a 30-second warm-up time from standby, and color scanning speeds of 77 OPM are impressive, to be sure. Not to mention support of 110 lb. index from all drawers—which can also be duplexed—and a Smart Feed Bypass that is always ready for those occasional odd jobs. A powerful e-BRIDGE Fleet Management System makes it easy to manage your entire fleet while viewing all real-time status in one window. Add to that a Self-Encrypting HDD, a Universal Print Driver, Gigabit Ethernet Support, e-Filing, and a Service Module design that streamlines periodic maintenance. Advantages that will give your business the edge.

Finishing touches

Three different finishers offer a 4,000 sheet capacity split between two trays. A 50-sheet finisher with a saddle stitch booklet mode lets you create booklets of up to 60 pages from 15 sheets of paper. A 100-sheet finisher with saddle stitch is also available. Choose a modular two-three hole punch or a Post Inserter that will add pre-printed covers or inserts to finish the job in style. Because people frequently judge a company by their cover and first impressions truly are lasting, it's important for presentations to look professional—from start to finish.

- > 3.5 Second First Copy Out
- > Superb Image Quality
- > Saddle Stitch Finisher
- > 2 – 3 Hole Punch
- > Post Inserter



Where leading technology can take you.

Today, more and more businesses want increased efficiency, productivity, security and environmental responsibility. These may seem like impossible demands to some. At Toshiba, we view them as product guidelines and if we can't abide by them, we've missed the mark. Our products are designed to adapt to the needs of today's businesses, not the other way around.



Eco friendly as well as user friendly

In addition to meeting the needs of the work environment, the e-STUDIO856 Series is also designed to help protect the environment in which we live. For instance, when Super Sleep Mode is set, only one watt of power is consumed. The e-STUDIO 856 Series is RoHS compliant (Reduction of Hazardous Substances), meaning there's no chromium, lead or other hazardous materials used in its production. Toshiba also offers a free toner recycling program with zero waste to landfills.



Security where it counts

Security is a major concern for most businesses, and it's a top priority at Toshiba. That's why the e-STUDIO856 Series utilizes Self Encrypting Drive (SED) technology with 256 bit AES Encryption and Automatic Drive Invalidation (ADI) that renders the drive useless if removed and an attempt is made to read the data on the hard disk drive. Data Overwrite also comes standard, meeting the Department of Defense requirements by immediately writing over any data stored on the HDD during document

processing. In fact, these features have allowed the e-STUDIO856 Series to achieve a Common Criteria Evaluation Assurance Level rating of three (EAL3).



The Managed Document Experts

At Toshiba, we've moved far beyond the box. Our people bring innovative, real-world solutions to all your document management needs. We'll help you cut costs, secure your documents and reduce your environmental footprint. And if there's one thing every business and our planet can use right now, it's managing to do more with less.

So call or visit your nearest Toshiba dealer. We'd be happy to show you how the e-STUDIO856 Series can help your document management, and your bottom line, work more efficiently.



- > Energy Star Rated
- > Super Sleep Mode
- > Self-Encrypting Drive
- > 256 Bit AES Encryption
- > HDD Data Overwrite





- > Black & White MFP
- > Up to 85 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Eco Friendly

Specifications

| | |
|-------------------------|---|
| Copying Process/Type | IEPM (Dry Process)/Laser Technology |
| Original Reading Method | CCD Line Sensor |
| Copy/Print Resolution | 2400 x 600 dpi |
| Gradation | 256 Steps |
| Copy/Print Speed | 55 / 65 / 75 / 85 cpm |
| Warm-Up Time | Appx. 130 Seconds |
| First Copy Time | 556/656: Less Than 4.0 Seconds (Letter-Size) 756/856: Less Than 3.5 Seconds (Letter-Size) |
| Duty Cycle | 460K / 515K / 540K / 600K |
| Multiple Copying | Up to 9,999 Copies |
| Standard Paper Supply | 2 x 500-Sheet Drawer; 1 x 2,500-Sheet Tandem Drawer; 100-Sheet Stack Feed Bypass |
| Maximum Paper Supply | Up to 7,600 Sheets (w/Optional 4,000-Sheet LCF) |
| Acceptable Paper Size | Cassette: Statement-R to Ledger (17-110 lbs.) Bypass: Statement-R to 11" x 17" (17-110 lbs.) LCF: Letter Only (17-110 lbs.) |
| Special Paper | Std. Bond, Tab Sheets - Bypass + 1/2 Drawers |
| Memory | 1GB RAM, 60 GB HDD |
| Reduction/Enlargement | 25% to 400% |
| Bypass Tray | 100-Sheet Stack Feed Bypass |
| Control Panel | 9" Wide VGA Color Touch-Screen |
| Dimensions | Appx. 28" x 31" x 46" (W x D x H) |
| Weight | Appx. 462 lbs. |
| Power Supply | 120 Volts; 20 Amps |
| Power Consumption | Maximum 2.0kW |
| PM Cycle | 460K / 515K / 540K / 600K |
| Black Toner Yield | 73.9K Impressions |
| Drum Type/Yield | 460K / 515K / 540K / 600K |
| Developer Yield | 460K / 515K / 540K / 600K |

Print (Standard)

| | |
|---------------------------------|---|
| Print Speed | 55 / 65 / 75 / 85 ppm |
| PDL Support | PCL6, PostScript3, XPS |
| Operating Systems | Windows 2000/XP/2003/Vista/2008/7; Mac X OS 10.2.4/10.3/10.4/10.5 UNIX, Linux, CUPS |
| Protocol Support | IPX/SPX, TCP/IP (IPv4/V6) EtherTalk, AppleTalk PAP, LPR/LPD IPP w/Authentication, Port 9100, SMB, Netware |
| Drivers | Windows 2000/XP/2003/Vista/2008/7; Mac X OS 10.2.4/10.3/10.4/10.5 (OS 10.4 PPD); UNIX, Linux, AS/400, SAP R/3 |
| Connectivity | Ethernet 10/100/1000BaseT USB 2.0, 802.11b/g Wireless LAN |
| Device Management Certification | TopAccess WHQL, Novell, HPOS (Dazel), Vista Premium |

Scan (Standard)

| | |
|-----------------|--|
| Scan Speed | 77 spm Color / 80 spm B&W, LT-Size @300 dpi |
| Scan Resolution | 150 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi |
| File Format | TIFF, PDF, JPEG, XPS, MS Word, MS Excel, Searchable PDF w/ Adv. Scanning option |

E-Filing (Standard)

| | |
|-------------------|--|
| Operation Method | Color Touch Screen Control Panel or Client PC |
| Number of Boxes | 1 Public Box; 200 Private User Boxes |
| Capacity of Boxes | 100 Folder per Box 400 Documents per Folder 1000 Pages per Documents |

Security (Standard)

| | |
|------------------------------|--|
| Data Encryption | 256 Bit AES |
| HDD Overwrite Authentication | Meets Department of Defense (DoD) standard 5220.22M LDAP, SMTP, Windows Server Domain |

Facsimile Option

| | |
|---------------------|---|
| Compatibility | Super G3, G3 |
| Data Compression | MH / MR / MMR / JBIG |
| Transmission Speed | Appx. 3 Seconds per Page |
| Fax Modem Speed | 33.6 Kbps |
| Fax Memory | Transmission 500MB (HDD) Reception 500MB (HDD) Backup Permanent (HDD) |
| Memory Transmission | 100 Jobs; 1,000 Destinations Max; 400 Destinations/Job |
| Scan Speed | 0.7 Seconds per Page; 50 Scans per Minute |
| Other Fax Functions | Internet Fax; Network Fax |

Accessories (Options)

Finishing Options

| | |
|-----------------------------------|--------|
| 50-Sheet Stapler Console Finisher | MJ1027 |
| 50-Sheet Saddle-Stitch Finisher | MJ1028 |
| 100-Sheet Saddle-Stitch Finisher | MJ1029 |
| Rails for Finisher | KN1017 |
| 2 or 3 Hole Punch Unit | MJ6003 |
| Post Inserter Unit | MJ7001 |

Additional Paper Options

| | |
|---|--------|
| 4,000-Sheet LT-Size Large Capacity Feeder | MP4004 |
|---|--------|

Connectivity/Security Options

| | |
|----------------------|-----------|
| Fax Kit | GD1250NXF |
| 2nd Line Fax | GD1260F |
| Wireless LAN Adapter | GN1060 |
| Antenna | GN3010 |
| IPSec Kit | GP1080 |
| Meta Scan Enabler | GS1010 |
| Advanced Scanning | GB1280T |

Miscellaneous Options

| | |
|-------------------------------------|-------------|
| Smart Card Reader, HID iClass | ART11236 |
| Smart Card Reader, HID Prox | ART11230 |
| Smart Card Reader, Inditag | ART12161 |
| Smart Card Reader, LEGIC | ART11248 |
| Smart Card Reader, Multi ISO/Mifare | ART12443 |
| Smart Card Reader, Multi 125 | ART11242 |
| Card Reader Bracket | 6BC02231846 |
| Harness Kit for Coin Controller | GQ1240 |



Corporate Office

2 Musick, Irvine, CA 92618-1631

Tel: 949-462-6000

East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 973-316-2700

Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631

Tel: 773-380-6000

South

2037 Bakers Mill Rd., Dacula, GA 30019

Tel: 678-546-9385

West Coast

142 Technology, Suite 150, Irvine, CA 92618

Tel: 949-462-6262

Web Site

www.business.toshiba.com

Designs and Specifications subject to change without notice. For best results and reliable performance, always use supplies manufacturer or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for Availability. Toner yields are estimates based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.