




Xerox® 6050/6030



The new digital benchmark
from the leader in document production

The Xerox 6050/6030
Wide Format Solution



Meeting the demands of wide-format environments

We're here to help you grow your business.

As a leader in the business of printing, Xerox offers expertise in everything that involves documents and the ways that people use them. Whether you're in:

- Manufacturing
- Engineering
- Architecture
- Construction
- Government
- Print-for-pay

. . . wide-format document production, printing, copying, distribution, and storage are critical elements of your business—and ours, too.

The Xerox 6050/6030 Wide Format Solution sets new standards in all the ways you work with documents, both hard-copy and digital. We're committed to helping you grow your business—now and in the years to come.

Printing is just the beginning.

The Xerox 6050/6030 Wide Format Solution is designed to help you keep up with the demanding pace of today's business. The 6050 is a multifunction copier/printer that holds up to four media rolls. It produces nine D-size black-and-white prints per minute at a crisp 600 x 1,200 dpi. And because the 6050 offers concurrent processing, it scans documents (at 600 x 600 dpi) while it prints—speeding up your entire work process. With the optional Multi-Sheet Inserter, you can add other types of media or color documents to your output.

Wide Format in a small package.

The single footprint of the 6050 with the on-board scanner measures just 55.9" (1,420 mm) x 30.7" (780 mm) so it fits easily into your office or on your shop floor. It consolidates the functions of several devices into one and quickly becomes your center for productivity.

Save steps and expense.

The intuitive control panel with touchscreen interface minimizes training time and makes the 6050 simple for anyone to operate. And the Sample Copy feature allows users to review the output and make exposure or size adjustments before submitting a full run—saving time, media, and their associated costs.



Key benefits of the 6050/6030:

Productivity

- Your First-Copy-Out-Time is just 23 seconds for quick starts.
- Concurrent processing—scanning while printing—means work goes faster with less waiting.
- With up to four media rolls and load-while-run, you get nonstop printing with less media switching.

- The touchscreen interface is simple for anyone to use.
- The Sample Copy feature eliminates costly mistakes and reruns.

Benchmark image quality

- See the details and read the fine print with 600 x 600 dpi scanning and up to 600 x 1,200 dpi printing.
- Automatic background suppression helps create copies that improve even worn originals.
- With 6.4-micron toner particles, you get reliably sharp, superior image quality.

A choice of system controllers keeps work flowing.

The Xerox 6050/6030 Wide Format Solution includes an embedded controller that supports a wide variety of file formats and print drivers to keep your work on pace with demand.

If you already have a Xerox system in place using the Xerox AccXES™ controller, the 6050/6030 will fit right in with your existing workflow.

Scanning options take you from paper to digital with ease.

Xerox offers scanning options to fit your wide-format workplace: The 6050 Copier/Printer with the on-board scanner delivers 600 dpi black-and-white scanning for benchmark resolution.

The 6050 Printer with Scan System allows you to add color scan-to-file to your electronic workflow. These color files can be shared with other personnel and printed from networked, distributed printers.

The 6050 Copier/Printer provides you with a job log, while the Printer with Scan System provides you full job accounting features to track your jobs and associated costs quickly and automatically.

Create a system to meet your unique needs.

Add any of these options to the 6050 or 6030 to produce the specialized documents that your field demands:

- High-Capacity Stacker
- Multi-Sheet Inserter
- Xerox AccXES Controller
- Xerox Wide Format Scan System which provides color scanning and production scan-to-file capabilities

6050/6030 Wide Format Supplies.

Unlock the power of digital printing by using the perfectly paired combination of Xerox digital print technology with Xerox paper and specialty media—an unbeatable combination for exceptional performance.

Backed by Xerox-trained service and customer support.

Whether you've been a Xerox customer for years or are just learning about Xerox's expertise in wide-format printing solutions, you can count on a team of service and support professionals to help you make the most of your Xerox solution—day-in and day-out.

Two models with three options for total flexibility.

Available in two models:

- 6050, which produces nine D-size prints per minute and holds four media rolls
- 6030, which delivers six D-size prints per minute from two media rolls

Each model is available with three options, giving you the flexibility to choose the right system for your workplace and document processes:



1. Printer



2. Copier/Printer—with the on-board scanner



3. Printer with Scan System—includes AccXES controller and free-standing scanner

Key benefits of the 6050/6030:

Flexibility

- The 6050/6030's compact, single footprint fits into almost any location.
- Support for multiple data formats and AccXES enablement means the device will fit right into your current workflow.
- The 6050 holds up to four paper/media rolls and features load-while-run, so you lose less time switching rolls or reloading.
- The Auto-Size feature automatically prints/copies on the right size paper.

Reliability

- The Xerox 6050/6030 Wide Format Solution is a robust design built on proven Xerox technology.
- It's designed to perform day-in and day-out with consistent, high-quality output.
- Your 6050/6030 solution is fully backed by Xerox-trained service and customer support.



For more information on the Xerox 6050/6030 Wide Format Solution, call **1-800 ASK XEROX** or visit us on the Web at: www.xerox.com.

Specifications

Print Engine

Process/imaging	Xerographic LED
Print engine speed	4.1 ips
Prints/minute	6050: 9 D (A1) 6030: 6 D (A1)
FPOT	30.5 sec.
FCOT	23 sec.
Max. copies	99; 999 w/AccXES
Warm-up time	3 min.
Media supply	6050: 2 drawers, 4 rolls 6030: 1 drawer, 2 rolls Optional Multi-Sheet Inserter
Output size	Min: 11" (297 mm) Max: 36" (914.4 mm)
Long plot max.	49.2' (15 m), (requires 1 GB printer mem.; Long Copy requires 1 GB printer and scanner memory)
Resolution	Up to 600 x 1,200 dpi
Grayscale levels	256

Media

Media types	Bond, vellum, tracing paper, film
Media weights	Bond: 18–20 lb. (60–110 gsm) Vellum: 20 lb. (90–112 gsm) Tracing paper: 20 lb. (90–112 gsm) Film: 75–100 micron (4 mil)

On-board Scanner

Scanner speed	4.72 ips (120 mm/s)
Scanner resolution	Up to 600 dpi
Grayscale	256
Max. doc. input size	37.2" (949 mm) width x 49.2' (15 m) (input w/1 GB mem.) 36" (914.4 mm) width (image)
Max. doc. thickness	0.1" (2.5 mm)
Registration	Edge
Electronic collation	99 sets

Scan System

Scanner speed	2 ips (51 mm/s), 4 ips (102 mm/s) (opt.)
Scanner resolution	Up to 600 dpi
Grayscale	256 24-bit color (opt.)
Max. doc. input size	42" (1,066.8 mm) width x 100' (30.5 m) (input) 36" (914.4 mm) width (image)
Max. doc. thickness	0.5" (12.7 mm)
Registration	Center
Electronic collation	999

Finishing

Output stacking cap.	100 D (A1)
Optional High-Cap.	1,000 (mixed size)
Optional folder interface	Generic Folder Interface (GFI) card

Printer Controller

Internal	Embedded controller
Memory (std)	256 MB RAM
Memory (max)	Up to 1 GB RAM;
w/AccXES	512 MB inside AccXES
Hard-disk drive	60 GB;
w/AccXES	80 GB inside AccXES
Ports	STD.: Ethernet, RS232 Serial OPT.: Parallel IEEE1284; VPI
Ports w/AccXES	STD.: Ethernet, RS232 Serial Parallel IEEE1284; IEEE1394 (scanner only)
Network protocols	TCP/IP 10/100; LPR
w/AccXES (opt.)	NetBEUI, IX/SPX
Data formats	STD.: HPGL, HPGL/2, HP-RTL, TIFF, FX-MMR, VRF, VCGL
Data formats	STD.: HPGL/2, HP-RTL, TIFF 6.1, CALS 1&2, CalComp 906/907/951/PC1 FileNET, RLE, NIRS, CGM, VGL, VRF Versatec Data Standards, Xerox Emulation 150, C4, JPEG
Job accounting	OPT.: Adobe® PostScript® 3, PDF
w/AccXES	STD.: Job log—print/export OPT.: Job accounting w/Account Management Tool (AMT)
Applications	BT Plot Assistant, TWAIN driver, Web Administrator
Applications	Document Submit, Document Retrieve, Printer Manager, Print Queue Web PMT, Account Management Tool
Printer drivers	Windows: XP/2000/98
(Windows® GDI)	
Printer drivers	AutoCAD 2000 & 2000i, 2002, 2004; AutoCAD r14
(AutoCAD®)	
Printer drivers (opt.)	Adobe PostScript 3 for Windows XP/2000
w/AccXES	

Electrical Requirements

Print engine	220 V, 13 amp
Scanner	220 V, 1 amp
Scan System	110/220 V, 3 amp max
w/AccXES	110/220 V, 1 amp max

Dimensions and Weight

Width, Depth, Height, Weight	
6050/6030 Printer	49.2" (1,250 mm), 25.2" (640 mm), 37" (940 mm), 683 lbs. (310 kg)
6050/6030 Copier/Printer	55.9" (1,420 mm), 30.7" (780 mm), 51.6" (1,310 mm), 793 lbs. (360 kg)
6050/6030 Printer with Scan System	Printer: 49.2" (1,250 mm), 25.2" (640 mm), 37" (940 mm), 683 lbs. (310 kg) Xerox Scan System: 16" (406 mm), 53" (1,346.2 mm), 45" (1,143 mm), 150 lbs. (68.04 kg)

Space Requirements

Width, Depth, including trays	
6050/6030 Printer	128" (3,250 mm), 150.2" (3,815 mm)
6050/6030 Copier/Printer	128" (3,250 mm), 150.2" (3,815 mm)
6050/6030 Printer with Scan System	Printer: 128" (3,250 mm), 150.2" (3,815 mm), Xerox Scan System (w/compact tray): 76.25" (1,936.8 mm), 101" (2,565.4 mm) Xerox Scan System (w/stacker tray): 103" (2,616.2 mm), 101" (2,565.4 mm)

NOTE: When the Xerox Scan System shares space with the printer, orientation of the printer and scanner must maintain minimum service space which is the largest dimension stated for the facing sides.



XEROX
Worldwide Partner



©2004 Xerox Corporation. All rights reserved. XEROX®, The Document Company®, the digital X® (stylized), and AccXES are trademarks of or licensed to Xerox Corporation in the United States and other countries. Adobe® and PostScript® are registered trademarks of Adobe Systems, Inc. Windows® is a registered trademark of Microsoft Corporation in the United States and other countries. AutoCAD® is a registered trademark of Autodesk, Inc. ENERGY STAR® is a U.S. registered mark. As an ENERGY STAR® Partner, Xerox Corporation has determined that these products meet the ENERGY STAR® guidelines for energy efficiency. Product appearance, build status, and/or specifications are subject to change without notice. The Xerox Total Satisfaction Guarantee applies to equipment under a Xerox warranty or a Full Service Maintenance Agreement and is subject to certain conditions. 04/04. 36 USC 220506 610P719260