

# XEROX® ALTALINK® COLOR MULTIFUNCTION PRINTER

Smart, Secure and Connected

**C8030/C8035/C8045/C8055/C8070**



ConnectKey®  
Technology



# Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer

Xerox® AltaLink devices provide new levels of capability and connectivity for mid-size, large workgroups and busy offices. With AltaLink, your extended workforce has instant and secure access to the documents, data and workflows it needs to work faster and more efficiently—from every location and with any device.

## SMART AND PRODUCTIVE

You've never seen a multifunction printer like this before. From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® AltaLink C8000 Series is the color multifunction device today's workers have been waiting for.

Optimized for business processes, and easy to manage as a standalone device or as part of an entire fleet, it's designed to enable multitasking and collaboration. Create customized workflows, automate complex tasks, print and scan directly to and from the cloud with services like Box®, Microsoft® OneDrive®, Google Drive™, Dropbox™ and Microsoft Office 365™. Connect any time, from anywhere and any device.

With the touch of a button, you can go to our Xerox App Gallery and download simple, yet powerful, serverless apps to your AltaLink color multifunction printer to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including Near Field Communication (NFC) Tap-to-Pair, optional Wi-Fi Direct®, @PrintByXerox, Google Cloud Print™, Xerox® Print Service Plug-in for Android™ and Mopria® provides the time-saving convenience your workforce wants and needs.

## POWERFUL AND SCALABLE

Your workgroups operate more efficiently and effectively with AltaLink. Manage, monitor and upgrade your entire fleet with our Embedded Web Server, or provide interactive training and support right from your desktop with our remote user interface.

Fewer maintenance hassles, less IT support, high-capacity paper trays and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing and faxing can be done simultaneously, allowing for multitasking during peak periods—and your choice of finishing options means you can configure your AltaLink device for any work environment and any document type, including booklets, brochures and pamphlets.

## BUILT-IN SECURITY

The AltaLink C8000 Series Color Multifunction Printer provides the maximum level of security through our partnership with McAfee, proactively addressing risks at the fleet and individual device level.

Multiple layers of security include data encryption, disk overwrite and industry certifications. At the user level, Secure Print holds documents for release until they're ready to be retrieved at the device.

## COLOR WHERE IT COUNTS

With high resolution output of 1200 x 2400 dpi, photo-quality color images and crisp text will give your documents clarity and impact. You can also upgrade your AltaLink C8000 Series with the Xerox® EX-c C8000 Print Server Powered by Fiery®, enabling office users to quickly, efficiently and cost effectively print professional-looking documents.

## XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

### Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

### Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

### Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

### Enables Next Generation Services


Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables, plus remote configuration for even more time savings.

### Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at [www.connectkey.com](http://www.connectkey.com).

## FINISHING APPLICATIONS



- 1 Single-Pass Duplex Automatic Document Feeder (DADF)** saves time by simultaneously scanning both sides of two-sided documents at up to 139 impressions per minute.
- 2 Convenience Stapler** (optional) staples up to 50 sheets of 20 lb/80 gsm media.
- 3 Bypass Tray** handles up to 100 sheets of 20 lb/80 gsm, also feeds up to 110 lb Cover/300 gsm media.
- 4 Two 520-sheet adjustable trays** (standard with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.
- 5 Envelope Kit** (optional—replaces Tray 1) provides trouble-free feeding of up to 60 envelopes.
- 6 High-Capacity Tandem Tray Module** (optional) brings the total paper capacity up to 3,140 sheets.
- 7 Four Tray Module** (optional with C8030/C8035) holds a total of 2,180 sheets.
- 8 High-Capacity Feeder** (optional) holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.
- 9 Business Ready (BR) Finisher** (optional) gives you advanced finishing functions at a great value.
- 10 BR Booklet Maker Finisher** (optional) provides advanced finishing the capability to create 60-page saddle-stitched booklets (2 to 15 sheets).
- 11 C-Fold/Z-Fold Unit** (optional) adds three folds: C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.
- 12 Offset Catch Tray (OCT)** (standard on all configurations and included with all finishers).
- 13 Integrated Office Finisher** (optional with C8030/C8035) provides 500-sheet stacking and 50-sheet, single-position stapling.
- 14 Office Finisher LX** (optional with C8030/C8035/C8045/C8055) gives you advanced finishing functions at a great value, and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).
- 15 Xerox® Integrated RFID Card Reader E1.0** (optional) adds card based authentication with support for over 90 access cards.
- 16 Near Field Communication (NFC) Tap-to-Pair** allows users to tap their mobile device to the AltaLink C8000 user panel and instantly connect with the MFP.



### INTRODUCING MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Meet our all-new, 10.1-inch color touchscreen—the user interface that sets a higher standard for customization, ease of use and versatility.

By presenting a familiar “mobile” experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don’t like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software smarts helps everyone who interacts with the AltaLink® C8000 Series get more work done, faster. Try our new UI at [www.xerox.com/AltaLinkUI](http://www.xerox.com/AltaLinkUI).



# Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070

## Color Multifunction Printer

ConnectKey®

Technology

| DEVICE SPECIFICATIONS  | AltaLink C8030  | AltaLink C8035  | AltaLink C8045                                | AltaLink C8055                                | AltaLink C8070                                |
|--|---|---|---|---|---|
| Speed (Color/Black-and-white)                                  | Up to 30/30 ppm   | Up to 35/35 ppm   | Up to 45/45 ppm                               | Up to 50/55 ppm                               | Up to 70/70 ppm                               |
| Monthly Duty Cycle*  | Up to 90,000 pages  | Up to 110,000 pages   | Up to 200,000 pages                           | Up to 300,000 pages                           | Up to 300,000 pages                           |
| Hard Drive/Processor/Memory                                    | Minimum 250 GB HDD/Intel® Atom™ Quad Core 1.91 GHz/2 MB Cache/8 GB system memory  |   |   |   |   |
| Connectivity   | 10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair |   |   |   |   |
| Optional Controller  | Xerox® EX-c C8000 Print Server Powered by Fiery®  |   |   |   |   |
| <b>Copy and Print</b>  | Resolution <b>Copy:</b> Up to 600 x 600 dpi; <b>Print:</b> Up to 1200 x 2400 dpi  |   |   |   |   |
| First-copy-out Time (as fast as) (from platen/warmed-up state) | 8.1 seconds color/6.7 seconds black-and-white   |   | 7.8 seconds color/6.4 seconds black-and-white | 7.2 seconds color/5.7 seconds black-and-white | 5.2 seconds color/4.9 seconds black-and-white |
| First-print-out Time (as fast as)                              | 6.5 seconds color/5.3 seconds black-and-white   | 6.4 seconds color/5.2 seconds black-and-white   | 6.5 seconds color/5.3 seconds black-and-white | 6.0 seconds color/4.7 seconds black-and-white | 4.7 seconds color/4.0 seconds black-and-white |
| Page Description Languages                                     | Adobe® PostScript® 3™, Adobe PDF version 1.7, PCL® 5c/PCL 6, Optional XML Paper Specification (XPS)                                   |   |   |   |   |
| <b>Paper Input</b>   | Standard  | <b>Single-Pass Duplex Automatic Document Feeder:</b> 130 sheets; Speed: up to 139 ipm (duplex); Sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm<br><b>Bypass Tray:</b> 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 19 in./89 x 98 mm to 320 x 483 mm (SEF)<br><b>Tray 1:</b> 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF)<br><b>Tray 2:</b> 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF)  |   |   |   |
|  | Choose One  | <b>Four Tray Module</b> (Trays 3 and 4—available with C8030/C8035): 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 to 12 x 18 in./140 x 182 mm to SRA3 (SEF)<br><b>High Capacity Tandem Tray Module:</b> 2,000 sheets; One 867-sheet paper tray and one 1,133-sheet paper tray; Sizes: 8.5 x 11 in./A4  |   |   |   |
|  | Optional  | <b>High-Capacity Feeder (HCF):</b> 2,000 sheets; Size 8.5 x 11 in./A4 long edge feed<br><b>Envelope Tray (replaces Tray 1):</b> Up to 60 envelopes: #10 Commercial, Monarch, DL, C5   |   |   |   |
| <b>Paper Output/Finishing</b>                                  | Standard  | <b>Dual Offset Catch Tray</b> (standard when finishers are not attached): 250 sheets each; Face up Tray: 100 sheets   |   |   |   |
|  | Optional  | <b>Integrated Office Finisher</b> (Available with C8030/C8035): 500-sheet stacker, 50 sheets stapled, single-position stapling<br><b>Office Finisher LX</b> (Available with C8030/C8035/C8045/C8055): 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages))<br><b>BR Finisher:</b> 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching<br><b>BR Booklet Maker Finisher:</b> 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 15 sheets, 60 pages) and V-folding<br><b>C-Fold/Z-Fold Unit:</b> Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher<br><b>Convenience Stapler:</b> 50-sheet stapling (based on 80 gsm), includes Work Surface |   |   |   |

### INTUITIVE USER EXPERIENCE

|                            |  |
|----------------------------|--|
| Customize and Personalize  | Site, Function or Workflow Customization with Xerox App Gallery and Xerox® App Studio  |
| Print Drivers              | Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®  |
| Xerox® Embedded Web Server | PC or mobile—Status Information, Settings, Device Management, Cloning  |
| Remote Console/Preview     | Remote User Interface  |
| Print Features             | Print from USB, Sample Set, Personal Print, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Defaults, Two-sided Printing, Draft Mode   |
| Scan and Fax               | Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR) |

### MOBILE AND CLOUD READY

|                     |   |
|---------------------|---|
| Mobile Connectivity | Apple® AirPrint®, Google Cloud Print™ Ready, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android, NFC, Wi-Fi Direct Printing                                       |
| Mobile Printing     | @PrintByXerox, Xerox® Mobile Print, Xerox® Mobile Print Cloud, Xerox® Mobile Link App; Visit <a href="http://www.xerox.com/officemobileapps">www.xerox.com/officemobileapps</a> for available apps. |
| Cloud Connectivity  | Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365™, Box®, Xerox® DocuShare® and more.  |

### BENCHMARK SECURITY

|                   |  |
|-------------------|--|
| Network Security  | IPsec, HTTPS, SFTP and Encrypted Email, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, SSL, TLS, Security Certificates, Automatic Self-signed Certificate                                    |
| Device Access     | Firmware Verification, User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enablement Kit (CAC/PIV.NET), Xerox® Integrated RFID Card Reader E1.0 |
| Data Protection   | Encrypted Hard Disk (AES 256-bit, FIPS 140-2, Validated) and Image Overwrite, McAfee® ePolicy Orchestrator®, McAfee Integrity Control, Whitelisting, Job Level Encryption via HTTPS and Drivers                    |
| Document Security | Common Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Secure Print, FIPS Encrypted Print Drivers  |

### ENABLES NEXT GENERATION SERVICES

|                  |  |
|------------------|--|
| Print Management | Xerox® Print Management and Mobility Suite, Configuration Cloning, Xerox® Standard Accounting, Equitrac, Y Soft, PaperCut and more partner solutions |
| Managing Print   | Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services Tools  |
| Sustainability   | Cisco EnergyWise®, Print User ID on Margins, Earth Smart Print Settings  |

### GATEWAY TO NEW POSSIBILITIES

|                   |   |
|-------------------|---|
| Cloud Services    | Xerox® Easy Translator, Xerox® Healthcare MFP (U.S. only), many additional services available   |
| Xerox App Gallery | Many apps and cloud services available. Visit <a href="http://www.xerox.com/appgallery">www.xerox.com/appgallery</a> for a growing selection of apps available for adding functions to the MFP. |

\* Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

For more detailed specifications, including the latest certifications, go to [www.xerox.com/AltalinkC8000Specs](http://www.xerox.com/AltalinkC8000Specs).

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, AltaLink®, ConnectKey®, DocuShare®, Global Print Driver® and Mobile Express Driver® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. Updated 5/17 BR21021 AC8BR-01UA

