Xerox® EC8000 Series Color Multifunction Printer

Smart, secure, and connected Workplace Assistant.



XEROX® EC8036/EC8056





Xerox® EC8036/EC8056 Color Multifunction Printer

Xerox® EC8036*/EC8056 devices provide new levels of capability and connectivity for mid-size and large workgroups and busy offices. With Xerox® EC8036*/EC8056, your extended workforce has instant and secure access to the documents, data, and workflows it needs to work faster and more efficiently — from any location and with any device.

SMART AND PRODUCTIVE

From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® EC8036/ EC8056 is the color multifunction device today's workers need.

Easy to manage as a standalone device or as part of an entire fleet, it's designed to enable fast multitasking and collaboration. Create customized 1-Touch Apps to automate multi-step workflows. Simply tap your new app to quickly perform the job you configured. And save time by scanning to multiple destinations, including a USB drive, network location, and SMB share location, all in one operation.

With the touch of a button, you can go to our Xerox App Gallery and download simple yet powerful serverless apps to your Xerox® EC8036/EC8056 printers to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including Xerox® @PrintByXerox App, Xerox® Print Service Plug-in for Android™, Airprint®, Mopria®, and optional Wi-Fi Direct provides the time-saving convenience your workforce needs.

POWERFUL AND SCALABLE

Provide interactive training and support right from your desktop with our remote control panel. Enable serverless fleet management with Fleet Orchestrator. Configure a single device once, then let the Fleet Orchestrator deploy and manage configurations automatically and share automated workflows across devices.

Fewer maintenance hassles, less IT support, high-capacity paper trays, and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing, and faxing can be done simultaneously, allowing for multitasking during peak periods — and the Office Finisher LX allows you the flexibility to create any document type, including booklets, brochures, and pamphlets.

BUILT-IN SECURITY


Enjoy comprehensive security through our strategic approach to preventing intrusions and keeping documents and data safe. Our partnerships with McAfee® and Cisco® proactively address risks at the individual device, fleet, and network level.

By interacting with the market-leading McAfee® DXL and Cisco® pxGrid platforms, Xerox® EC8036/EC8056 printers employ an orchestrated response that neutralizes threats at their source the moment they occur.

Multiple layers of security include data encryption, disk overwrite, and industry certifications. The innovative Configuration Watchdog ensures your Xerox® EC8036/ EC8056 printers remain configured in accordance with your security policies.

COLOR WHERE IT COUNTS

With a high resolution output of 1200 x 2400 dpi, photo-quality color images and crisp text will give your documents clarity and impact.



ENABLING A CIRCULAR ECONOMY

How do you make a great product better? Design it for sustainability. This product, while newly produced and upgraded, contains a percentage of reused components.

All parts meet the same high standards of quality, reliability and performance as newly manufactured parts.

We're proud to support manufacturing principles that contribute to a safer, more sustainable and circular economy. You will be too.

















CHOOSE THE CONFIGURATION THAT MEETS YOUR NEEDS

- 1 Single-Pass Duplex Automatic Document Feeder (DADF) saves time by simultaneously scanning both sides of two-sided documents at up to 139 impressions per minute.
- **2 Convenience Stapler** (optional, while supplies last) staples up to 50 sheets of 20 lb/80 gsm media.
- 3 **Bypass Tray** handles up to 100 sheets of 20 lb/80 gsm, also feeds up to 110 lb Cover/300 gsm media.
- 4 Two 520-sheet adjustable trays. Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.
- 5 Envelope Kit (optional, while supplies last, replaces Tray 1) provides trouble-free feeding of up to 60 envelopes.
- **6 High-Capacity Tandem Tray Module** brings the total paper capacity up to 3,140 sheets.

- 7 Office Finisher LX (optional) gives you advanced finishing functions at a great value.
- 8 Booklet Maker for Office Finisher LX (optional, while supplies last) offers crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).
- 9 Offset Catch Tray (OCT)
- 10 Xerox® Integrated RFID Card Reader E1.0 (optional) adds card-based authentication with support for over 90 access cards.
- 11 Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to the Xerox® EC8036/EC8056 user panel and instantly connect with the MFP.





MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Our 10.1-inch color touchscreen user interface sets a higher standard of customization, ease of use, and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing commonly used functions front and center. Don't like where a function or app is located?

Want faster access to the app settings? Easily customize the touchscreen's layout to make it yours.

This unmatched balance of hardware technology and software smartly helps everyone who interacts with the $Xerox^{\otimes}$ EC8036/EC8056 to get more work done faster.

Xerox® EC8036*/EC8056 Color Multifunction Printer



DEVICE SPECIFICATIONS	EC8036*	EC8056	
Speed (Color/Black-and-White)	Up to 35/35 ppm	Up to 50/55 ppm	
Monthly Duty Cycle ¹	Up to 110,000 pages	Up to 300,000 pages	
Hard Drive/Processor/Memory		Minimum 250 GB HDD/Intel® Atom™ Quad Core 1.91 GHz/2 MB Cache/8 GB system memory	
Connectivity	10/100/1000 Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair		
Copy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi		
First-Copy-Out Time (as fast as)	8.1 seconds color/6.7 seconds Black-and-White	7.2 seconds color/5.7 seconds Black-and-White	
(from platen/warmed-up state)	0.1 Seconds colono.7 Seconds black and write	7.2 Seconds colors. 7 Seconds black and write	
First-Print-Out Time (as fast as)	6.5 seconds color/5.3 seconds Black-and-White	6.0 seconds color/4.7 seconds Black-and-White	
Page Description Languages	Adobe® PostScript® 3™, Adobe PDF version 1.7, PCL® 5c/PCL 6	0.0 Seconds colon in Seconds Black and White	
Paper Input Standard	Single-Pass Duplex Automatic Document Feeder: 130 sheets; Speed: up to 139 ipm (duplex); Sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm		
sandara	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 19 in./89 x 98 mm to 320 x 483 mm (SEF)		
	Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm t		
	Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to	o 12 x 18 in./140 x 182 mm to SRA3 (SEF)	
	High Capacity Tandem Tray Module: 2,000 sheets; One 867-sheet paper tray and one 1,133-sheet paper tray; Sizes: 8.5 x 11 in./A4		
Optional	Envelope Tray (replaces Tray 1) ² : Up to 60 envelopes: #10 Commercial, Monarch, DL, C5		
Paper Output/ Standard	Dual Offset Catch Tray (standard when Office Finisher LX is not attach	ned, single offset catch tray with Office Finisher LX attached):	
Finishing	250 sheets each tray; Face-up Tray: 100 sheets		
Optional	onal Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling Convenience Stapler ² : 50-sheet stapling (based on 80 gsm), includes Work Surface		
	Booklet Maker ² (score, saddle stitch 2 to 15 sheets (60 pages))		
	Hole punch		
INTUITIVE USER EXPERIE			
Customize	Site, Function or Workflow Customization with Xerox® App Gallery Apps		
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Application Defaults, Xerox® Pull Print Driver		
Xerox® Embedded Web Server	PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog		
Remote Console/Preview	Remote Control Panel		
Print Features	Print from USB, Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control,		
-	Two-sided Printing, Draft Mode		
Scan and Fax Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, JPG, Scal (Mark) and PDF/TIFF Resourced and PDF Factorian Wells are			
	Single/Multi-page PDF/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line, includes LAN Fax, Direct Fax, Fax Forward to Email),		
MODILE AND CLOUD BEAL	Fax dialing, Unified Address Book, Optical Character Recognition (OCR)		
MOBILE AND CLOUD READY Apple ® Ai-Drink® Years ® Drink Carrier Diverse Carrier Diverse for Andreid NEC Will Filter to Diverse Drinking			
Mobile Connectivity	Apple® AirPrint®, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android, NFC, Wi-Fi Direct Printing,		
Xerox® Print Service Plug-in for Android™		nal: Varay® Warkplaca Claud/Suita Mahila Print Salution	
Mobile Printing	xerox.com/en-us/office/software-solutions#mobile		
Cloud Connectivity			
Cloud Connectivity			
COMPREHENSIVE SECURI			
Network Security	IPsec, HTTPS, SFTP and Encrypted Email, McAfee® ePolicy Orchestrator®, No	etwork Authentication SNMPv3 SHA-256 Hash Message Authentication	
Network Security	SSL, TLS, Security Certificates, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through		
	McAfee DXL/Cisco pxGrid integration	inter services engine (152) integration, automatea ameatresponse amough	
Device Access User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Co		s Controls, User Permissions, Configuration Watchdog: Optional: Smart Card	
	Enablement Kit (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader E1.0, NFC standard (authentication via optional Xerox® Workplace Cloud/Suite Print		
	Management and Content Security; learn more at xerox.com/WorkplaceSolutions.)		
Data Protection	Encrypted Hard Disk (AES 256-bit, FIPS 140-2, Validated) and Image Overwi	rite, McAfee Embedded Control Whitelisting, McAfee Integrity Control	
	(optional), Firmware Verification, Job Level Encryption via HTTPS and Drivers, Xerox® Workplace Cloud/Suite Content Security		
Document Security	Common Criteria Certification (ISO 15408)³, Encrypted Secure Print, FIPS Encrypted Print Drivers		
ENABLES NEXT GENERAT	ION SERVICES		
Print Management	Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite, Xerox® Virtual Print Management Service, and more at xerox.com/PrintManagement		
Fleet/Device Management	Xerox® CentreWare® Web, Xerox® Support Assistant, Automated Meter Reac		
	Configuration Cloning; Optional: Intelligent Workplace Services Suite		
Security	Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring, and auto-remediation),		
Digital Certificate Management, Interactive Dashboard Reports			
GATEWAY TO NEW POSSIBILITIES			
Xerox App Gallery Automate everyday processes with apps that translate, redact, eSign, personalize print, convert, route, collaborate and communic		nalize print, convert, route, collaborate and communicate.	
	Visit xerox.com/WorkplaceApps to find apps by industry or workflow. Software and services: Xerox® DocuShare® (xerox.com/ecm),		
	XMPie® (xerox.com/XMPie), Xerox® Workplace Solutions (xerox.com/Worl		
	, , , , , , , , , , , , , , , , , , , ,	Professional Control of the Control	

^{*} Xerox® EC8036 model not available in all sales channels

FACTORY PRODUCED NEW MODEL

This is a Xerox classification for equipment that is disassembled, then sent for manufacture as a significantly updated, new generation, per predetermined standards. These units may contain new and reconditioned components that meet Xerox new-product specifications. Each Xerox® EC8036/8056 follows a predetermined manufacturing process and is newly serialized. Devices may or may not contain new software and/or firmware.

For more detailed specifications,

go to www.xerox.com/EC8000Specs.



 $^{^{\}rm 1}$ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis

² Available while supplies last

³ Certification available post launch