

TASKalfa 

> PRINT > COPY > SCAN > FAX

TASKalfa 3501i

TASKalfa 4501i

TASKalfa 5501i

BLACK AND WHITE
A3 MULTIFUNCTIONALS



RELIABLE
ALL-ROUNDERS
FOR BUSY
OFFICES



 **KYOCERA**
Document Solutions

SIMPLIFY YOUR OFFICE ROUTINE

For those who want fast, efficient and high quality black and white document management, KYOCERA has developed a range of highly reliable multifunctionals. These MFPs are built using KYOCERA's renowned long-life component technology, significantly reducing the total cost of ownership, as well as enhancing productivity with virtually no downtime and the highest levels of reliability throughout the life of the device.

SPEED AND QUALITY ALL IN ONE.

Whether you need to print, copy, scan or fax, these productive and easy-to-use devices handle all your projects quickly and professionally. We offer a wide range of basic and optional functions to enhance workflows. These include fast black and white printing up to 55 ppm and optional one path duplex scanning at an impressive 160 ipm.

High-capacity finishing solutions and standard high-capacity of paper supplies offer uninterrupted productivity for high volume workloads. Individually selectable paper cassettes with capacities of up to 7,150 sheets, enable you to easily print large volumes. What's more, the device is capable of printing on wide range of paper sizes up to 305 x 1,220 mm and specialist media, with weights up to 300gsm.

To reduce your environmental footprint, we have developed a unique technology that makes this new TASKalfa series considerably more energy efficient by using energy only when required. All the parts assembled in our MFPs have been designed to provide productive, high quality monochrome document output whilst keeping the downtime to an absolute minimum.



PRODUCT SUMMARY

- > UP TO 55 A4 PAGES PER MINUTE.
 - > STANDARD NETWORK PRINTING AND COLOUR SCANNING.
 - > TIME TO FIRST COPY 3.2 SECONDS (TASKalfa 5501i).
 - > UP TO 2 GB RAM + 160 GB HDD MEMORY AND STORAGE.
 - > EXPANDABLE FAX FUNCTIONS*: DUAL FAX, NETWORK FAX, AND INTERNET FAX.
 - > SELECTABLE ONE-PATH DUPLEX AND REVERSING DOCUMENT PROCESSOR.*
 - > INDIVIDUAL PAPER HANDLING INCLUDING PRODUCTIVE FINISHING OPTIONS AND VARIOUS PAPER FEEDERS FOR UP TO 7,150 SHEETS.
 - > SECURITY ORIENTED: DATA SECURITY KIT*: COPY GUARD KIT*: INTEGRATED SUPPORT FOR ID CARD AUTHENTICATION AND MULTIPLE CARD TECHNOLOGIES.
 - > LONG-LIFE COMPONENTS PROVIDE EXCEPTIONAL EFFICIENCY, RELIABILITY AND LESS WASTE.
- * OPTIONAL.
-



SHARP CONTRASTS FOR A PERFECT PRESENTATION

The TASKalfa is equipped with a high image processing engine embedded in the device that generates sharp contrast and quality. The multifunctionals come with the equivalent of a 9,600 dpi resolution as standard, which ensures that all your documents will be of exceptional clarity.

You can access all settings for printing, copying and scanning as well as the optional fax function from the new colour touch panel. The large size of the panel and its ease of use ensure that your employees can easily select the functions they want to use.



PRODUCT HIGHLIGHT



ONE TOUCH ACCESS


Frequently used features are only a click away

ACCESSIBILITY DISPLAY

Magnified control panel capabilities for visually impaired

HOME KEY

Easily access your customised control panel home page with this hard key



TURN YOUR PAPER DOCUMENTS INTO DIGITAL FILES

FAST SCANNING INSTEAD OF RETYPING.

Our devices offer high-speed support when you need to turn your paper documents into digital files. With an A4 scanning speed of up to 160 ipm in black and white, and 80 ipm in colour, at a resolution of 300 dpi, you will find your project gets done to a great quality and at maximum speed.

The one-pass optional duplex document processor captures paper documents and converts them to flexible formats which are ready for digital re-use.

Scanning options include colour scanning to a server, scanning direct to e-mail or scanning to USB. It comes with a choice of the most commonly used formats such as PDF, JPEG, TIFF or XPS.

To simplify your daily office life even more, you can choose a TASKalfa with the ability to turn scanned documents into searchable text files. This not only allows you to search the scanned document, but also to edit and share it.

SECURE DATA AND AN OPTIMISED WORKFLOW

PEACE OF MIND WITH SECURE DOCUMENT MANAGEMENT.

These TASKalfa devices have been designed to protect your data against theft. All the devices come with IPsec, IPv6 and PDF encryption as standard. Our optional Data Security Kit ensures that all the data stored on the hard disk during the processing of your document gets deleted and overwritten when the process is

completed. The optional card authentication function used in conjunction with print management software prevents unauthorised accessing of data, as users need to identify themselves before being allowed to use the device and access documents.

TAILOR THE DEVICE TO YOUR INDIVIDUAL NEEDS.

The HyPAST™ open software platform can be an integral part of your workflow. It is highly customisable to the way you do business, providing you with fast flexible access to your

documents whether you are interfacing with your Document Management Systems or Systems Enterprise Resource Planning (ERP)



ECONOMY

- > Our long-life printer drum with an amorphous-silicon surface lasts for at least 600,000 prints.
- > High reliability = less downtime = more savings.



ENVIRONMENT -

Due to Smart power technology

- > Uses as little energy as possible.
- > Uses energy only when it is needed.
- > Long-life components save resources.



USABILITY

- > Customisable home screen with simple and intuitive menu structure.
- > Improved driver with enhanced functionality and usability.
- > Up to 4 USB hosts for devices such as IC Card readers, USB keyboards and USB devices to scan-to or print-from.

PAPER HANDLING TO MATCH YOUR EXACT NEEDS


HIGH CAPACITY AND A WIDE RANGE OF FORMATS AND FINISHINGS.

Our TASKalfa devices can be complemented with a wide range of paper-handling options that will meet all your present and future needs. You may for instance add additional paper trays to increase the capacity of your device up to 7,150 sheets for hours of non-stop printing in six different media types.

7 BINS MAILBOX SORTER MT-730
Ideal for large departments, separates user output into 7 trays.



1000-SHEET FINISHER DF-770
Supports various formats from B5E to A3. With optional stapling and hole punching function.



4000-SHEET FINISHER DF-790
Particularly suited for large outputs. With optional stapling and hole punching function.



BF-730
OPTIONAL FOR DF-790
Booklet and tri-folding unit.



- > PPM BLACK & WHITE A4
- > SCANNER SPEED
- > MAX. PAPER CAPACITY

35 pages per minute
160 scans per minute
7,150 sheets

45 pages per minute
160 scans per minute
7,150 sheets

55 pages per minute
160 scans per minute
7,150 sheets



DUPLEX DOCUMENT PROCESSOR DP-772
Scans double-sided documents in one path.



3000-SHEET PAPER FEEDER PF-770
Ideal for large A4 print runs.



1000-SHEET PAPER FEEDER PF-730
Ideal for paper sizes between A5 and "12x18" (305x457)



1 CARD AUTHENTICATION
The card authentication function not only protects sensitive data, it also allows personalised use of the device.

2 DOCUMENT PROCESSOR DP-770
Single-pass document processor that scans one side of a page, then flips it and scans the other side.

3 MULTI PURPOSE TRAY
For up to 150 sheets.

4 3000-SHEET PAPER FEEDER PF-770
Allow your device to handle heavy workloads. The 3000-sheet paper feeder is ideal for different paper sizes e.g. A4, B5 and letter formats.

GENERAL

Technology: KYOCERA Laser Monochrome, HyPAS™ solution platform

Engine speed (pages per minute):

TASKalfa 3501i: Up to 35/17 ppm A4/A3

TASKalfa 4501i: Up to 45/22 ppm A4/A3

TASKalfa 5501i: Up to 55/27 ppm A4/A3

Resolution: 600 x 600 dpi, Multi-bit technology for print quality of 9,600 dpi equivalent x 600 dpi

Warm-up time from power on:

Approx. 23 seconds or less

Time to first page:

TASKalfa 3501i: Approx. 4.7 seconds or less

TASKalfa 4501i: Approx. 3.8 seconds or less

TASKalfa 5501i: Approx. 3.2 seconds or less

CPU: Freescale QorIQ P1022 (Dual Core) 800MHz

Memory: 2 GB RAM + 160 GB HDD

Standard interface:

USB 2.0 (Hi-Speed), USB host 2.0, Fast Ethernet 10Base-T/100BaseTX/1000BaseT, slot for optional print server, slot for optional SD-card, slot for optional Fax System

Dimensions (W x D x H): Main unit: 668 x 767 x 747 mm

Weight: Main unit approx. 82 kg

Power source: AC 220 V ~ 240 V, 50/60 Hz

Power consumption:

TASKalfa 3501i - Printing: 660 W, Ready mode: 170 W,

Sleep mode: recovery priority 8.4 W, Energy saving priority 1.8 W

TASKalfa 4501i - Printing: 780 W, Ready mode: 170 W, Sleep

mode: Recovery priority 8.4 W, Energy saving priority 1.8 W

TASKalfa 5501i - Printing: 890 W, Ready mode: 170 W,

Sleep mode: Recovery priority 8.4 W, Energy saving priority 1.8 W

Noise (sound pressure level ISO 7779/ISO 9296):

TASKalfa 3501i - Printing: 48.8 dB(A) LpA, Ready mode: 33.2 dB(A) LpA

TASKalfa 4501i - Printing: 50.1 dB(A) LpA, Ready mode: 37.0 dB(A) LpA

TASKalfa 5501i - Printing: 51.4 dB(A) LpA, Ready mode: 33.6 dB(A) LpA

Safety standards:

GS, TÜV, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

RoHS compatibility

PAPER HANDLING

All paper capacities quoted are based on a max paper thickness of 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity:

150-sheet multi-purpose tray, 60–300 g/m²

A6R–305 x 457 mm, Tab paper (136–256 g/m²), banner

max. 305 x 1,220 mm; 2 x 500-sheet universal paper

cassette, 60–220 g/m², 140 x 182–305 x 457 mm

Max. input capacity with options: 7,150 sheets A4

Duplex unit:

Duplex as standard supports

A5R–305 x 457 mm, 60–256 g/m²

Output capacity:

250 sheets face-down, max. output

capacity 320 sheets

PRINT FUNCTIONS

Controller language: PRESCRIBE IIe, Emulations: PCL6 (PCL5cPCL-XL),

KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Operating systems: All current Windows operating

systems, Mac OS X version 10.4 or higher, UNIX LINUX,

as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL), 136 fonts (KPDL3),

8 fonts (Windows Vista), 1 Bitmap font, 45 types of onedimensional barcodes plus two-dimensional barcode (PDF-417)

Print features: Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMv3, Quick copy, proof and hold, Private Print, job storage and job management functionality

COPY FUNCTIONS

Max. original size: A3

Continuous copying: 1–999

Zoom range: 25–400% in 1% steps

Preset magnification ratios: 5R/5E

Digital features: Scan-once-copy-many, electronic sort, 2in1 and 4in1 function, image repeat copy, page numbering, cover mode, booklet copy, interrupt copy, form overlay, stamp function and skip blank page function.

Exposure mode: Auto, manual: 7 or 13 steps

Image adjustments: Text + photo, text, photo, map

SCAN FUNCTIONS

Functionality: Scan-to-email, Scan-to-FTP, Scan-to-SMB,

Scan-to-USB Host, Scan-to-box, Network TWAIN, WSD scan

Scan speed: (A4, 300 dpi, Dual Scan with DP-772) b/w

160 images per minute, colour 80 images per minute

Scan resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi,

200 x 100 dpi, 200 x 400 dpi (256 greyscales)

Max. scan size: A3

Original recognition: Text, photo, text + photo, optimised for OCR

Network protocol: TCP/IP

File types: PDF (high-compression PDF), Searchable PDF (Option), TIFF, JPEG, XPS

FAX FUNCTIONS (optional)

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Max. 3 seconds (JBIG)

Fax resolution: Normal: 200 x 100 dpi, Fine: 200 x 200 dpi,

Superfine: 200 x 400 dpi, Ultrafine: 400 x 400 dpi

Maximum original size: A3

Compression method: JBIG, MMR, MR, MH

Memory: Standard 12 MB, max. 128 MB

Features: Optional Internet-fax, network faxing, rotate transmission, rotate reception, duplex fax reception, memory reception, mailbox, remote diagnostics, dual fax with second fax system

CONSUMABLES

TK-6305 Toner-Kit: Average continuous toner yield 35,000 pages in accordance with 6% coverage A4

WT-860 Waste Toner Bottle: 100,000 pages (in accordance with 6% coverage)

Staple cartridge:

SH-10 for DF-770, BF-730, SH-12 for DF-790

OPTIONS

Fax System (W) B

Internet Fax Kit (A)

Scan Extension Kit (A): Scan to searchable PDF solution (embedded OCR)

Paper handling

DP-770(B) Document processor: (reversing document processor), 100 sheets, 45–160 g/m², A5R–A3, folio

DP-772 Document processor: (one-path duplex scanning) 175 sheets; 35–220 g/m² (simplex), 50–220 g/m² (duplex); A5R–A3, folio

PF-730(B) Paper feeder: 2 x 500 sheets, 60–256 g/m², A5R–305 x 457 mm, folio

PF-740(B) Paper feeder: 3,000 sheets, 60–256 g/m², A4, B5, letter

PF-770 A4 side deck: 3,000 sheets, 60–300 g/m², A4, B5

DT-730(B) Document tray

DF-790(C)* Document finisher + AK-731: Main tray:

max. 4,000 sheets A4 (3,000 sheets with attachment

BF-730); max. 60–300 g/m²; max. B5R–305 x 457 mm

Sub tray: 200 sheets A4; 60–300 g/m²; A6R–305 x 457 mm

Sub tray (top): 100 sheets; 60–300 g/m²; A6R–A4

Stapling up to 65 sheets A4 or 30 sheets A3 at 3

positions, B5–305 x 457 mm

DF-770(D)* Document finisher + AK-731:

Main tray: 1,000 sheets A4, 60–300 g/m², B5E–305 x 457 mm,

3 positions stapling up to 50 sheets A4 or 30 sheets A3

Sub tray: 100 sheets A4, 60–300 g/m²; A4–A6R

PH-7C/PH-7D Punch unit for DF-790(C)/DF-770(D):

2-hole/4-hole/Swedish type, 60–300 g/m², A5R–A3

MT-730(B) Mailbox sorter for DF-790(C):

7 bins x 100 sheets A4, 50 sheets A3/B4, 60–163 g/m²

BF-730 Booklet and tri-folding unit for DF-790(C):

Half folding: 60–256 g/m², A3, B4, A4R, Booklet: max. 16

sheets (64 pages, 60–90 g/m²), Non-staple folding: max. 5

sheets (60–90 g/m²), Tri-folding: 60–120 g/m², A4R

Multi tri-folding: 5 sheets (60–90 g/m²), 3 sheets (91–120 g/m²)

JS-730 Job separator: 30-sheet internal job separator, 60–256

g/m², A5R–A3

JS-731 Job separator: 70-sheet external job separator, 60–256

g/m², A5R–A3

*Bridge unit AK-731 is required for the use of DF-790(C) and DF-770(B).

Banner Guide (A): Banner paper feeding guide, up to 10 sheets

Fax memory

MM-16-128: Optional fax memory (128 MB)

Security

Data security kit (E):

In line with ISO 15408 (Common Criteria) with security level EAL3

Printed Document Guard Kit (B)

USB IC Card Reader and Card Reader Holder (E)

UG-33: ThinPrint support

UG-34: Emulation (IBM Proprinter/EPSON LQ-850/

Diablo 630)

Optional interface

IB-50: Gigabit-Ethernet board 10BaseT/100BaseTX/1000BaseT

IB-51: Wireless Lan Interface

Platen cover (E)

CB-730 Wooden cabinet

CB-731 Metal cabinet



HyPAS™

KYOCERA Document Solutions (UK) Ltd
Eldon Court, 75 - 77 London Road, Reading RG1 5BS
Tel: 0118 931 1500 – Fax: 0118 931 1108
www.kyoceradocumentsolutions.co.uk – info@duk.kyocera.com

* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

YOUR KYOCERA BUSINESS-PARTNER

 **KYOCERA**
Document Solutions